
# **Parts**

NOTE: The round pattern gun is shown below. Refer to **Detail Views**, page 35, for parts specific to other models.



1 Torque to 125-135 in-lb (14-15 N•m).

2 Torque to 20-30 in-lb (2.3-3.4 N•m).

Torque to 235-245 in-lb (26.6-27.7 N•m).

4 Torque to 35-45 in-lb (4-5 N•m).

5 Torque to 32-40 ft-lb (43-54 N•m).

309550ZAR 33

Ref.	Part	Description	Qty.	Ref.	Part	Description	Qty.
_		HANDLE	Gty. ₁	26‡		VALVE, check, A side, includes	1
1 2			1	20+	2-0701	26a-26g	•
		PLUG, air valve	1		246352	VALVE, check, B side, includes	1
3‡		O-RING, PTFE, package of 6	1			26a-26g	•
4★		LOCK, safety	1	26a‡		HOUSING	1
5 <b>★</b>		CAP, cylinder	1			SCREW, 5/16-18 x 1/2 in. (13 mm)	1
6	192272		1	26c±	257420	BALL; carbide, package of 10	1
7‡		RING, lock	1			SCREEN, see Check Valve Filter	1
8‡		VALVE, cleanoff air	1	,		Screen Kits, page 38	-
9‡		RING, retaining	1	26e‡	117490	SPRING	1
10‡		AIR CAP, for round pattern guns	1			O-RING, check valve face, package of	1
11‡		HOUSING, fluid	1			6	
		KIT, thread insert, fusion	1	26g‡	248129	O-RING, check valve housing;	1
12	246012	MANIFOLD, fluid, 2-hose, includes	1	٥.		package of 6	
	040500	12a-12g	4	27‡	116550	RING, retaining	1
	249523	MANIFOLD, fluid, 4-hose, includes	1			STOP, piston	1
		12a, 12b, 12d-12g, 50; see <b>Detail</b>		29		SCREW, 10-24 x 3/8 in. (10 mm)	1
120		Views, page 35	4	30★		SPRING	1
12a	046056	MANIFOLD	1	31		SPRING	1
12b		VALVE, fluid	2	32		SPOOL, valve	1
12c		PLUG, pipe; 1/8-27 npt	2 1	33		PLUG, pipe, 1/4-18 npt;	1
12d		BOLT, 5/16-24	-			round and flat pattern guns only	
12e	11/634	SWIVEL, B side; 1/8 npt(m) x number	1	35	117509	QUICK-DISCONNECT, male, air, 1/4	1
106	117005	6 JIC(f), for 2-hose manifold	4			npt(m), round and flat pattern guns	
12f	11/035	SWIVEL, A sid,; 1/8 npt(m) x number	1			only	
120	15D002	5 JIC(f), for 2-hose manifold SPRING, ring, lock	1	36▲	222385	CARD, warning, not shown	1
12g			1	37‡		COVER, grease fitting	1
13		TRIGGER	=	46	117792	GREASE GUN, not shown	1
14 <b>★</b>		O-RING, cylinder cap, package of 6 PISTON	1	47	117510	COUPLER, air line	1
15			1	49	15B772	HOSE, air; 1/4 npsm (fbe); 18 in.	1
16 17		O-RING, piston; package of 6	- 1			(0.46 m)	
17	240134	O-RING, piston shaft;	1	50	112307	ELBOW, street; 1/8 npt (m x f), round	2
18‡	246340	package of 6 CARTRIDGE, seal, A side, SST;	1			and flat pattern guns only	
10+	240049	includes 18a-18e	'	51	15B565	VALVE, ball, 1/4 npt (m x f), round and	1
	246350	CARTRIDGE, seal, B side, SST;	1			flat pattern guns only	
	240000	includes 18a-18e	'			TAG, warning, not shown	1
18a		CARTRIDGE BODY	1	56▲		SIGN, instruction, not shown	1
18b		SPRING	i	57	117773	GREASE CARTRIDGE, 3 oz, not	1
18c		SEAL KIT, see Side Seal Kits, page	i			show; SDS sheet available at	
100		42	'			www.graco.com	
18d	248130	O-RING, cartridge body; package of 6	1	65	248279	GREASE, tube, 4 oz, not shown; SDS	1
18e		O-RING, side seal, package of 6				sheet available at www.graco.com	
19		CHAMBER, mix; see Mix Chamber	1				
13		Kits, page 36	•	NOTE	E: See De	etail Views, page 35, for additional part	s.
20	15C480	WASHER, wave	1				
21‡		O-RING; package of 6	1			nt safety labels, tags, and cards are	
22		MUFFLER	1		⁄ailable ai		
23‡		O-RING, package of 6	i	‡ In	cluded in	Front End Replacement Kit 246361.	
		O-RING, package of 6	1	<b>≭</b> Fo	or date co	de B17 or prior, see manual 310767.	
25‡		FITTING, grease	1			Safety Stop Assembly 248064 (includes	s 1 of
<u>-</u> 0+	100040	i ii iiiva, gicasc	'		em 24).	, ,	
					- ·/·		

34 309550ZAR

# **Gun Repair Kits**

Read the chart left to right and top to bottom to find the quantity of each part in the kits.

Ref.	Bulk O-ring Kits (quantity)	246347 Side Seal Cartridge O-ring Kit	246348 Side Seal Kit	246351 Check Valve O-ring Kit	246355 Complete O-ring Kit	25M221 High Temperature /Pressure O-ring Kit
3	248137 (6) 25M244 (50)				1	
10	129209 (10)					1
14	248136 (6)				1	
16	248135 (6) 25M245 (25)				1	
17	248134 (6)				1	
18c			2			
18d	248130 (6) 25M242 (50)	4			4	
18e	248128 (6) 298790 (50)	2	2		2	
21	248132 (6)				1	
23	248131 (6) 25M243 (50)				1	
24	246354 (6) 25M239 (50)				5	
26f	248133 (6)			2	2	
26g	248129 (6) 25M247 (25)			2	2	
40	246360 (3) 25M248 (25)					

## **Check Valve Filter Screen Kits**

Each kit includes ten filter screens.

The gun is shipped with 80 mesh filter screens.

Part	Description
246357	40 mesh (0.015 in., 375 micron)
246358	60 mesh (0.010 in., 238 micron)
246359	80 mesh (0.007 in., 175 micron)

### **Drill Bit Kit**

#### 119386

Kit includes 20 cleanout drill bits ranging in sizes of #61 through #80.

### **Handle Cleanout Drill Kit**

#### 248969

Kit includes all 5 drill bits of extra long length needed to clean out the air passages in the Air Purge gun handle and fluid housing.

38 309550ZAR