

# 2026 BIG PRICE GUIDE - €



M O V I N G   M A T E R I A L S   T H A T   M A T T E R ™

# INDEX

|    |                                          |           |
|----|------------------------------------------|-----------|
| 1. | Units: Specifications & Pricing          |           |
|    | Small Job Applications .....             | 6 - 9     |
|    | Fine Finish Applications .....           | 10 - 13   |
|    | Professional Airless Applications .....  | 14 - 23   |
|    | Texture Applications .....               | 24 - 35   |
|    | Heavy Duty Applications .....            | 36 - 41   |
|    | Professional Cleaning Applications ..... | 42 - 43   |
|    | Pavement & Marking .....                 | 44 - 49   |
|    | Surface Preparation .....                | 50 - 51   |
| 2. | Accessories: Specifications & Pricing    |           |
|    | Small Job Applications .....             | 54 - 57   |
|    | Fine Finish Applications .....           | 58 - 62   |
|    | Professional Airless Applications .....  | 63 - 87   |
|    | Texture Applications .....               | 88 - 95   |
|    | Heavy Duty Applications .....            | 96 - 97   |
|    | Professional Cleaning Applications ..... | 98 - 99   |
|    | General Parts .....                      | 100 - 101 |
| 3. | Tips: Specifications & Pricing           |           |
|    | Tip Selection Guide .....                | 102 - 107 |
|    | Fine Finish Low Pressure Tips .....      | 108 - 109 |
|    | Rac® X Tips .....                        | 110 - 111 |
|    | Flat Tips .....                          | 112 - 113 |
|    | Airless Tips .....                       | 114       |
|    | Cleaning Tips .....                      | 115       |
| 4. | Warranty                                 |           |
|    | Warranty overview .....                  | 116 - 119 |
| 5. | Support Material                         |           |
|    | Service support .....                    | 120 - 125 |



# UNITS

## SPECIFICATIONS & PRICING

The ultimate quick reference overview!

Compare technical specifications, technologies featured as well as the actual composition list of all products within a certain application group - all in 1 table!



SPECIFICATIONS & PRICING

SMALL JOBS - 1

|                                    | ULTRA®<br>AIRLESS<br>HANDHELD AC | ULTRA®<br>AIRLESS<br>HANDHELD DC | ULTRAMAX<br>AIRLESS<br>HANDHELD DC |
|------------------------------------|----------------------------------|----------------------------------|------------------------------------|
| SPECIFICATIONS                     |                                  |                                  |                                    |
| Part Numbers: EU - 230V            | 17M360                           | 17M366                           | 17P258                             |
| Part Numbers: UK - 230V            | 25M616                           | 25M615                           | 25M614                             |
| Max. Tip Size                      | 0.016"                           | 0.016"                           | 0.016"                             |
| Motor                              | AC                               | DC                               | DC Brushless                       |
| Max. pressure - bar (PSI)          | 138 (2000)                       | 138 (2000)                       | 138 (2000)                         |
| Weight - kg (lbs)                  | 2.1 (4.6)                        | 2.4 (5.3)                        | 2.4 (5.3)                          |
| FEATURES                           |                                  |                                  |                                    |
| Material and Solvent compatibility | Waterbased                       | Waterbased                       | ■*                                 |
| Repairable                         | ■                                | ■                                | ■                                  |
| SmartControl™                      | ■                                | ■                                | ■                                  |
| Speed Selector                     | ProControl™ II                   | ProControl™ II                   | ProControl™ II                     |
| Suction system                     | Vacuum                           | Vacuum                           | Vacuum                             |
| Cup system                         | Throw-away                       | Throw-away                       | Throw-away                         |
| COMPOSITION                        |                                  |                                  |                                    |
| Tips                               | FFLP410 + FFLP514                |                                  |                                    |
| Guard                              | RAC X™ - 246215                  |                                  | RAC X™ - 17P573                    |
| Inlet filter (mesh)                | 60 + 100                         |                                  |                                    |
| Power supply                       | 3m power cable                   | 2 x 18V DEWALT® battery**        |                                    |
| Battery charger                    |                                  | ■                                | ■                                  |
| Cup + lid                          | 1 L (1 cup, 1 lid)               |                                  |                                    |
| Cup liners                         | 4                                |                                  |                                    |
| QuickFill Funnel and strainer      | ■                                | ■                                | ■                                  |
| Storage bag/case                   | Bag                              |                                  |                                    |
| PRICING                            |                                  |                                  |                                    |
|                                    | 17M360: € 756,00                 | 17M366: € 935,00                 | 17P258: € 1.071,00                 |
|                                    | 25M616: € 756,00                 | 25M615: € 935,00                 | 25M614: € 1.071,00                 |
| BROCHURE                           | 3J0545                           | 3J0545                           | 3J0545                             |

\* Compatible with “flammables” and “hot” solvents, see operating manual for detailed list of compatible cleaning fluids

\*\* DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.







# SPECIFICATIONS & PRICING

## SMALL JOBS - 2

ULTRA®  
QUICKSHOT™



| SPECIFICATIONS                     |                                       |
|------------------------------------|---------------------------------------|
| Part Numbers: EU - 230V            | 20B476                                |
| Part Numbers: UK - 230V            | 20B475                                |
| Max. Tip Size                      | 0.016"                                |
| Motor                              | DC Brushless                          |
| Max. Pressure - bar (PSI)          | 138 (2000)                            |
| Weight - kg (lbs)                  | 2.9 (6.4)                             |
| FEATURES                           |                                       |
| Material and Solvent compatibility | ■*                                    |
| Repairable                         | ■                                     |
| SmartControl™                      | ■                                     |
| Speed Selector                     | On gun flow control                   |
| Suction system                     | Gravity feed                          |
| Cup system                         | 1L Pour-N-Go                          |
| COMPOSITION                        |                                       |
| Gun                                | Instant response electric powered gun |
| Hose                               | 1/8" x 1.8m flexible hose             |
| Tips                               | FFLP410 + FFLP514                     |
| Guard                              | RAC X™ - 246215                       |
| Inlet Filter (mesh)                | 60 + 100                              |
| Hands-free belt attachment & belt  | ■                                     |
| Power supply                       | 2 x 18V DeWalt® battery**             |
| Battery charger                    | ■                                     |
| Storage bag/case                   | Bag                                   |
| PRICING                            |                                       |
|                                    | 20B476: € 1.565,00                    |
|                                    | 20B475: € 1.565,00                    |
| BROCHURE                           |                                       |
| 3J0545                             |                                       |

\* Compatible with "flammables" and "hot" solvents, see operating manual for detailed list of compatible cleaning fluids  
\*\* DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

SPECIFICATIONS & PRICING

FINE FINISH - 1

|                                                                                                                                                                                                                                                                                                                                                     | HVLP™ STANDARD              | HVLP™ PROCONTRACTOR           |                    | HVLP™ PROCOMP                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------|--------------------|-------------------------------|
|                                                                                                                                                                                                                                                                                                                                                     | 9.0                         | 7.0                           | 9.5                | 9.5                           |
| <div></div> |                             |                               |                    |                               |
| SPECIFICATIONS                                                                                                                                                                                                                                                                                                                                      |                             |                               |                    |                               |
| Part numbers: EU - 230V                                                                                                                                                                                                                                                                                                                             | 17P529                      | 17P530                        | 17P532             | 17P533                        |
| Part numbers: DK, CH, UK - 230V                                                                                                                                                                                                                                                                                                                     | -                           | -                             | 17P538             | 17P539                        |
| Part numbers: UK - 110V                                                                                                                                                                                                                                                                                                                             | -                           | -                             | 17T982             | -                             |
| Turbine stages                                                                                                                                                                                                                                                                                                                                      | 4                           | 3                             | 5                  | 5                             |
| Max. air working pressure - bar (PSI)                                                                                                                                                                                                                                                                                                               | 0.6 (9)                     | 0.5 (7)                       | 0.7 (9.5)          | 0.7 (9.5)                     |
| Weight - kg (lbs)                                                                                                                                                                                                                                                                                                                                   | 14 (30.8)                   | 18 (39.7)                     | 19 (41.9)          | 23 (50.7)                     |
| FEATURES                                                                                                                                                                                                                                                                                                                                            |                             |                               |                    |                               |
| TurboForce™ II technology                                                                                                                                                                                                                                                                                                                           | ■                           | ■                             | ■                  | ■                             |
| SmartStart                                                                                                                                                                                                                                                                                                                                          |                             | ■                             | ■                  | ■                             |
| TCS System                                                                                                                                                                                                                                                                                                                                          | ■                           | ■                             | ■                  | ■                             |
| Quick release needle                                                                                                                                                                                                                                                                                                                                | ■                           | ■                             | ■                  | ■                             |
| Flex Liner™ System                                                                                                                                                                                                                                                                                                                                  | ■                           | ■                             | ■                  | Remote Cup                    |
| Air flow control at the gun                                                                                                                                                                                                                                                                                                                         | Preset ratio                | ■                             | ■                  | ■                             |
| Material volume control at the gun                                                                                                                                                                                                                                                                                                                  | ■                           | ■                             | ■                  | ■                             |
| Spray fan size control at the gun                                                                                                                                                                                                                                                                                                                   | ■                           | ■                             | ■                  | ■                             |
| Needle nozzle storage                                                                                                                                                                                                                                                                                                                               |                             | ■                             | ■                  | ■                             |
| Washable air filtration                                                                                                                                                                                                                                                                                                                             | Foam                        | Automotive                    | Automotive         | Automotive                    |
| COMPOSITION                                                                                                                                                                                                                                                                                                                                         |                             |                               |                    |                               |
| Needle nozzle-kit                                                                                                                                                                                                                                                                                                                                   | #3                          | #3                            | #3, #4, #5         | #3, #4, #5                    |
| Gun                                                                                                                                                                                                                                                                                                                                                 | EDGE® II                    | EDGE® II Plus                 |                    | EDGE® II Plus                 |
| Hose                                                                                                                                                                                                                                                                                                                                                | Super-Flex™ Air 6M - 17R300 | Super-Flex™ Air 9M - 257159   |                    | Super-Flex™ Air 9M - 257159   |
| Whip hose                                                                                                                                                                                                                                                                                                                                           |                             | Super-Flex™ Air 1.2M - 17R299 |                    | Super-Flex™ Air 1.2M - 17R299 |
| Gun docking station                                                                                                                                                                                                                                                                                                                                 |                             | ■                             |                    | ■                             |
| PRICING                                                                                                                                                                                                                                                                                                                                             |                             |                               |                    |                               |
|                                                                                                                                                                                                                                                                                                                                                     | 17P529: € 2.179,00          | 17P530: € 2.321,00            | 17P532: € 2.951,00 | 17P533: € 3.901,00            |
|                                                                                                                                                                                                                                                                                                                                                     |                             |                               | 17P538: € 2.951,00 | 17P539: € 3.901,00            |
|                                                                                                                                                                                                                                                                                                                                                     |                             |                               | 17T982: € 2.977,00 |                               |
| BROCHURE                                                                                                                                                                                                                                                                                                                                            | 300744                      | 300744                        | 300744             | 300744                        |





SPECIFICATIONS & PRICING

FINE FINISH - 2

| FINISHPRO™ II                         |                                                                                   |                                                                                   |
|---------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|                                       | 395 PC                                                                            | 595 PC PRO                                                                        |
|                                       |  |  |
| SPECIFICATIONS                        |                                                                                   |                                                                                   |
| Part numbers: EU - 230V               | -                                                                                 | 17E912                                                                            |
| Part Numbers: UK - 110V               | 17C320                                                                            | -                                                                                 |
| Max. tip size: 1 gun                  | 0.023"                                                                            | 0.027"                                                                            |
| Max. flow - l/min. (gpm)              | 2.0 (0.54)                                                                        | 2.6 (0.68)                                                                        |
| Max. pressure - bar (PSI)             | 227 (3300)                                                                        | 227 (3300)                                                                        |
| Motor rating - kW (HP)                | 0.65 (0.875) TEFC Brush DC                                                        | 1.19 (1.6) Brushless DC                                                           |
| Turbine / compressor l/min. (cfm)     | 2.0 (0.47)                                                                        | 2.7 (0.7)                                                                         |
| Max. air working pressure - bar (PSI) | 2.4 (35)                                                                          | 2.4 (35)                                                                          |
| Weight - kg (lbs)                     | 50 (110)                                                                          | 51 (112)                                                                          |
| FEATURES                              |                                                                                   |                                                                                   |
| LED Display                           |                                                                                   | ■                                                                                 |
| SmartControl™                         | 1.0                                                                               | 3.0                                                                               |
| Air pressure gauge                    | ■                                                                                 | ■                                                                                 |
| FastFlush™                            |                                                                                   | ■                                                                                 |
| ProGuard™                             |                                                                                   | ■                                                                                 |
| Endurance™ Pump                       | ■                                                                                 | ■                                                                                 |
| ProConnect™                           | ■                                                                                 | ■                                                                                 |
| SmartComp™                            | ■                                                                                 | ■                                                                                 |
| Hose Rack                             | ■                                                                                 | ■                                                                                 |
| TiltBack™                             |                                                                                   | ■                                                                                 |
| COMPOSITION                           |                                                                                   |                                                                                   |
| Tips                                  | FFLP210 + LTX517 + AAM309                                                         |                                                                                   |
| Flat to RAC® conversion kit           | ■                                                                                 |                                                                                   |
| Gun filter (mesh)                     | 100 - 224453                                                                      |                                                                                   |
| Pump filter (mesh)                    | Easy Out™ 100 - 246382                                                            |                                                                                   |
| Gun                                   | G40 - 262932                                                                      |                                                                                   |
| Hose                                  | Super-Flex™ Fluid+ Air; Hose (7.5M) + Whip (2M) 24U578; Hose protector 24U576     | Super-Flex™ Fluid + Air; Hose (15M)+ Whip (2M) 24U579; Hose protector 24U577      |
| Whip hose                             |                                                                                   |                                                                                   |
| Toolbox                               | ■                                                                                 |                                                                                   |
| TSL™ 118 ml                           | ■                                                                                 |                                                                                   |
| PRICING                               |                                                                                   |                                                                                   |
|                                       | 17C320: € 7.933,00                                                                | 17E912: € 8.295,00                                                                |
| BROCHURE                              | 320599                                                                            | 320599                                                                            |





SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 1

|                                 | GX™                                                                               |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|---------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                 | 19                                                                                | FF                                                                                | FF Cordless                                                                         | 21                                                                                  | 21 Cordless                                                                         |
|                                 |  |  |  |  |  |
| SPECIFICATIONS                  |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
| Part numbers: EU - 230V         | 18H284                                                                            | 17G184                                                                            | 25U466                                                                              | 17G183                                                                              | 25T967                                                                              |
| Part numbers: DK, CH, UK - 230V |                                                                                   | 17H222                                                                            |                                                                                     | 17H218                                                                              |                                                                                     |
| Part Numbers: UK Only - 230V    | 18H285                                                                            |                                                                                   | 25U570                                                                              |                                                                                     | 25T973                                                                              |
| Max. tip size: 1 gun            | 0.019"                                                                            | 0.019"                                                                            | 0.019"                                                                              | 0.021"                                                                              | 0.021"                                                                              |
| Max. flow - l/min (gpm)         | 1.5 (0.38)                                                                        | 1.5 (0.38)                                                                        | 1.5 (0.38)                                                                          | 1.8 (0.47)                                                                          | 1.8 (0.47)                                                                          |
| Max. pressure - bar (PSI)       | 207 (3000)                                                                        | 207 (3000)                                                                        | 207 (3000)                                                                          | 207 (3000)                                                                          | 207 (3000)                                                                          |
| Weight - kg (lbs)               | 11.3 (25)                                                                         | 14.1 (31)                                                                         | 15.9 (35)                                                                           | 13.2 (29)                                                                           | 14.1 (31)                                                                           |
| FEATURES                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
| Frame                           | Direct Immersion                                                                  | Stand with hopper                                                                 | Stand with hopper                                                                   | Direct Immersion                                                                    | Direct Immersion                                                                    |
| Suction System                  | Suction Tube                                                                      | 5.7 L Hopper                                                                      | 5.7 L Hopper                                                                        | Suction Tube                                                                        | Suction Tube                                                                        |
| Ball Knocker - PushPrime™       | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| Solvent Capable                 |                                                                                   | ■                                                                                 | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| Hydraulic Pressure Gauge        |                                                                                   | ■                                                                                 | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| ProXChange™ Pump System         | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| COMPOSITION                     |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
| Tips                            | LP517                                                                             | FFLP210                                                                           | FFLP210                                                                             | LP517 + FFLP310                                                                     | LP517 + FFLP310                                                                     |
| Guard                           | RAC X™ - 246215                                                                   |                                                                                   |                                                                                     |                                                                                     | RAC X™ - 246215                                                                     |
| Gun filter (mesh)               | Easy-Out™ 50 - 218131                                                             | Easy Out™ 100 - 287033                                                            | Easy Out™ Compact 100 - 19Y356                                                      | Easy Out™ 50 - 218131                                                               | Easy Out™ 50 - 218131                                                               |
| Gun                             | SG3, 4-finger - 17J910                                                            | FTx™-E, 2-finger - 17J261                                                         | Contractor™ PC Compact - 19Y350                                                     | SG3™, 4-finger - 17J910                                                             | SG3™, 4-finger - 17J910                                                             |
| Pump filter (mesh)              | 40 - 257094                                                                       |                                                                                   |                                                                                     | 40 - 257094                                                                         | 40 - 257094                                                                         |
| Hose                            | DuraFlex™ 1/4" x 15m - 247340                                                     | Blue Max™ II 3/16" x 7.5m - 214698                                                | Blue Max™ II 3/16" x 7.5m - 214698                                                  | DuraFlex™ 1/4" x 15m - 247340                                                       | DuraFlex™ 1/4" x 15m - 247340                                                       |
| Power supply                    | 2m power cable                                                                    | 2m power cable                                                                    | 2 x 54V DeWalt® FlexVolt® 6.0 Ah battery*                                           | 2m power cable                                                                      | 2 x 54V DeWalt® FlexVolt® 6.0 Ah battery*                                           |
| Battery charger                 |                                                                                   |                                                                                   | DeWalt® Fan-cooled fast charger                                                     |                                                                                     | DeWalt® Fan-cooled fast charger                                                     |
| Tools                           | Built-In pump removal tool                                                        |                                                                                   |                                                                                     |                                                                                     | Built-In pump removal tool                                                          |
| PRICING                         |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|                                 | 18H284: € 1.318,00                                                                | 17G184: € 1.696,00                                                                | 25U466: € 2.310,00                                                                  | 17G183: € 1.554,00                                                                  | 25T967: € 2.053,00                                                                  |
|                                 |                                                                                   | 17H222: € 1.696,00                                                                |                                                                                     | 17H218: € 1.554,00                                                                  |                                                                                     |
|                                 | 18H285: € 1.318,00                                                                |                                                                                   | 25U570: € 2.310,00                                                                  |                                                                                     | 25T973: € 2.053,00                                                                  |
| BROCHURE                        | 300735                                                                            |                                                                                   |                                                                                     |                                                                                     |                                                                                     |

\* DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.



SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 2

| SPECIFICATIONS & PRICING<br>PROFESSIONAL AIRLESS - 2 |                                                                                     | ULTRA®                                                                              |                                                                                       |                                                                                       |                                                                                     | ULTRA®                                                                                |                                                                                       |
|------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                      |                                                                                     | 390 Stand                                                                           | 390 Hi-Cart                                                                           | 395 Stand                                                                             | 395 Hi-Cart                                                                         | 450 Stand                                                                             | 450 Hi-Cart                                                                           |
|                                                      |                                                                                     |    |      |    |  |    |    |
| SPECIFICATIONS                                       |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |
| Part numbers: EU - 230V                              | 25F509                                                                              | 25F510                                                                              | 25F512                                                                                | 25F513                                                                                |                                                                                     | 25F515                                                                                | 25F516                                                                                |
| Part numbers: UK - 110V                              | 25F511                                                                              | -                                                                                   | 25F514                                                                                | -                                                                                     |                                                                                     | -                                                                                     | -                                                                                     |
| Part numbers: UK - 230V                              | -                                                                                   | -                                                                                   | -                                                                                     | -                                                                                     |                                                                                     | -                                                                                     | -                                                                                     |
| Max. tip size: 1 gun                                 | 0.021"                                                                              | 0.021"                                                                              | 0.023"                                                                                | 0.023"                                                                                |                                                                                     | 0.023"                                                                                | 0.023"                                                                                |
| Max. flow - l/min (gpm)                              | 1.8 (0.47)                                                                          | 1.8 (0.47)                                                                          | 2.0 (0.54)                                                                            | 2.0 (0.54)                                                                            |                                                                                     | 2.0 (0.54)                                                                            | 2.0 (0.54)                                                                            |
| Max. pressure - bar (PSI)                            | 227 (3300)                                                                          | 227 (3300)                                                                          | 227 (3300)                                                                            | 227 (3300)                                                                            |                                                                                     |                                                                                       |                                                                                       |
| Motor rating - kW (hp)                               | 0.74 (1.0) Brushless DC                                                             | 0.74 (1.0) Brushless DC                                                             | 0.82 (1.1) Brushless DC                                                               | 0.82 (1.1) Brushless DC                                                               |                                                                                     | 0.82 (1.1) Brushless DC                                                               | 0.82 (1.1) Brushless DC                                                               |
| Weight - kg (lbs)                                    | 12.2 (27)                                                                           | 27.7 (61)                                                                           | 12.7 (28)                                                                             | 28.6 (63)                                                                             |                                                                                     | 12.7 (28)                                                                             | 28.6 (63)                                                                             |
| FEATURES                                             |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |
| Piston Pump                                          | Endurance™ Vortex®                                                                  | Endurance™ Vortex®                                                                  | Endurance™ Vortex®                                                                    | Endurance™ Vortex®                                                                    |                                                                                     | Endurance™ Vortex®                                                                    | Endurance™ Vortex®                                                                    |
| Vortex® Piston Rod                                   | Chromex™                                                                            | Chromex™                                                                            | Chromex™                                                                              | Chromex™                                                                              |                                                                                     | Chromex™                                                                              | Chromex™                                                                              |
| Hydraulic Pressure Gauge                             |    |    |    |    |                                                                                     |    |    |
| ProConnect™                                          |    |    |    |    |                                                                                     |    |    |
| Pressure Control                                     | Mechanical                                                                          | Mechanical                                                                          | SmartControl™                                                                         | SmartControl™                                                                         |                                                                                     | SmartControl™                                                                         | SmartControl™                                                                         |
| LCD Display                                          |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     |    |    |
| FastFlush™                                           |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     |    |    |
| WatchDog™                                            |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     |    |    |
| ProGuard™                                            |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     |    |    |
| TiltBack™                                            |                                                                                     |   |                                                                                       |   |                                                                                     |                                                                                       |   |
| Hose rack                                            |                                                                                     |  |                                                                                       |  |                                                                                     |                                                                                       |  |
| COMPOSITION                                          |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |
| Tips                                                 | LP517                                                                               |                                                                                     |                                                                                       |                                                                                       |                                                                                     | LP517                                                                                 |                                                                                       |
| Guard                                                | RAC X™ - 246215                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     | RAC X™ - 246215                                                                       |                                                                                       |
| Gun filter (mesh)                                    | Easy-Out™ 60 - 287032                                                               |                                                                                     |                                                                                       |                                                                                       |                                                                                     | Easy-Out™ 60 - 287032                                                                 |                                                                                       |
| Gun                                                  | FTX™-E, 4-finger - 288438                                                           |                                                                                     | Contractor™ PC - 17Y043                                                               |                                                                                       |                                                                                     | Contractor™ PC - 17Y043                                                               |                                                                                       |
| Hose                                                 | BlueMax™ II 1/4" x 15m - 240794                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     | BlueMax™ II 1/4" x 15m - 240794                                                       |                                                                                       |
| Power supply                                         | 3m power cable                                                                      |                                                                                     |                                                                                       |                                                                                       |                                                                                     | 3m power cable                                                                        |                                                                                       |
| Battery charger                                      |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |
| TSL™ 118 ml                                          |  |  |  |  |                                                                                     |  |  |
| PRICING                                              |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |
|                                                      | 25F509: € 2.704,00                                                                  | 25F510: € 2.993,00                                                                  | 25F512: € 3.691,00                                                                    | 25F513: € 3.980,00                                                                    |                                                                                     | 25F515: € 4.190,00                                                                    | 25F516 € 4.478,00                                                                     |
|                                                      | 25F511: € 2.972,00                                                                  |                                                                                     | 25F514: € 3.344,00                                                                    |                                                                                       |                                                                                     |                                                                                       |                                                                                       |
|                                                      |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |
| BROCHURE                                             | 3J0719                                                                              | 3J0719                                                                              | 3J0719                                                                                | 3J0719                                                                                |                                                                                     | 3J0719                                                                                | 3J0719                                                                                |

\* DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

| CLASSIC                                                                             |  |
|-------------------------------------------------------------------------------------|--|
| 390 PC Cordless                                                                     |  |
|  |  |
|                                                                                     |  |
| 25T863                                                                              |  |
| -                                                                                   |  |
| 25T943                                                                              |  |
| 0.021"                                                                              |  |
| 1.8 (0.47)                                                                          |  |
| 227 (3300)                                                                          |  |
| 0.46 (0.625) Brushless DC                                                           |  |
| 15 (33)                                                                             |  |
|                                                                                     |  |
| Endurance™                                                                          |  |
|                                                                                     |  |
|  |  |
|  |  |
| Mechanical                                                                          |  |
|                                                                                     |  |
|                                                                                     |  |
|                                                                                     |  |
|                                                                                     |  |
|                                                                                     |  |
|                                                                                     |  |
|                                                                                     |  |
|                                                                                     |  |
| LP517                                                                               |  |
| RAC X™ - 246215                                                                     |  |
| Easy-Out™ 60 - 287032                                                               |  |
| FTX™-E, 4-finger - 288438                                                           |  |
|                                                                                     |  |
| 2 x 54V DeWalt® FlexVolt 6.0 Ah battery*                                            |  |
| DeWalt® Fan-cooled fast charger*                                                    |  |
|                                                                                     |  |
|                                                                                     |  |
| 25T863 € 4.111,00                                                                   |  |
|                                                                                     |  |
| 25T943 € 4.111,00                                                                   |  |
|                                                                                     |  |
| 3J0719                                                                              |  |



SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 3

|                                 | ULTRA XT™                                                                         |                                                                                   |                                                                                     |                                                                                     |
|---------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                 | 490 XT Stand                                                                      | 490 XT Hi-Cart                                                                    | 495 XT Stand                                                                        | 495 XT Hi-Cart                                                                      |
|                                 |  |  |  |  |
| SPECIFICATIONS                  |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Part numbers: EU - 230V         | 19D525                                                                            | 19D526                                                                            | 19D527                                                                              | 19D528                                                                              |
| Part numbers: UK - 110V         | —                                                                                 | —                                                                                 | 19D529                                                                              | 19D530                                                                              |
| Max. tip size: 1 gun            | 0.025"                                                                            | 0.025"                                                                            | 0.027"                                                                              | 0.027"                                                                              |
| Max. flow - l/min (gpm)         | 2.6 (0.68)                                                                        | 2.6 (0.68)                                                                        | 3.0 (0.79)                                                                          | 3.0 (0.79)                                                                          |
| Max. pressure - bar (PSI)       | 227 (3300)                                                                        | 227 (3300)                                                                        | 227 (3300)                                                                          | 227 (3300)                                                                          |
| Motor rating - kW (hp)          | Xtreme Torque - 0.79 (1.3)                                                        | Xtreme Torque - 0.79 (1.3)                                                        | Xtreme Torque - 1.26 (1.7)                                                          | Xtreme Torque - 1.26 (1.7)                                                          |
| Weight - kg (lbs)               | 14 (30)                                                                           | 30 (66)                                                                           | 14 (30)                                                                             | 30 (66)                                                                             |
| FEATURES                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| LED Display                     | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| Piston Pump                     | Endurance™ Vortex®                                                                | Endurance™ Vortex®                                                                | Endurance™ Vortex®                                                                  | Endurance™ Vortex®                                                                  |
| Vortex® Piston Rod              | Chromex™                                                                          | Chromex™                                                                          | Chromex™                                                                            | Chromex™                                                                            |
| Rapid-Response Pressure Control | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| Selectable Performance Modes    | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| TurboClean                      | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| ProConnect™                     | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| WatchDog™                       | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| ProGuard™                       | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| Toolbox                         |                                                                                   | Optional - 287253                                                                 |                                                                                     | Optional - 287253                                                                   |
| TiltBack™                       |                                                                                   | ■                                                                                 |                                                                                     | ■                                                                                   |
| Hose rack                       |                                                                                   | ■                                                                                 |                                                                                     | ■                                                                                   |
| COMPOSITION                     |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Tips                            | LP517                                                                             |                                                                                   |                                                                                     |                                                                                     |
| Guard                           | RAC X™ – 246215                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Gun filter (mesh)               | Easy-Out™ 60 – 287032                                                             |                                                                                   |                                                                                     |                                                                                     |
| Gun                             | Contractor™ PC – 17Y043                                                           |                                                                                   |                                                                                     |                                                                                     |
| Hose                            | BlueMax™ II 1/4" x 15m - 240794                                                   |                                                                                   |                                                                                     |                                                                                     |
| TSL™ 118 ml                     | ■                                                                                 |                                                                                   |                                                                                     |                                                                                     |
| PRICING                         |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|                                 | 19D525: € 5.282,00                                                                | 19D526: € 5.560,00                                                                | 19D527: € 5.628,00                                                                  | 19D528: € 6.038,00                                                                  |
|                                 |                                                                                   |                                                                                   | 19D529: € 5.324,00                                                                  | 19D530: € 5.733,00                                                                  |
|                                 |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| BROCHURE                        | 3J0616                                                                            | 3J0616                                                                            | 3J0616                                                                              | 3J0616                                                                              |





## SPECIFICATIONS & PRICING

| SPECIFICATIONS & PRICING<br>PROFESSIONAL AIRLESS - 4 |                                  | ULTRA® MAX II STANDARD                                                            |                                                                                   |                                                                                     |
|------------------------------------------------------|----------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                      |                                  | 695                                                                               | 795                                                                               | 1095                                                                                |
|                                                      |                                  |  |  |  |
| SPECIFICATIONS                                       |                                  |                                                                                   |                                                                                   |                                                                                     |
| Part numbers: EU - 230V                              | 17E632                           | 17E639                                                                            | 17E646                                                                            |                                                                                     |
| Part numbers: UK - 110V                              | 17E634                           | -                                                                                 | -                                                                                 |                                                                                     |
| Max. tip size: 1 gun                                 | 0.031"                           | 0.033"                                                                            | 0.035"                                                                            |                                                                                     |
| Max. tip size: 2 guns                                | 0.023"                           | 0.025"                                                                            | 0.027"                                                                            |                                                                                     |
| Max. flow - l/min (gpm)                              | 3.6 (0.95)                       | 4.1 (1.1)                                                                         | 4.5 (1.2)                                                                         |                                                                                     |
| Max. pressure - bar (PSI)                            | 227 (3300)                       | 227 (3300)                                                                        | 227 (3300)                                                                        |                                                                                     |
| Motor rating - kW (HP)                               | 1.3 (1.75)                       | 1.5 (2.0)                                                                         | 1.65 (2.2)                                                                        |                                                                                     |
| Temperature setting                                  |                                  |                                                                                   |                                                                                   |                                                                                     |
| Weight - kg (lbs)                                    | 43 (94)                          | 45 (98)                                                                           | 52 (115)                                                                          |                                                                                     |
| FEATURES                                             |                                  |                                                                                   |                                                                                   |                                                                                     |
| BlueLink™                                            | ■                                | ■                                                                                 | ■                                                                                 |                                                                                     |
| SmartControl™ with ProGuard™                         | 4.0                              | 4.0                                                                               | 4.0                                                                               |                                                                                     |
| Hydraulic Pressure Gauge                             | ■                                | ■                                                                                 | ■                                                                                 |                                                                                     |
| FastFlush™                                           | ■                                | ■                                                                                 | ■                                                                                 |                                                                                     |
| WatchDog™                                            | ■                                | ■                                                                                 | ■                                                                                 |                                                                                     |
| Endurance™ Pump                                      | ■                                | ■                                                                                 | ■                                                                                 |                                                                                     |
| Piston Rod                                           | Chromex™                         | Chromex™                                                                          | Chromex™                                                                          |                                                                                     |
| Sleeve                                               | Hard Chrome                      | Hard Chrome                                                                       | Hard Chrome                                                                       |                                                                                     |
| Rock Catcher                                         | Standard                         | Standard                                                                          | Standard                                                                          |                                                                                     |
| Toolbox                                              | Optional - 287253                |                                                                                   |                                                                                   |                                                                                     |
| TiltBack™                                            | ■                                | ■                                                                                 | ■                                                                                 |                                                                                     |
| COMPOSITION                                          |                                  |                                                                                   |                                                                                   |                                                                                     |
| Tips                                                 | LP517 + LP621                    |                                                                                   |                                                                                   |                                                                                     |
| Guard                                                | RAC X™ - 246215                  |                                                                                   |                                                                                   |                                                                                     |
| Gun                                                  | Contractor™ PC - 17Y043          |                                                                                   |                                                                                   |                                                                                     |
| Gun filter (mesh)                                    | Easy Out™ 60 - 287032            |                                                                                   |                                                                                   |                                                                                     |
| Hose                                                 | Blue Max™ II 1/4" x 15m - 240794 |                                                                                   |                                                                                   |                                                                                     |
| TSL™ 118 ml                                          | ■                                |                                                                                   |                                                                                   |                                                                                     |
| PRICING                                              |                                  |                                                                                   |                                                                                   |                                                                                     |
|                                                      | 17E632: € 7.770,00               | 17E639: € 8.348,00                                                                | 17E646: € 8.920,00                                                                |                                                                                     |
|                                                      | 17E634: € 6.888,00               |                                                                                   |                                                                                   |                                                                                     |
| BROCHURE                                             |                                  | 300713                                                                            | 300713                                                                            | 300713                                                                              |

[illegible]

SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 5

| SPECIFICATIONS & PRICING<br>PROFESSIONAL AIRLESS - 5 |                                 |                          |                           | ULTRA® XT™ STANDARD                                                               |                                                                                   |                                                                                     | ULTRA® XT™ PROCONTRACTOR                                                            |                                                                                     |                                                                                     |
|------------------------------------------------------|---------------------------------|--------------------------|---------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                      |                                 |                          |                           | 695 XT                                                                            | 795 XT                                                                            | 1095 XT                                                                             | 695 XT                                                                              | 795 XT                                                                              | 1095 XT                                                                             |
|                                                      |                                 |                          |                           |  |  |  |  |  |  |
| SPECIFICATIONS                                       |                                 |                          |                           |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Part Numbers: EU - 230V                              | 19F727                          | 19F731                   | 19F735                    |                                                                                   |                                                                                   |                                                                                     | 19F729                                                                              | 19F733                                                                              | 19F736                                                                              |
| Part Numbers: DK, CH - 230V                          | -                               | -                        | -                         |                                                                                   |                                                                                   |                                                                                     | 20B951                                                                              | 20B953                                                                              | 20B955                                                                              |
| Part Numbers: UK - 110V                              | 19F728                          | 19F732                   | -                         |                                                                                   |                                                                                   |                                                                                     | 19F730                                                                              | 19F734                                                                              | -                                                                                   |
| Max. Tip Size: 1 gun                                 | 0.031"                          | 0.033"                   | 0.035"                    |                                                                                   |                                                                                   |                                                                                     | 0.031"                                                                              | 0.033"                                                                              | 0.035"                                                                              |
| Max. Tip Size: 2 guns                                | 0.023"                          | 0.025"                   | 0.027"                    |                                                                                   |                                                                                   |                                                                                     | 0.023"                                                                              | 0.025"                                                                              | 0.027"                                                                              |
| Max. Flow - l/min (gpm)                              | 4.0 (1.05)                      | 4.5 (1.2)                | 4.9 (1.3)                 |                                                                                   |                                                                                   |                                                                                     | 4.0 (1.05)                                                                          | 4.5 (1.2)                                                                           | 4.9 (1.3)                                                                           |
| Max. Pressure - bar (PSI)                            | 227 (3300)                      | 227 (3300)               | 227 (3300)                |                                                                                   |                                                                                   |                                                                                     | 227 (3300)                                                                          | 227 (3300)                                                                          | 227 (3300)                                                                          |
| Motor rating - kW (HP)                               | Xtreme Torque - 1.6 (2.1)       | Xtreme Torque -1.7 (2.3) | Xtreme Torque - 2.0 (2.7) |                                                                                   |                                                                                   |                                                                                     | Xtreme Torque - 1.6 (2.1)                                                           | Xtreme Torque -1.7 (2.3)                                                            | Xtreme Torque - 2.0 (2.7)                                                           |
| Weight - kg (lbs)                                    | 42 (93)                         | 42 (93)                  | 51 (112)                  |                                                                                   |                                                                                   |                                                                                     | 51 (112)                                                                            | 51 (112)                                                                            | 59 (129)                                                                            |
| FEATURES                                             |                                 |                          |                           |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Piston Pump                                          | Endurance™ Vortex®®             | Endurance™ Vortex®®      | Endurance™ Vortex®®       |                                                                                   |                                                                                   |                                                                                     | Endurance™ Vortex®®                                                                 | Endurance™ Vortex®®                                                                 | Endurance™ Vortex®®                                                                 |
| Piston Rod                                           | Chromex™                        | Chromex™                 | Chromex™                  |                                                                                   |                                                                                   |                                                                                     | Maxlife™                                                                            | Maxlife™                                                                            | Maxlife™ Extreme™                                                                   |
| Sleeve                                               | Hardened SST                    | Hardened SST             | Hardened SST              |                                                                                   |                                                                                   |                                                                                     | Maxlife™                                                                            | Maxlife™                                                                            | Maxlife™                                                                            |
| LED Display                                          | ■                               | ■                        | ■                         |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Rapid-Response Pressure Control                      | ■                               | ■                        | ■                         |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| Selectable Performance Modes                         | ■                               | ■                        | ■                         |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| TurboClean                                           | ■                               | ■                        | ■                         |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| SmartDisplay XT                                      | Optional - 20B432               |                          |                           |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| Contractor PowerShot XT (TM) Connection Ready        | Optional - 20B432               |                          |                           |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| BlueLink™                                            | Optional - 20B432               |                          |                           |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| ProGuard™                                            | ■                               | ■                        | ■                         |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| WatchDog™                                            | ■                               | ■                        | ■                         |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| ProConnect™                                          | ■                               | ■                        | ■                         |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| Rock Catcher                                         | Standard                        |                          |                           |                                                                                   |                                                                                   |                                                                                     | CrushProof                                                                          |                                                                                     |                                                                                     |
| Toolbox                                              | Optional - 287253               |                          |                           |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| TiltBack™                                            | ■                               | ■                        | ■                         |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| QuickReel                                            | Optional - 25V145               |                          |                           |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| Flat-Proof Tires                                     | Optional - 20B198 (x2)          | Optional - 20B198 (x2)   | Optional - 17E687 (x2)    |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   |
| COMPOSITION                                          |                                 |                          |                           |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Tips                                                 | LP517                           |                          |                           |                                                                                   |                                                                                   |                                                                                     | LP517                                                                               |                                                                                     |                                                                                     |
| GUARD                                                | RAC™ X - 246215                 |                          |                           |                                                                                   |                                                                                   |                                                                                     | RAC™ X - 246215                                                                     |                                                                                     |                                                                                     |
| Gun                                                  | Contractor™ PC - 17Y043         |                          |                           |                                                                                   |                                                                                   |                                                                                     | Contractor™ PC - 17Y043                                                             |                                                                                     |                                                                                     |
| Gun filter (mesh)                                    | Easy-Out™ 60 - 287032           |                          |                           |                                                                                   |                                                                                   |                                                                                     | Easy-Out™ 60 - 287032                                                               |                                                                                     |                                                                                     |
| Hose                                                 | BlueMax™ II 1/4" x 15m - 240794 |                          |                           |                                                                                   |                                                                                   |                                                                                     | BlueMax™ II 1/4" x 15m - 240794                                                     |                                                                                     |                                                                                     |
| TSL™ 118 ml                                          | ■                               |                          |                           |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   |                                                                                     |                                                                                     |
| PRICING                                              |                                 |                          |                           |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                                      | 19F727: € 8.237,00              | 19F731: € 8.846,00       | 19F735: € 9.455,00        |                                                                                   |                                                                                   |                                                                                     | 19F729: € 9.461,00                                                                  | 19F733: € 10.091,00                                                                 | 19F736: € 10.705,00                                                                 |
|                                                      |                                 |                          |                           |                                                                                   |                                                                                   |                                                                                     | 20B951: € 9.461,00                                                                  | 20B953: € 10.091,00                                                                 | 20B955: € 10.705,00                                                                 |
|                                                      | 19F728: € 7.303,00              | 19F732: € 8.269,00       |                           |                                                                                   |                                                                                   |                                                                                     | 19F730: € 8.138,00                                                                  | 19F734: € 9.125,00                                                                  |                                                                                     |
| BROCHURE                                             |                                 |                          |                           | 3J0616                                                                            |                                                                                   |                                                                                     | 3J0616                                                                              |                                                                                     |                                                                                     |



SPECIFICATIONS & PRICING

TEXTURE - 1

| SPECIFICATIONS & PRICING<br>TEXTURE - 1 |                                   | MARK HD 3-IN-1 STANDARD                                                           |                                                                                   |                                                                                     | MARK HD 3-IN-1<br>PROCONTRACTOR<br>MARK X HD                                        |
|-----------------------------------------|-----------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                         |                                   | MARK V HD                                                                         | MARK VII HD                                                                       | MARK X HD                                                                           |                                                                                     |
|                                         |                                   |  |  |  |  |
| SPECIFICATIONS                          |                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Part numbers: EU - 230V                 | 17E655                            | 17E665                                                                            | 17E669                                                                            |                                                                                     | 17E671                                                                              |
| Part numbers: DK, CH - 230V             | -                                 | -                                                                                 | -                                                                                 |                                                                                     | 17E672                                                                              |
| Part numbers: UK - 110 V                | 17E659                            | -                                                                                 | -                                                                                 |                                                                                     | -                                                                                   |
| Max. tip size - 230V                    | Paint 0.035"<br>Plaster 0.037"    | Paint 0.041"<br>Plaster 0.047"                                                    | Paint 0.045"<br>Plaster 0.051"                                                    |                                                                                     | Paint 0.045"<br>Plaster 0.051"                                                      |
| Max. tip size - 110V                    | Paint 0.039"<br>Plaster 0.041"    |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Max. flow - l/min (gpm)* - 230V         | 4.3 (1.2)                         | 6.0 (1.6)                                                                         | 8.3 (2.2)                                                                         |                                                                                     | 8.3 (2.2)                                                                           |
| Max. flow - l/min (gpm)* - 110V         | 5.1 (1.35)                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Max. pressure - bar (PSI)               | 227 (3300)                        | 227 (3300)                                                                        | 227 (3300)                                                                        |                                                                                     | 227 (3300)                                                                          |
| Motor rating - kW - (HP) - 230V         | 1.65 (2.2)                        | 1.9 (2.5)                                                                         | 3.0 (4.0)                                                                         |                                                                                     | 3.0 (4.0)                                                                           |
| Motor rating - kW - (HP) - 110V         | 2.0 (2.8)                         |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Weight - kg (lbs)                       | 57 (125)                          | 60 (132)                                                                          | 68 (150)                                                                          |                                                                                     | 79 (174)                                                                            |
| FEATURES                                |                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| BlueLink™                               | ■                                 | ■                                                                                 | ■                                                                                 |                                                                                     | ■                                                                                   |
| SmartControl™ with ProGuard™            | 4.0                               | 4.0                                                                               | 4.0                                                                               |                                                                                     | 4.0                                                                                 |
| LED Display                             |                                   |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   |
| Hydraulic Pressure Gauge                | ■                                 | ■                                                                                 | ■                                                                                 |                                                                                     |                                                                                     |
| FastFlush™                              | ■                                 | ■                                                                                 | ■                                                                                 |                                                                                     | ■                                                                                   |
| Watchdog™                               | ■                                 | ■                                                                                 | ■                                                                                 |                                                                                     | ■                                                                                   |
| Endurance™ Pump                         | ■                                 | ■                                                                                 | ■                                                                                 |                                                                                     | Endurance™ Vortex®                                                                  |
| ProConnect™                             |                                   |                                                                                   |                                                                                   |                                                                                     | 2.0                                                                                 |
| Piston Rod                              | Hard Chrome                       | Hard Chrome                                                                       | Hard Chrome                                                                       |                                                                                     | MaxLife™                                                                            |
| Sleeve                                  | Hard Chrome                       | Hard Chrome                                                                       | Hard Chrome                                                                       |                                                                                     | MaxLife™                                                                            |
| MaxFlo 2                                | ■                                 | ■                                                                                 | ■                                                                                 |                                                                                     | ■                                                                                   |
| Rock Catcher                            | Standard                          | Standard                                                                          | Standard                                                                          |                                                                                     | CrushProof                                                                          |
| TiltBack™                               | ■                                 | ■                                                                                 | ■                                                                                 |                                                                                     | ■                                                                                   |
| QuickReel™                              |                                   |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   |
| COMPOSITION                             |                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Tips                                    | HDA427 + HDA531                   | HDA531 + 541                                                                      |                                                                                   |                                                                                     | HDA531 + 541                                                                        |
| Guard                                   | RAC X™ - 246215                   |                                                                                   |                                                                                   |                                                                                     | RAC X™ - 246215                                                                     |
| Gun                                     | HD Blue Texture - 289605          |                                                                                   | HD Inline Texture - 245820                                                        |                                                                                     | HD Inline Texture - 245820                                                          |
| Hose                                    | Blue Max™ II 3/8" x 15m - 240797  | Blue Max™ II 1/2" x 15m - 278499                                                  |                                                                                   |                                                                                     | Blue Max™ II 1/2" x 15m - 278499                                                    |
| Whip hose                               | Blue Max™ II 1/4" x 0.9m - 277249 | Blue Max™ II 3/8" x 3.5m - 191239                                                 |                                                                                   |                                                                                     | Blue Max™ II 3/8" x 3.5m - 191239                                                   |
| TSL™ 118 ml                             |                                   | ■                                                                                 |                                                                                   |                                                                                     | ■                                                                                   |
| PRICING                                 |                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|                                         | 17E655: € 10.852,00               | 17E665: € 11.813,00                                                               | 17E669: € 13.398,00                                                               |                                                                                     | 17E671: € 14.606,00                                                                 |
|                                         |                                   |                                                                                   |                                                                                   |                                                                                     | 17E672: € 14.606,00                                                                 |
|                                         | 17E659: € 10.253,00               |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| BROCHURE                                | 300716                            | 300716                                                                            | 300716                                                                            |                                                                                     | 300716                                                                              |

\* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster then SST balls with paint.



SPECIFICATIONS & PRICING

TEXTURE - 2

|                                  | MARK XT™ HD 3-IN-1 STANDARD                                                       |                                                                                   | MARK XT™ HD 3-IN-1 PROCONTRACTOR                                                    |                                                                                     |
|----------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                  | MARK V XT                                                                         | MARK VII XT                                                                       | MARK V XT                                                                           | MARK VII XT                                                                         |
|                                  |  |  |  |  |
| SPECIFICATIONS                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Part Numbers: EU - 230V          | 19F739                                                                            | 19F743                                                                            | 19F741                                                                              | 19F744                                                                              |
| Part Numbers: DK, CH - 230V      | -                                                                                 | -                                                                                 | 20B959                                                                              | 20B961                                                                              |
| Part Numbers: UK - 110V          | 19F740                                                                            | -                                                                                 | 19F742                                                                              | -                                                                                   |
| Max. Tip Size - 230V             | Paint 0.035"<br>Plaster 0.037"                                                    | Paint 0.041"<br>Plaster 0.047"                                                    | Paint 0.035"<br>Plaster 0.037"                                                      | Paint 0.041"<br>Plaster 0.047"                                                      |
| Max. Tip Size - 110V             | Paint 0.039"<br>Plaster 0.041"                                                    |                                                                                   | Paint 0.039"<br>Plaster 0.041"                                                      |                                                                                     |
| Max. Flow - l/min (gpm) * - 230V | 4.6 (1.2)                                                                         | 6.4 (1.7)                                                                         | 4.6 (1.2)                                                                           | 6.4 (1.7)                                                                           |
| Max. Flow - l/min (gpm) * - 110V | 5.6 (1.5)                                                                         |                                                                                   | 5.6 (1.5)                                                                           |                                                                                     |
| Max. Pressure - bar (PSI)        | 227 (3300)                                                                        | 227 (3300)                                                                        | 227 (3300)                                                                          | 227 (3300)                                                                          |
| Motor rating - kW - (HP) - 230V  | Xtreme Torque - 1.7 (2.3)                                                         | Xtreme Torque - 2.1 (2.9)                                                         | Xtreme Torque - 1.7 (2.3)                                                           | Xtreme Torque - 2.1 (2.9)                                                           |
| Motor rating - kW - (HP) - 110V  | Xtreme Torque - 2.1 (2.9)                                                         |                                                                                   | Xtreme Torque - 2.1 (2.9)                                                           |                                                                                     |
| Weight - kg (lbs)                | 55 (122)                                                                          | 57 (126)                                                                          | 64 (140)                                                                            | 67 (147)                                                                            |
| FEATURES                         |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Piston Pump                      | Endurance™ Vortex®                                                                | Endurance™ Vortex®                                                                | Endurance™ Vortex®                                                                  | Endurance™ Vortex®                                                                  |
| Piston Rod                       | Chromex™                                                                          | Chromex™                                                                          | Maxlife™ Extreme™                                                                   | Maxlife™ Extreme™                                                                   |
| Sleeve                           | Hardened SST                                                                      | Hardened SST                                                                      | Maxlife™                                                                            | Maxlife™                                                                            |
| LED Display                      | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| Rapid-Response Pressure Control  | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| Selectable Performance Modes     | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| TurboClean                       | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| SmartDisplay XT                  | Optional - 20B432                                                                 |                                                                                   | ■                                                                                   | ■                                                                                   |
| BlueLink™                        | Optional - 20B432                                                                 |                                                                                   | ■                                                                                   | ■                                                                                   |
| ProGuard™                        | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| WatchDog™                        | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| ProConnect™                      | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| Rock Catcher                     | Standard                                                                          | Standard                                                                          | CrushProof                                                                          | CrushProof                                                                          |
| Toolbox                          | Optional - 287253                                                                 |                                                                                   | ■                                                                                   | ■                                                                                   |
| TiltBack™                        | ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| QuickReel                        | Optional - 25V145                                                                 | Optional - 25V146                                                                 | ■                                                                                   | ■                                                                                   |
| Flat-Proof Tires                 | Optional - 17E687 (x2)                                                            |                                                                                   | ■                                                                                   | ■                                                                                   |
| COMPOSITION                      |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Tips                             | HDA427 + HDA531                                                                   |                                                                                   | HDA531 + HDA541                                                                     |                                                                                     |
| Guard                            | RAC X™ - 246215                                                                   |                                                                                   | RAC X™ - 246215                                                                     |                                                                                     |
| Gun                              | HD Blue Texture - 289605                                                          |                                                                                   | HD Blue Texture - 289605                                                            |                                                                                     |
| Hose                             | BlueMax™ II 3/8" x 15m - 240797                                                   |                                                                                   | BlueMax™ II 1/2" x 15m - 278499                                                     |                                                                                     |
| Whip hose                        | BlueMax™ II 1/4" x 0.9m - 277249                                                  |                                                                                   | BlueMax™ II 3/8" x 3.5m - 191239                                                    |                                                                                     |
| TSL™ 118 ml                      | ■                                                                                 |                                                                                   | ■                                                                                   |                                                                                     |
| PRICING                          |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|                                  | 19F739: € 11.503,00                                                               | 19F743: € 12.521,00                                                               | 19F741: € 12.784,00                                                                 | 19F744: € 13.802,00                                                                 |
|                                  |                                                                                   |                                                                                   | 20B959: € 12.784,00                                                                 | 20B961: € 13.802,00                                                                 |
|                                  | 19F740: € 10.868,00                                                               |                                                                                   | 19F742: € 12.149,00                                                                 |                                                                                     |
| BROCHURE                         | 3J0626                                                                            |                                                                                   | 3J0626                                                                              |                                                                                     |

\* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster then SST balls with paint.





SPECIFICATIONS & PRICING

TEXTURE - 3

| SPECIFICATIONS & PRICING<br>TEXTURE - 3 |                       |                     |                                       | T-MAX™ AIRLESS                                                                    |                                                                                   |                                                                                     | T-MAX™ AIR-ASSISTED                   |                           | T-MAX™ AIRLESS/AIR ASSISTED                                                         |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------|-----------------------|---------------------|---------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|---------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                         |                       |                     |                                       | 506                                                                               | 657                                                                               | 6912                                                                                | 6912                                  | 6912                      | 6912                                                                                | 6912                                                                                |                                                                                     |                                                                                     |
|                                         |                       |                     |                                       |  |  |  |                                       |                           |  |  |  |  |
| SPECIFICATIONS                          |                       |                     |                                       |                                                                                   |                                                                                   |                                                                                     |                                       |                           |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Part Numbers: EU - 230V                 | 17X980                | 17X983              | 17X986                                |                                                                                   |                                                                                   |                                                                                     | 17X990                                | 17X993                    | 17Z285                                                                              | 17Z288                                                                              |                                                                                     |                                                                                     |
| Part Numbers: DK, CH - 230V             | 17X981                | 17X984              | -                                     |                                                                                   |                                                                                   |                                                                                     | -                                     | -                         | 17Z286                                                                              | -                                                                                   |                                                                                     |                                                                                     |
| Part Numbers: UK - 110V                 | 17X982                | 17X985              | 17X988                                |                                                                                   |                                                                                   |                                                                                     | 17X992                                | 17Z282                    | 17Z287                                                                              | 17Z290                                                                              |                                                                                     |                                                                                     |
| Max. Tip Size                           | Plaster 0.051"        | Plaster 0.061"      | Plaster 0.071"                        |                                                                                   |                                                                                   |                                                                                     | Plaster 0.071"                        | Plaster 0.071"            | Plaster 0.071"                                                                      | Plaster 0.071"                                                                      |                                                                                     |                                                                                     |
| Max. flow - l/min (gpm)                 | 6.4 (1.7)             | 7.2 (1.9)           | 12 (3.17)                             |                                                                                   |                                                                                   |                                                                                     | 12 (3.17)                             | 12 (3.17)                 | 12 (3.17)                                                                           | 12 (3.17)                                                                           |                                                                                     |                                                                                     |
| Max. Pressure - bar (PSI)               | 50 (730)              | 65 (940)            | 69 (1000)                             |                                                                                   |                                                                                   |                                                                                     | 69 (1000)                             | 69 (1000)                 | 69 (1000)                                                                           | 69 (1000)                                                                           |                                                                                     |                                                                                     |
| Motor rating - kW (HP)                  | 0.9 (1.2)             | 0.9 (1.2)           | 2 (2.8)                               |                                                                                   |                                                                                   |                                                                                     | 2 (2.8)                               | 2 (2.8)                   | 2 (2.8)                                                                             | 2 (2.8)                                                                             |                                                                                     |                                                                                     |
| Compressor l/min                        | External Compressor   |                     |                                       |                                                                                   |                                                                                   |                                                                                     | External Compressor                   |                           | External Compressor                                                                 |                                                                                     |                                                                                     |                                                                                     |
| Weight - kg (lbs)                       | 71 (156)              | 73 (160)            | 86 (190)                              |                                                                                   |                                                                                   |                                                                                     | 86 (190)                              | 86 (190)                  | 86 (190)                                                                            | 86 (190)                                                                            |                                                                                     |                                                                                     |
| FEATURES                                |                       |                     |                                       |                                                                                   |                                                                                   |                                                                                     |                                       |                           |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| SmartControl™                           | ■                     | ■                   | ■                                     |                                                                                   |                                                                                   |                                                                                     | ■                                     | ■                         | ■                                                                                   | ■                                                                                   |                                                                                     |                                                                                     |
| LED Display                             |                       |                     | ■                                     |                                                                                   |                                                                                   |                                                                                     | ■                                     | ■                         | ■                                                                                   | ■                                                                                   |                                                                                     |                                                                                     |
| Flow / Pressure Selector                | Integrated            | Integrated          | ■                                     |                                                                                   |                                                                                   |                                                                                     | ■                                     | ■                         | ■                                                                                   | ■                                                                                   |                                                                                     |                                                                                     |
| Pump Shutoff at gun                     |                       |                     | Optional                              |                                                                                   |                                                                                   |                                                                                     | Remote Switch                         | Built in to STX™ gun      | Remote Switch                                                                       | Built in to STX™ gun                                                                |                                                                                     |                                                                                     |
| Hopper                                  | 4 bags                | 6 bags              | 6 bags                                |                                                                                   |                                                                                   |                                                                                     | 6 bags                                | 6 bags                    | 6 bags                                                                              | 6 bags                                                                              |                                                                                     |                                                                                     |
| Endurance™ Pump                         | ■                     | ■                   | ■                                     |                                                                                   |                                                                                   |                                                                                     | ■                                     | ■                         | ■                                                                                   | ■                                                                                   |                                                                                     |                                                                                     |
| Piston Packing                          | Single Packing        | Single Packing      | V-Packing                             |                                                                                   |                                                                                   |                                                                                     | V-Packing                             | V-Packing                 | V-Packing                                                                           | V-Packing                                                                           |                                                                                     |                                                                                     |
| Modular Split Frame                     | ■                     | ■                   | ■                                     |                                                                                   |                                                                                   |                                                                                     | ■                                     | ■                         | ■                                                                                   | ■                                                                                   |                                                                                     |                                                                                     |
| Bag Roller                              | Optional              | Optional            | Optional                              |                                                                                   |                                                                                   |                                                                                     | Optional                              | Optional                  | Optional                                                                            | Optional                                                                            |                                                                                     |                                                                                     |
| Vibra-Flo™ Shaker                       | Optional              | Optional            | Optional                              |                                                                                   |                                                                                   |                                                                                     | Optional                              | Optional                  | Optional                                                                            | Optional                                                                            |                                                                                     |                                                                                     |
| COMPOSITION                             |                       |                     |                                       |                                                                                   |                                                                                   |                                                                                     |                                       |                           |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Tips                                    | HDA651                | HDA651 + HDA655     | HDA651 + HDA655                       |                                                                                   |                                                                                   |                                                                                     |                                       |                           | HDA651 + HDA655                                                                     | HDA651 + HDA655                                                                     |                                                                                     |                                                                                     |
| WideTex Tips                            |                       |                     |                                       |                                                                                   |                                                                                   |                                                                                     | W4H, W6H, W8H, W10H, W12H, WXLH       |                           | W4H, W6H, W8H, W10H, W12H, WXLH                                                     |                                                                                     |                                                                                     |                                                                                     |
| Nozzles                                 |                       |                     |                                       |                                                                                   |                                                                                   |                                                                                     | 4mm, 6mm, 8mm, 10mm                   | 4mm, 6mm, 8mm, 10mm, 12mm | 4mm, 6mm, 8mm, 10mm                                                                 | 4mm, 6mm, 8mm, 10mm, 12mm                                                           |                                                                                     |                                                                                     |
| Guard                                   | RAC X™ - 246215       |                     |                                       |                                                                                   |                                                                                   |                                                                                     |                                       |                           | RAC X™ - 246215                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Gun                                     | T-Max™ Lance - 17Z054 |                     |                                       |                                                                                   |                                                                                   |                                                                                     | FreeFlo™ - 17Z128                     | STX™ - 17Y910             | T-Max™ Lance - 17Z054<br>FreeFlo™ - 17Z128                                          | T-Max™ Lance - 17Z054<br>STX™ - 17Y910                                              |                                                                                     |                                                                                     |
| Hose                                    | 1" x 5m - 289960      | 1" x 10m - 289961   | 1" x 5m - 289960<br>1" x 10m - 289961 |                                                                                   |                                                                                   |                                                                                     | 1" x 5m - 289960<br>1" x 10m - 289961 |                           | 1" x 5m - 289960<br>1" x 10m - 289961                                               |                                                                                     |                                                                                     |                                                                                     |
| Whip hose                               | 3/4" x 3m - 289959    |                     |                                       |                                                                                   |                                                                                   |                                                                                     | 3/4" x 3m - 289959                    |                           | 3/4" x 3m - 289959                                                                  |                                                                                     |                                                                                     |                                                                                     |
| Toolbox                                 | ■                     |                     |                                       |                                                                                   |                                                                                   |                                                                                     | ■                                     |                           | ■                                                                                   |                                                                                     |                                                                                     |                                                                                     |
| Tools                                   | Scraper - 19A646      |                     |                                       |                                                                                   |                                                                                   |                                                                                     | Scraper - 19A646                      |                           | Scraper - 19A646                                                                    |                                                                                     |                                                                                     |                                                                                     |
| PRICING                                 |                       |                     |                                       |                                                                                   |                                                                                   |                                                                                     |                                       |                           |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                         | 17X980: € 8.978,00    | 17X983: € 10.311,00 | 17X986: € 12.322,00                   |                                                                                   |                                                                                   |                                                                                     | 17X990: € 13.330,00                   | 17X993: € 13.907,00       | 17Z285: € 14.627,00                                                                 | 17Z288: € 15.157,00                                                                 |                                                                                     |                                                                                     |
|                                         | 17X981: € 8.978,00    | 17X984: € 10.311,00 |                                       |                                                                                   |                                                                                   |                                                                                     |                                       |                           | 17Z286: € 14.627,00                                                                 |                                                                                     |                                                                                     |                                                                                     |
|                                         | 17X982: € 8.978,00    | 17X985: € 10.311,00 | 17X988: € 12.322,00                   |                                                                                   |                                                                                   |                                                                                     | 17X992: € 13.330,00                   | 17Z282: € 13.907,00       | 17Z287: € 14.627,00                                                                 | 17Z290: € 15.157,00                                                                 |                                                                                     |                                                                                     |
| BROCHURE                                |                       |                     |                                       | 320596                                                                            | 320596                                                                            | 320596                                                                              | 320596                                |                           | 320596                                                                              | 320596                                                                              |                                                                                     |                                                                                     |

SPECIFICATIONS & PRICING

TEXTURE - 4

| SPECIFICATIONS & PRICING              |                                                                                     | RTX™                                                                              |                                                                                   |
|---------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|                                       |                                                                                     | 5500 PI                                                                           | 5500 PX                                                                           |
|                                       |                                                                                     |  |  |
| TEXTURE - 4                           |                                                                                     |                                                                                   |                                                                                   |
| SPECIFICATIONS                        |                                                                                     |                                                                                   |                                                                                   |
| Part Numbers: EU, DK, CH, UK - 230V   | 17H577                                                                              | 17H580                                                                            |                                                                                   |
| Max. Flow - l/min (gpm)               | 21 (5.5)                                                                            | 21 (5.5)                                                                          |                                                                                   |
| Max. Pressure - bar (PSI)             | 7 (100)                                                                             | 7 (100)                                                                           |                                                                                   |
| Motor rating - kW (HP)                | 1.5 (2.0) - Brushless MaxPower™                                                     |                                                                                   |                                                                                   |
| Compressor l/min                      | 257                                                                                 | 257                                                                               |                                                                                   |
| Max. Air Working Pressure - bar (PSI) | 3.5 (50)                                                                            | 3.5 (50)                                                                          |                                                                                   |
| Weight - kg (lbs)                     | 74.4 (164)                                                                          | 78.9 (174)                                                                        |                                                                                   |
| FEATURES                              |                                                                                     |                                                                                   |                                                                                   |
| Pump                                  | RotoFlex™ II                                                                        | RotoFlex™ II                                                                      |                                                                                   |
| External Air Kit                      |                                                                                     |  |                                                                                   |
| Hopper                                | 57L                                                                                 | 57L                                                                               |                                                                                   |
| Pressure Gauge                        |    |  |                                                                                   |
| ProGuard™                             |    |  |                                                                                   |
| COMPOSITION                           |                                                                                     |                                                                                   |                                                                                   |
| WideTex Tips                          | 4mm, 6mm, 8mm, 10mm, 12mm                                                           | 4mm, 6mm, 8mm, 10mm, 12mm (Hardened)                                              |                                                                                   |
| Nozzles                               | 3mm, 4mm, 6mm, 8mm, 10mm, 12mm                                                      |                                                                                   |                                                                                   |
| Gun                                   | Air Spray Trigger gun - 24S135                                                      |                                                                                   |                                                                                   |
| Hose                                  | Transparent 1" x 7.5m - 17J420                                                      | Heavy Duty 1-1/4" x 7.5m - 17L005                                                 |                                                                                   |
| Toolbox                               |  |                                                                                   |                                                                                   |
| PRICING                               |                                                                                     |                                                                                   |                                                                                   |
|                                       | 17H577: € 9.371,00                                                                  | 17H580: € 10.154,00                                                               |                                                                                   |
| BROCHURE                              |                                                                                     |                                                                                   |                                                                                   |
|                                       | 300661                                                                              | 300661                                                                            |                                                                                   |

SPECIFICATIONS & PRICING

TEXTURE - 4

COMPRESSOR-HOPPER

| SPECIFICATIONS & PRICING                |  | FASTFINISH                                                                          |                                                                                                     | G-TEX                                                                               | FASTFINISH                                                                          |
|-----------------------------------------|--|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                         |  | COMPRESSOR                                                                          | STANDARD (PRO)                                                                                      | HOPPER GUN                                                                          | HOPPER GUN                                                                          |
| TEXTURE - 4<br>COMPRESSOR-HOPPER        |  |  |                                                                                                     |  |  |
| SPECIFICATIONS                          |  |                                                                                     |                                                                                                     |                                                                                     |                                                                                     |
| Part numbers: EU, IT, DK, CH, UK - 230V |  | 25D491                                                                              | 25D495 (Standard version)<br>25D493 (Pro version)                                                   | 25D497                                                                              | 25D496                                                                              |
| Compressor l/min                        |  | 255                                                                                 | 255                                                                                                 | -                                                                                   | -                                                                                   |
| Max. air working pressure - bar (PSI)   |  | Preset 2.75 (40)                                                                    | Preset 2.75 (40)                                                                                    | -                                                                                   | -                                                                                   |
| Weight - kg (lbs)                       |  | 33.5 (74)                                                                           | 35.18 (78.8)                                                                                        | 1.85 (4.1)                                                                          | 2.18 (4.8)                                                                          |
| FEATURES                                |  |                                                                                     |                                                                                                     |                                                                                     |                                                                                     |
| Pressure Boosted Hopper Gun             |  |                                                                                     | Pro version                                                                                         |                                                                                     |  |
| Hopper                                  |  |                                                                                     | 7.5 L (Standard version)<br>5.5L (Pro version)                                                      | 7.5L                                                                                | 5.5L                                                                                |
| Pressure/Flow dial                      |  |                                                                                     | Pro version                                                                                         |                                                                                     |  |
| Flat-Proof Tires                        |  |  |                  |                                                                                     |                                                                                     |
| COMPOSITION                             |  |                                                                                     |                                                                                                     |                                                                                     |                                                                                     |
| Nozzles                                 |  |                                                                                     | 4mm, 6mm, 8mm                                                                                       | 4mm, 6mm, 8mm                                                                       | 4mm, 6mm, 8mm                                                                       |
| Gun                                     |  |                                                                                     | G-TEX Gravity-Fed - 25D497 (Standard version)<br>FastFinish Pressure-Boosted - 25D496 (Pro version) | G-TEX Gravity-Fed - 25D497                                                          | FastFinish Pressure-Boosted - 25D496                                                |
| Hose                                    |  | 3/8" x 15m - 17U302                                                                 |                                                                                                     |                                                                                     |                                                                                     |
| PRICING                                 |  |                                                                                     |                                                                                                     |                                                                                     |                                                                                     |
|                                         |  | 25D491: € 1.559,00                                                                  | 25D495: € 1.832,00                                                                                  | 25D497: € 278,00                                                                    | 25D496: € 342,00                                                                    |
|                                         |  |                                                                                     | 25D493: € 1.880,00                                                                                  |                                                                                     |                                                                                     |
| BROCHURE                                |  | 300760                                                                              | 300760                                                                                              | 300760                                                                              | 300760                                                                              |



SPECIFICATIONS & PRICING

TEXTURE - 5

|                             | APX                                                                               | APX                                                                               |                                                                                     |
|-----------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                             | 5200                                                                              | 6200                                                                              | 8200                                                                                |
|                             |  |  |  |
| SPECIFICATIONS              |                                                                                   |                                                                                   |                                                                                     |
| Part Numbers: EU - 230V     | -                                                                                 | 17N345<br>17N346                                                                  | 17N352<br>17N353                                                                    |
| Part Numbers: DK, CH - 230V | -                                                                                 | 17N343<br>17N344                                                                  | 17N350<br>17N351                                                                    |
| Part Numbers: UK - 110V     | 17S762<br>17V697                                                                  | -                                                                                 | -                                                                                   |
| Max. Tip Size               | 0.045"                                                                            | 0.051"                                                                            | 0.057"                                                                              |
| Max. Flow - l/min (gpm)*    | 5.1 (1.35)                                                                        | 6.0 (1.6)                                                                         | 8.0 (2.1)                                                                           |
| Max. Pressure - bar (PSI)   | 207 (3000)                                                                        | 207 (3000)                                                                        | 207 (3000)                                                                          |
| Motor rating - kW (HP)      | 1.86 (2.5) DC Brushless                                                           | 1.86 (2.5) DC Brushless                                                           | 3 (4) DC Brushless                                                                  |
| Weight - kg (lbs)           | 69 (151)                                                                          | 69 (151)                                                                          | 78 (170)                                                                            |
| FEATURES                    |                                                                                   |                                                                                   |                                                                                     |
| ProGuard™                   | ■                                                                                 | ■                                                                                 | ■                                                                                   |
| Endurance™ Pump             | Hard Chrome                                                                       | Hard Chrome                                                                       | Hard Chrome                                                                         |
| LED Display                 | ■                                                                                 | ■                                                                                 | ■                                                                                   |
| Hopper                      | 80L (6 bags)                                                                      | 60L (4 bags)                                                                      | 80L (6 bags)                                                                        |
| Bag Roller                  |                                                                                   | 17N346 + 17N344                                                                   | 17N353 + 17N351                                                                     |
| Vibra-Flo™ Shaker           | -                                                                                 | ■                                                                                 | ■                                                                                   |
| ProConnect II               | ■                                                                                 | ■                                                                                 | ■                                                                                   |
| COMPOSITION                 |                                                                                   |                                                                                   |                                                                                     |
| Tips                        | HDA531                                                                            | HDA641                                                                            |                                                                                     |
| Guard                       | RAC X™ - 246215                                                                   | RAC X™ - 246215                                                                   |                                                                                     |
| Gun                         | HD Blue Texture - 289605 (17S762)<br>HD Inline Texture 245820 (17V697)            | HD Inline Texture - 245820                                                        |                                                                                     |
| Hose                        | Blue Max™ II 1/2" x 15m - 278499                                                  | X-Flo 5/8" x 15m - 17N984                                                         |                                                                                     |
| Whip hose                   | Blue Max™ II 3/8" X 3.5M - 191239                                                 | Super-Flex™ 1/2" x 4.5m - 17N982                                                  |                                                                                     |
| Toolbox                     | ■                                                                                 | ■                                                                                 | ■                                                                                   |
| PRICING                     |                                                                                   |                                                                                   |                                                                                     |
|                             |                                                                                   | 17N345: € 13.519,00                                                               | 17N352: € 15.629,00                                                                 |
|                             |                                                                                   | 17N346: € 14.600,00                                                               | 17N353: € 16.711,00                                                                 |
|                             |                                                                                   | 17N343: € 13.519,00                                                               | 17N350: € 15.629,00                                                                 |
|                             |                                                                                   | 17N344: € 14.600,00                                                               | 17N351: € 16.711,00                                                                 |
|                             | 17S762: € 12.826,00                                                               |                                                                                   |                                                                                     |
|                             | 17V697: € 12.826,00                                                               |                                                                                   |                                                                                     |
| BROCHURE                    | 300743                                                                            | 300743                                                                            | 300743                                                                              |

\* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster then SST balls with paint.



SPECIFICATIONS & PRICING

TEXTURE - 6

| SPECIFICATIONS & PRICING<br>TEXTURE - 6 | POWERFILL                                                                         |                                                                                   |                                                                                     |              |
|-----------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------|
|                                         | 3.5 STANDARD                                                                      | 3.5 PROCONTRACTOR                                                                 | 3.5 PROCONTRACTOR XL                                                                |              |
|                                         |  |  |  |              |
|                                         | SPECIFICATIONS                                                                    |                                                                                   |                                                                                     |              |
|                                         | Part Numbers: EU - 230V                                                           | 26B435                                                                            | 26B436                                                                              | 26B437       |
|                                         | Part Numbers: UK - 230V                                                           | 26B536                                                                            | 26B537                                                                              | 26B538       |
|                                         | Max. Flow - l/min (gpm)                                                           | 13.2 (3.5)                                                                        | 13.2 (3.5)                                                                          | 13.2 (3.5)   |
|                                         | Motor                                                                             | DC Brushless                                                                      | DC Brushless                                                                        | DC Brushless |
|                                         | Weight - kg (lbs)                                                                 | 6.8 (15)                                                                          | 7.7 (17)                                                                            | 9.1 (20)     |
|                                         | FEATURES                                                                          |                                                                                   |                                                                                     |              |
| SmartControl™                           | ■                                                                                 | Pro                                                                               | Pro                                                                                 |              |
| Precision Fill technology               |                                                                                   | ■                                                                                 | ■                                                                                   |              |
| Speed Selector                          | ProControl™                                                                       | ProControl™                                                                       | ProControl™                                                                         |              |
| Continuous Run                          |                                                                                   | ■                                                                                 | ■                                                                                   |              |
| PowerStroke pump                        | ■                                                                                 | ■                                                                                 | ■                                                                                   |              |
| ProConnect™                             | ■                                                                                 | ■                                                                                 | ■                                                                                   |              |
| Toolless design                         | ■                                                                                 | ■                                                                                 | ■                                                                                   |              |
| Adjustable stabilizer leg               | ■                                                                                 | ■                                                                                 | ■                                                                                   |              |
| Bucket support                          | Adjustable up to 20L<br>(18-38 cm range)                                          | Adjustable up to 20L<br>(18-38 cm range)                                          | Adjustable up to 20L through<br>115L (18-71 cm range)                               |              |
| COMPOSITION                             |                                                                                   |                                                                                   |                                                                                     |              |
| Filler**                                | Standard horizontal                                                               | Hi-Rise Fill Tube (36 cm)                                                         |                                                                                     |              |
| Connections                             | Flat box, Corner/Angle box, Nail spotter, Compound tube                           |                                                                                   |                                                                                     |              |
| Inlet filter (mesh)                     | Toolless 10 mesh                                                                  |                                                                                   |                                                                                     |              |
| Power supply                            | 18V 2.0 Ah DEWALT® battery*                                                       |                                                                                   |                                                                                     |              |
| Battery charger                         | ■                                                                                 | ■                                                                                 | ■                                                                                   |              |
| PRICING                                 |                                                                                   |                                                                                   |                                                                                     |              |
|                                         | 26B435: € 1.638,00                                                                | 26B436: € 1.827,00                                                                | 26B437: € 1.948,00                                                                  |              |
|                                         | 26B536: € 1.638,00                                                                | 26B537: € 1.827,00                                                                | 26B538: € 1.948,00                                                                  |              |
| BROCHURE                                | 300795                                                                            | 300795                                                                            | 300795                                                                              |              |

\* DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

\*\* The gooseneck connection is an optional accessory.



SPECIFICATIONS & PRICING

HEAVY DUTY - 1

| SPECIFICATIONS & PRICING<br>HEAVY DUTY - 1 |  |  |  | GMAX II (HD 3-IN-1) STANDARD                                                      |                                                                                   |                                                                                     |  | GMAX II (HD 3-IN-1) PROCONTRACTOR |  |                                     |                                                                                     | GMAX II (HD 3-IN-1) IRONMAN                                                         |                                                                                     |                                                                                     |                                                                                     |
|--------------------------------------------|--|--|--|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-----------------------------------|--|-------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                            |  |  |  | 3900                                                                              | 5900<br>(5900 HD)                                                                 | 7900<br>(7900 HD)                                                                   |  |                                   |  |                                     | 3900                                                                                | 5900<br>(5900 HD)                                                                   | 7900<br>(7900 HD)                                                                   | 5900                                                                                | 7900<br>(7900 HD)                                                                   |
|                                            |  |  |  |  |  |  |  |                                   |  |                                     |  |  |  |  |  |
| SPECIFICATIONS                             |  |  |  |                                                                                   |                                                                                   |                                                                                     |  |                                   |  |                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Part Numbers                               |  |  |  | 2012515                                                                           | 17H810<br>(17H819)                                                                | 17H818<br>(17H820)                                                                  |  |                                   |  | 2012213                             | 17E832<br>(17E840)                                                                  | 17E837<br>(17E842)                                                                  | 17E833                                                                              | 17E838<br>(17E843)                                                                  |                                                                                     |
| Max. tip size: 1 gun                       |  |  |  | 0.036"                                                                            | 0.043"                                                                            | 0.047"                                                                              |  |                                   |  | 0.036"                              | 0.043"                                                                              | 0.047"                                                                              | 0.043"                                                                              | 0.047"                                                                              |                                                                                     |
| Max. tip size: 2 guns                      |  |  |  | 0.023"                                                                            | 0.029"                                                                            | 0.035"                                                                              |  |                                   |  | 0.023"                              | 0.029"                                                                              | 0.035"                                                                              | 0.029"                                                                              | 0.035"                                                                              |                                                                                     |
| Max. flow - l/min. (gpm)*                  |  |  |  | 4.7 (1.25)                                                                        | 6.0 (1.6)                                                                         | 8.3 (2.2)                                                                           |  |                                   |  | 4.7 (1.25)                          | 6.0 (1.6)                                                                           | 8.3 (2.2)                                                                           | 6.0 (1.6)                                                                           | 8.3 (2.2)                                                                           |                                                                                     |
| Max. pressure - bar (PSI)                  |  |  |  | 227 (3300)                                                                        | 227 (3300)                                                                        | 227 (3300)                                                                          |  |                                   |  | 227 (3300)                          | 227 (3300)                                                                          | 227 (3300)                                                                          | 227 (3300)                                                                          | 227 (3300)                                                                          |                                                                                     |
| Engine displacement cm³                    |  |  |  | 160                                                                               | 200                                                                               | 200                                                                                 |  |                                   |  | 160                                 | 200                                                                                 | 200                                                                                 | 200                                                                                 | 200                                                                                 |                                                                                     |
| Weight - kg (lbs)                          |  |  |  | 50.5 (111)                                                                        | 64 (139)                                                                          | 67 (146)                                                                            |  |                                   |  | 63 (138)                            | 70 (155)                                                                            | 74 (161)                                                                            | 64 (139)                                                                            | 67 (146)                                                                            |                                                                                     |
| FEATURES                                   |  |  |  |                                                                                   |                                                                                   |                                                                                     |  |                                   |  |                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| SmartControl™                              |  |  |  | 3.0                                                                               | 3.0                                                                               | 3.0                                                                                 |  |                                   |  | 3.0                                 | 3.0                                                                                 | 3.0                                                                                 | 3.0                                                                                 | 3.0                                                                                 |                                                                                     |
| LED display                                |  |  |  |                                                                                   |                                                                                   |                                                                                     |  |                                   |  | ■                                   | ■                                                                                   | ■                                                                                   | ■                                                                                   | ■                                                                                   |                                                                                     |
| Hydraulic Pressure Gauge                   |  |  |  | ■                                                                                 | ■                                                                                 | ■                                                                                   |  |                                   |  |                                     | ■                                                                                   | ■                                                                                   |                                                                                     |                                                                                     |                                                                                     |
| Endurance™ Pump                            |  |  |  | ■                                                                                 | ■                                                                                 | ■                                                                                   |  |                                   |  | Endurance™ Vortex®                  | Endurance™ Vortex®                                                                  | Endurance™ Vortex®                                                                  | Endurance™ Vortex®                                                                  | Endurance™ Vortex®                                                                  |                                                                                     |
| Pump type                                  |  |  |  | Paint                                                                             | Paint (HD Texture)                                                                | Paint (HD Texture)                                                                  |  |                                   |  | Paint                               | Paint (HD Texture)                                                                  | Paint (HD Texture)                                                                  | Paint                                                                               | Paint (HD Texture)                                                                  |                                                                                     |
| ProConnect 2                               |  |  |  |                                                                                   |                                                                                   |                                                                                     |  |                                   |  | ■                                   | ■                                                                                   | ■                                                                                   | ■                                                                                   | ■                                                                                   |                                                                                     |
| Piston rod                                 |  |  |  | Chromex™                                                                          | Chromex™<br>(Hard Chrome)                                                         | MaxLife™                                                                            |  |                                   |  | MaxLife™                            | MaxLife™                                                                            | MaxLife™                                                                            | Maxlife™ Extreme™                                                                   | Maxlife™ Extreme™                                                                   |                                                                                     |
| Sleeve                                     |  |  |  | Hard Chrome                                                                       | Hard Chrome                                                                       | MaxLife™                                                                            |  |                                   |  | MaxLife™                            | MaxLife™                                                                            | MaxLife™                                                                            | MaxLife™                                                                            | MaxLife™                                                                            |                                                                                     |
| MaxFlo 2                                   |  |  |  |                                                                                   | ■                                                                                 | ■                                                                                   |  |                                   |  |                                     | ■                                                                                   | ■                                                                                   | ■                                                                                   | ■ ■                                                                                 |                                                                                     |
| Rock Catcher                               |  |  |  | Standard                                                                          | Standard                                                                          | Standard                                                                            |  |                                   |  | CrushProof                          | CrushProof                                                                          | CrushProof                                                                          | CrushProof                                                                          | CrushProof                                                                          |                                                                                     |
| TiltBack™                                  |  |  |  | ■                                                                                 | ■                                                                                 | ■                                                                                   |  |                                   |  | ■                                   | ■                                                                                   | ■                                                                                   |                                                                                     |                                                                                     |                                                                                     |
| QuickReel™                                 |  |  |  |                                                                                   |                                                                                   |                                                                                     |  |                                   |  | ■                                   | ■                                                                                   | ■                                                                                   | ■                                                                                   | ■                                                                                   |                                                                                     |
| Flat-Proof Tires                           |  |  |  |                                                                                   |                                                                                   |                                                                                     |  |                                   |  |                                     |                                                                                     |                                                                                     | ■                                                                                   | ■                                                                                   |                                                                                     |
| COMPOSITION                                |  |  |  |                                                                                   |                                                                                   |                                                                                     |  |                                   |  |                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Tips                                       |  |  |  | PAA517                                                                            | PAA517 (LTX427, LTX531)                                                           |                                                                                     |  |                                   |  | PAA517                              | PAA517 (LTX427, LTX531)                                                             |                                                                                     | PAA517 (LTX427, LTX531)                                                             |                                                                                     |                                                                                     |
| Guard                                      |  |  |  | RAC X™ - 246215                                                                   |                                                                                   |                                                                                     |  |                                   |  | RAC X™ - 246215                     |                                                                                     |                                                                                     | RAC X™ - 246215                                                                     |                                                                                     |                                                                                     |
| Gun                                        |  |  |  | Contractor™ PC -<br>17Y043                                                        | Contractor™ PC - 17Y043<br>(HD Blue Texture - 289605)                             |                                                                                     |  |                                   |  | Contractor™ PC -<br>17Y043          | Contractor™ PC - 17Y043<br>(HD Blue Texture - 289605)                               |                                                                                     | Contractor™ PC -<br>17Y043                                                          | Contractor™ PC - 17Y043<br>(HD Blue Texture - 289605)                               |                                                                                     |
| Gun Filter (mesh)                          |  |  |  | Easy Out™ 60 - 287032                                                             |                                                                                   |                                                                                     |  |                                   |  | Easy Out™ 60 - 287032               |                                                                                     |                                                                                     | Easy Out™ 60 - 287032                                                               |                                                                                     |                                                                                     |
| Hose                                       |  |  |  | Blue Max™ II 1/4" x 15m<br>- 240794                                               | Blue Max™ II 1/4" x 15m - 240797<br>(3/8" x 15m - 289667)                         |                                                                                     |  |                                   |  | Blue Max™ II 1/4" x 15m<br>- 240794 | Blue Max™ II 1/4" x 15m - 240797<br>(3/8" x 15m - 289667)                           |                                                                                     | Blue Max™ II 1/4" x 15m<br>- 240794                                                 | Blue Max™ II 1/4" x 15m - 240797<br>(3/8" x 15m - 289667)                           |                                                                                     |
| Whip hose                                  |  |  |  |                                                                                   | (Blue Max™ II 1/4" X 0.9 M - 241735)                                              |                                                                                     |  |                                   |  |                                     | (Blue Max™ II 1/4" X 0.9m - 241735)                                                 |                                                                                     |                                                                                     | (Blue Max™ II 1/4" X 0.9m - 241735)                                                 |                                                                                     |
| TSL™ 118 ml                                |  |  |  | ■                                                                                 |                                                                                   |                                                                                     |  |                                   |  | ■                                   |                                                                                     |                                                                                     | ■                                                                                   |                                                                                     |                                                                                     |
| PRICING                                    |  |  |  |                                                                                   |                                                                                   |                                                                                     |  |                                   |  |                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                            |  |  |  | 2012515: € 9.713,00                                                               | 17H810: € 12.248,00                                                               | 17H818: € 13.655,00                                                                 |  |                                   |  | 2012213 € 10.836,00                 | 17E832: € 13.377,00                                                                 | 17E837: € 14.779,00                                                                 | 17E833: € 13.377,00                                                                 | 17E838: € 14.779,00                                                                 |                                                                                     |
|                                            |  |  |  |                                                                                   | 17H819: € 12.679,00                                                               | 17H820: € 14.086,00                                                                 |  |                                   |  |                                     | 17E840: € 13.802,00                                                                 | 17E842: € 15.209,00                                                                 |                                                                                     | 17E843: € 15.209,00                                                                 |                                                                                     |
| BROCHURE                                   |  |  |  | 300718                                                                            | 300718                                                                            | 300718                                                                              |  |                                   |  | 300719                              | 300719                                                                              | 300719                                                                              | 300769                                                                              | 300769                                                                              |                                                                                     |

\* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster then SST balls with paint.



SPECIFICATIONS & PRICING

HEAVY DUTY - 2

| SPECIFICATIONS & PRICING<br>HEAVY DUTY - 2                                        |  |                                                                                   |                                                                                     |  | DUTYMAX™ HD 3-IN-1 STANDARD                                                         |                                                                                     |                                   |                                                                                     | DUTYMAX™ HD 3-IN-1 PROCONTRACTOR                                                    |                                                                                     |                                                                                     |                     | DUTYMAX™ HIGH PRESSURE                                                              |                     |                     |
|-----------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------|-------------------------------------------------------------------------------------|---------------------|---------------------|
| EH230 HD                                                                          |  | GH230 HD                                                                          | EH300 HD                                                                            |  | GH300 HD                                                                            | EH230 HD                                                                            |                                   | GH230 HD                                                                            | EH300 HD                                                                            | GH300 HD                                                                            | EH675DI                                                                             |                     | GH675DI                                                                             |                     |                     |
|  |  |  |  |  |  |  |                                   |  |  |  |  |                     |  |                     |                     |
| SPECIFICATIONS                                                                    |  |                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     |                     |                     |
| Part Numbers                                                                      |  |                                                                                   |                                                                                     |  | 24W941                                                                              | 24W943                                                                              | 24W965                            | 24W967                                                                              |                                                                                     |                                                                                     |                                                                                     |                     | 25D224                                                                              | 25D223              |                     |
| Max. tip size: 1 gun                                                              |  |                                                                                   |                                                                                     |  | Paint 0.039" Plaster 0.047"                                                         | Paint 0.053" Plaster 0.057"                                                         | Paint 0.057" Plaster 0.063"       | Paint 0.057" Plaster 0.063"                                                         |                                                                                     |                                                                                     |                                                                                     |                     | 0.041"                                                                              | 0.041"              |                     |
| Max. flow - l/min (gpm)*                                                          |  |                                                                                   |                                                                                     |  | 5.9 (1.56)                                                                          | 8.9 (2.35)                                                                          | 11.3 (3.0)                        | 11.3 (3.0)                                                                          |                                                                                     |                                                                                     |                                                                                     |                     | 5.7 (1.5)                                                                           | 5.7 (1.5)           |                     |
| Max. pressure - bar (PSI)                                                         |  |                                                                                   |                                                                                     |  | 227 (3300)                                                                          | 227 (3300)                                                                          | 227 (3300)                        | 227 (3300)                                                                          |                                                                                     |                                                                                     |                                                                                     |                     | 465 (6750)                                                                          | 465 (6750)          |                     |
| Motor                                                                             |  |                                                                                   |                                                                                     |  | Electric 230V                                                                       | Gas                                                                                 | Electric 380V                     | Gas                                                                                 |                                                                                     |                                                                                     |                                                                                     |                     | Electric 380V                                                                       | Gas                 |                     |
| Motor rating - kW (HP)                                                            |  |                                                                                   |                                                                                     |  | 2.2 (3)                                                                             |                                                                                     | 5.5 (7.5)                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     | 5.5 (7.5)                                                                           |                     |                     |
| Engine displacement - cm³                                                         |  |                                                                                   |                                                                                     |  |                                                                                     | 200                                                                                 |                                   | 270                                                                                 |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     | 270                 |                     |
| Weight - kg (lbs)                                                                 |  |                                                                                   |                                                                                     |  | 89 (197)                                                                            | 90 (199)                                                                            | 107 (236)                         | 99 (218)                                                                            |                                                                                     |                                                                                     |                                                                                     |                     | 107 (236)                                                                           | 99 (218)            |                     |
| FEATURES                                                                          |  |                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     |                     |                     |
| SmartControl™                                                                     |  |                                                                                   |                                                                                     |  |                                                                                     |                                                                                     | Phase Control                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     | Phase Control                                                                       |                     |                     |
| Endurance™ Pump                                                                   |  |                                                                                   |                                                                                     |  | ■                                                                                   | ■                                                                                   | ■                                 | ■                                                                                   |                                                                                     |                                                                                     |                                                                                     |                     | ■                                                                                   | ■                   |                     |
| Hydraulic driven pump                                                             |  |                                                                                   |                                                                                     |  | ■                                                                                   | ■                                                                                   | ■                                 | ■                                                                                   |                                                                                     |                                                                                     |                                                                                     |                     | ■                                                                                   | ■                   |                     |
| QuikReel™                                                                         |  |                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     |                     |                     |
| Hose Rack                                                                         |  |                                                                                   |                                                                                     |  | ■                                                                                   | ■                                                                                   | ■                                 | ■                                                                                   |                                                                                     |                                                                                     |                                                                                     |                     | ■                                                                                   | ■                   |                     |
| MaxLife™                                                                          |  |                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     |                     |                     |
| Convertible (electric-gas)                                                        |  |                                                                                   |                                                                                     |  | ■                                                                                   | ■                                                                                   | ■                                 | ■                                                                                   |                                                                                     |                                                                                     |                                                                                     |                     | ■                                                                                   | ■                   |                     |
| ProConnect™                                                                       |  |                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     |                     |                     |
| COMPOSITION                                                                       |  |                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     |                     |                     |
| Tips                                                                              |  |                                                                                   |                                                                                     |  | HDA427 + HDA531                                                                     |                                                                                     | HDA643 + WA1239                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     | XHD527 + XHD531     | XHD527 + XHD531     |
| Guard                                                                             |  |                                                                                   |                                                                                     |  | RAC X™ - 246215                                                                     |                                                                                     |                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     | XHD - XHD001        | XHD - XHD001        |
| Gun                                                                               |  |                                                                                   |                                                                                     |  | HD Blue Texture - 289605                                                            |                                                                                     | HD Inline Texture - 245820        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     | XTR7 HF - XTR706    | XTR7 HF - XTR706    |
| Hose                                                                              |  |                                                                                   |                                                                                     |  | Blue Max™ II 3/8" x 15m - 240797                                                    |                                                                                     | Blue Max™ II 1/2" x 15m - 278499  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     | 1/2" x 15m - H75050 | 1/2" x 15m - H75050 |
| Whip hose                                                                         |  |                                                                                   |                                                                                     |  | Blue Max™ II 1/4" x 0.9m - 241735                                                   |                                                                                     | Blue Max™ II 3/8" x 3.5m - 191239 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     | 3/8" x 3m - H73810  | 3/8" x 3m - H73810  |
| TSL™ 118 ml                                                                       |  |                                                                                   |                                                                                     |  | ■                                                                                   |                                                                                     |                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     | ■                   |                     |
| PRICING                                                                           |  |                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |                                                                                     |                     |                     |
|                                                                                   |  |                                                                                   |                                                                                     |  | 24W941: € 14.789,00                                                                 | 24W943: € 15.482,00                                                                 | 24W965: € 15.913,00               | 24W967: € 15.913,00                                                                 | 24W942: € 15.913,00                                                                 | 24W962: € 16.611,00                                                                 | 24W966: € 17.036,00                                                                 | 24W968: € 17.036,00 | 25D224: € 17.183,00                                                                 | 25D223: € 17.183,00 |                     |
| BROCHURE                                                                          |  |                                                                                   |                                                                                     |  | 300722                                                                              | 300722                                                                              | 300722                            | 300722                                                                              | 300723                                                                              | 300723                                                                              | 300723                                                                              | 300723              | 300758                                                                              | 300758              |                     |


\* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster then SST balls with paint.

SPECIFICATIONS & PRICING

HEAVY DUTY - 3

| GH™ BIG RIG                                                                       |                                                                                   |                                                                                     |                                                                                     | GH™ BIG RIG                                                                         |                                                                                     |                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------|
| 1017                                                                              | 2570                                                                              | 733                                                                                 | 833                                                                                 | 5040                                                                                | 933                                                                                 |                     |
|  |  |  |  |  |  |                     |
|                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |
| -                                                                                 | -                                                                                 | -                                                                                   | 253471                                                                              | -                                                                                   | 16U281                                                                              |                     |
| 16U277                                                                            | 16U278                                                                            | 16U279                                                                              | 16V258                                                                              | 16U280                                                                              | 16U285                                                                              |                     |
| -                                                                                 | 24U325                                                                            | -                                                                                   | 253473                                                                              | -                                                                                   | -                                                                                   |                     |
| -                                                                                 | -                                                                                 | 0.065"                                                                              | 0.065"                                                                              | 0.067"                                                                              | 0.053"                                                                              |                     |
| 62.5 (16.5)                                                                       | 26.5 (7.0)                                                                        | 15.1 (4.0)                                                                          | 15.1 (4.0)                                                                          | 13.2 (3.5)                                                                          | 9.5 (2.5)                                                                           |                     |
| 70 (1000)                                                                         | 172 (2500)                                                                        | 276 (4000)                                                                          | 276 (4000)                                                                          | 345 (5000)                                                                          | 500 (7250)                                                                          |                     |
| 390                                                                               | 390                                                                               | 390                                                                                 | 390                                                                                 | 390                                                                                 | 390                                                                                 |                     |
| Yes                                                                               | Yes                                                                               | Yes                                                                                 | Only 16V258                                                                         | Yes                                                                                 | Only 16U285                                                                         |                     |
| 215 (473)                                                                         | 16U278 - 214 (471)<br>24U325 - 62 (136)                                           | 197 (434)                                                                           | 253471 - 163 (360)<br>16V258 - 181 (398)<br>253473 – 29 (63)                        | 199 (438)                                                                           | 16U281 - 181 (398)<br>16U285 - 199 (438)                                            |                     |
|                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |
| Xtreme Piston QuikChange™<br>■                                                    | Xtreme Piston QuikChange™<br>■                                                    | Xtreme Piston QuikChange™<br>■                                                      | Endurance™ Piston<br>■                                                              | Xtreme Piston QuikChange™<br>■                                                      | Xtreme Piston QuikChange™<br>■                                                      |                     |
| Hard Chrome                                                                       | Hard Chrome                                                                       | Hard Chrome                                                                         | MaxLife™                                                                            | Hard Chrome                                                                         | Hard Chrome                                                                         |                     |
| Hard Chrome                                                                       | Hard Chrome                                                                       | Chromex™                                                                            | MaxLife™                                                                            | Hard Chrome                                                                         | Chromex™                                                                            |                     |
| XtremeSeal/Leather                                                                | PTFE/Leather                                                                      | XtremeSeal/Leather                                                                  | V-Max Blue™                                                                         | XtremeSeal/Leather                                                                  | XtremeSeal/Leather                                                                  |                     |
| Silver - 16U336                                                                   | Gold - 16U339                                                                     | Silver - 16U336                                                                     | -                                                                                   | Silver - 16U336                                                                     | Silver - 16U336                                                                     |                     |
| No                                                                                | No                                                                                | No                                                                                  | Easy-Out™                                                                           | No                                                                                  | Yes                                                                                 |                     |
| Yes                                                                               | No                                                                                | No                                                                                  | No                                                                                  | No                                                                                  | No                                                                                  |                     |
| 2.0" ID PVC                                                                       | 2.0" ID PVC                                                                       | 1.25" ID Nylon                                                                      | 1.5" ID PVC                                                                         | 2.0" ID PVC                                                                         | 1.0" ID Nylon                                                                       |                     |
| ■                                                                                 | ■                                                                                 | ■                                                                                   | ■                                                                                   | ■                                                                                   | ■                                                                                   |                     |
|                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |
| Bare units.<br>Contact Graco for unit configurations                              |                                                                                   |                                                                                     |                                                                                     | Bare units.<br>Contact Graco for unit configurations                                |                                                                                     |                     |
|                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                     |
|                                                                                   |                                                                                   |                                                                                     | 253471: € 21.431,00                                                                 |                                                                                     |                                                                                     | 16U281: € 21.431,00 |
| 16U277: € 29.432,00                                                               | 16U278: € 27.473,00                                                               | 16U279: € 23.783,00                                                                 | 16V258: € 23.783,00                                                                 |                                                                                     | 16U280: € 23.783,00                                                                 | 16U285: € 23.777,00 |
|                                                                                   | 24U325: € 12.842,00                                                               |                                                                                     | 253473: € 11.666,00                                                                 |                                                                                     |                                                                                     |                     |
| 320593                                                                            | 320593                                                                            | 320593                                                                              | 320593                                                                              |                                                                                     | 320593                                                                              | 320593              |

SPECIFICATIONS & PRICING  
PROFESSIONAL CLEANING



| SPECIFICATIONS               |                                                                      |                                                                      |
|------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|
| Part Numbers                 | 25N638                                                               | 25N639                                                               |
| Max Pressure - bar (PSI)     | 227 (3300)                                                           | 220 (3200)                                                           |
| Max. flow - l/min (gpm)      | 9.46 (2.5)                                                           | 11.36 (3)                                                            |
| Engine displacement - cm³    | 200                                                                  | 270                                                                  |
| Pump                         | AR Brass Triplex                                                     | AR Brass Triplex                                                     |
| Weight - kg (lbs)            | 30.4 (67)                                                            | 37.2 (82)                                                            |
| FEATURES                     |                                                                      |                                                                      |
| Gardena® Connection          | ■                                                                    | ■                                                                    |
| Chemical injector            | Integrated                                                           | Integrated                                                           |
| Direct Driven                | ■                                                                    | ■                                                                    |
| Belt Driven                  |                                                                      |                                                                      |
| Adjustable Unloader          | Integrated                                                           | Integrated                                                           |
| Easy Start Pressure Relief   | ■                                                                    | ■                                                                    |
| Light Weight Aluminium Frame | ■                                                                    | ■                                                                    |
| Thermo-sensor                | ■                                                                    | ■                                                                    |
| Cold Water                   | ■                                                                    | ■                                                                    |
| COMPOSITION                  |                                                                      |                                                                      |
| Tips                         | 0° - 805591<br>15° - 805592<br>25° - 805593<br>chemical tip - 805634 | 0° - 805539<br>15° - 805540<br>25° - 805541<br>chemical tip - 805634 |
| Gun                          | 91cm + QDs - 244784                                                  |                                                                      |
| Filter (mesh)                | 50                                                                   |                                                                      |
| Hose                         | 15m + QDs - 244783                                                   |                                                                      |
| Engine oil                   | ■                                                                    |                                                                      |
| PRICING                      |                                                                      |                                                                      |
|                              | 25N638: € 3.224,00                                                   | 25N639: € 3.932,00                                                   |
| BROCHURE                     | 320582                                                               | 320582                                                               |

| G-FORCE™ II                                                                          |                                                                                     | G-FORCE™ II                                                                          |                                                                                     |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 4040 HG-DD                                                                           | 4040 HC-DD                                                                          | 4040 HG-BD                                                                           | 4040 HC-BD                                                                          |
|   |  |   |  |
|                                                                                      |                                                                                     |                                                                                      |                                                                                     |
| 25N681                                                                               | 25N682                                                                              | 25N683                                                                               | 25N684                                                                              |
| 275 (4000)                                                                           | 275 (4000)                                                                          | 275 (4000)                                                                           | 275 (4000)                                                                          |
| 15.14 (4)                                                                            | 15.14 (4)                                                                           | 15.14 (4)                                                                            | 15.14 (4)                                                                           |
| 390                                                                                  | 390                                                                                 | 390                                                                                  | 390                                                                                 |
| GP Brass Triplex                                                                     | CAT Brass Triplex                                                                   | GP Brass Triplex                                                                     | CAT Brass Triplex                                                                   |
| 58.5 (129)                                                                           | 60.3 (133)                                                                          | 72.1 (159)                                                                           | 71.6 (158)                                                                          |
|                                                                                      |                                                                                     |                                                                                      |                                                                                     |
| ■                                                                                    | ■                                                                                   | ■                                                                                    | ■                                                                                   |
| ■                                                                                    | ■                                                                                   | ■                                                                                    | ■                                                                                   |
| ■                                                                                    | ■                                                                                   |                                                                                      |                                                                                     |
|                                                                                      |                                                                                     | ■                                                                                    | ■                                                                                   |
| External                                                                             | External                                                                            | External                                                                             | External                                                                            |
| ■                                                                                    | ■                                                                                   | ■                                                                                    | ■                                                                                   |
| ■                                                                                    | ■                                                                                   | ■                                                                                    | ■                                                                                   |
| ■                                                                                    | ■                                                                                   | ■                                                                                    | ■                                                                                   |
| ■                                                                                    | ■                                                                                   | ■                                                                                    | ■                                                                                   |
|                                                                                      |                                                                                     |                                                                                      |                                                                                     |
| 0° - 805543<br>15° - 805544<br>25° - 805545<br>40° - 805546<br>chemical tip - 805634 |                                                                                     | 0° - 805543<br>15° - 805544<br>25° - 805545<br>40° - 805546<br>chemical tip - 805634 |                                                                                     |
| 91cm + QDs - 244784                                                                  |                                                                                     | 91cm + QDs - 244784                                                                  |                                                                                     |
| 50                                                                                   |                                                                                     | 50                                                                                   |                                                                                     |
| 15m + QDs - 244783                                                                   |                                                                                     | 15m + QDs - 244783                                                                   |                                                                                     |
| ■                                                                                    |                                                                                     | ■                                                                                    |                                                                                     |
|                                                                                      |                                                                                     |                                                                                      |                                                                                     |
| 25N681: € 4.778,00                                                                   | 25N682: € 5.339,00                                                                  | 25N683: € 5.901,00                                                                   | 25N684: € 6.468,00                                                                  |
| 320582                                                                               | 320582                                                                              | 320582                                                                               | 320582                                                                              |



SPECIFICATIONS & PRICING

PAVEMENT & MARKING - 1



|                               | LINELAZER™                                                                        |                                                                                   | LINELAZER™                                                                          | LINELAZER™ V                                                                        |
|-------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                               | ES 500 Stencil                                                                    | ES 500                                                                            | ES 1000                                                                             | ES 2000                                                                             |
|                               |  |  |  |  |
| SPECIFICATIONS                |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Part Number - 1 mech gun      | 25U514                                                                            | 25U547                                                                            | 25U675                                                                              | 25U681                                                                              |
| Part Number - 2 mech guns     | -                                                                                 | -                                                                                 | -                                                                                   | 25U685                                                                              |
| Max. Tip Size - 1 gun         | 0.021"                                                                            | 0.021"                                                                            | 0.025"                                                                              | 0.033"                                                                              |
| Max. Tip Size - 2 guns        | -                                                                                 | -                                                                                 | -                                                                                   | 0.025"                                                                              |
| Max. Flow - l/min. (gpm)      | 1.8 (0.47)                                                                        | 1.8 (0.47)                                                                        | 2.3 (0.6)                                                                           | 4.1 (1.1)                                                                           |
| Max. Pressure - bar (PSI)     | 227 (3300)                                                                        | 227 (3300)                                                                        | 227 (3300)                                                                          | 227 (3300)                                                                          |
| Battery Power - Volt (Ah)     | 2x 54V DeWALT® Flexvolt battery 6.0 Ah                                            | 2x 54V DeWALT® Flexvolt battery 9.0 Ah                                            | 12 V Lithium (100)                                                                  | 2x 12 V Lithium (100)                                                               |
| Weight - kg (lbs)             | 14 (31)                                                                           | 55 (121)                                                                          | 131 (288)                                                                           | 165 (364)                                                                           |
| FEATURES                      |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| LiveLook Display              |                                                                                   |                                                                                   |                                                                                     | ■                                                                                   |
| Hydraulic Pressure gauge      | ■                                                                                 | ■                                                                                 | ■                                                                                   |                                                                                     |
| SmartControl™                 |                                                                                   |                                                                                   | ■                                                                                   | ■                                                                                   |
| FastFlush™                    |                                                                                   |                                                                                   | ■                                                                                   |                                                                                     |
| Endurance™ Pump               | Mechanical                                                                        | Mechanical                                                                        | Mechanical                                                                          | Mechanical                                                                          |
| EZ Align™ system              |                                                                                   |                                                                                   | ■                                                                                   | ■                                                                                   |
| EasyMark System               |                                                                                   | ■                                                                                 | ■                                                                                   | ■                                                                                   |
| QuikSelect™ Gun Selector      |                                                                                   |                                                                                   | Manual                                                                              | Manual                                                                              |
| Rear-gun Mounted              |                                                                                   |                                                                                   | ■                                                                                   | ■                                                                                   |
| Dualcomfort™ Handlebar system |                                                                                   |                                                                                   | ■                                                                                   | ■                                                                                   |
| LineDriver™**                 |                                                                                   |                                                                                   | Optional                                                                            | Optional                                                                            |
| ProConnect™                   | ■                                                                                 | ■                                                                                 | ■                                                                                   |                                                                                     |
| COMPOSITION                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| Tips                          | 286419                                                                            | LL5317 + LL5419                                                                   | LL5319 + LL5421                                                                     | LL5319 + LL5421                                                                     |
| Guard                         | RAC V (243161)                                                                    | RAC V (243161)                                                                    | RAC V (243161)                                                                      | RAC V (243161)                                                                      |
| Extension                     | 40 cm (223718)                                                                    |                                                                                   |                                                                                     |                                                                                     |
| Gun                           | Flex Plus™ (248157)                                                               | Flex Plus™ (248157)                                                               | Flex Plus™ (248157)                                                                 | Flex Plus™ (248157)                                                                 |
| Hose                          | Blue Max™ II 1/4" x 15 m (249080)                                                 | Blue Max™ II 1/4" x 15 m (249080)                                                 | Blue Max™ II 1/4" x 15 m (249080)                                                   | BlueMax™ II 3/8" x 6.7 m (124884)                                                   |
| Pump filter (Mesh)            | 60 (243984)                                                                       | 60 (243984)                                                                       | 60 (243984)                                                                         | 50 (24V455)                                                                         |
| Power supply                  | 2 x 54V DeWALT® Flexvolt 6.0 Ah battery with DeWALT® Fan-cooled fast charger      | 2 x 54V DeWALT® Flexvolt 9.0 Ah battery with DeWALT® Fan-cooled fast charger      | 1x 12V battery with 230V inverter incl. 30 cm cable set (EU,IT,DK,CH,UK)            | 2 x 12V battery with 230V inverter incl. 30 cm cable set (EU,IT,DK,CH,UK)           |
| TSL™                          | 118ml (238049)                                                                    | 118ml (238049)                                                                    | 118ml (238049)                                                                      | 118ml (238049)                                                                      |
| PRICING                       |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|                               | 25U514: € 4.200,00                                                                | 25U547: € 10.290,00                                                               | 25U675: € 18.585,00                                                                 | 25U681: € 27.615,00                                                                 |
|                               |                                                                                   |                                                                                   |                                                                                     | 25U685: € 29.085,00                                                                 |
|                               |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| BROCHURE                      | 300720**                                                                          | 300720**                                                                          | 300720**                                                                            | 300720**                                                                            |

\* See page 44 for more information on LineDriver

\*\* See the Pavement catalogue for the complete product range



SPECIFICATIONS & PRICING

PAVEMENT & MARKING - 2

| LINELAZER™ V STANDARD                                                             |  |                                                                                   |  | LINELAZER™ V STANDARD                                                              |  |                                                                                     |  |                                                                                     |  |                                                                                     |  |
|-----------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--|
| 3400                                                                              |  | 130HS                                                                             |  | 3900                                                                               |  | 5900                                                                                |  | 200HS                                                                               |  | 200DC                                                                               |  |
|  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                   |  |                                                                                   |  |                                                                                    |  |                                                                                     |  |                                                                                     |  |                                                                                     |  |
| 2012214                                                                           |  | 2012212                                                                           |  | 2012215                                                                            |  | 17H454                                                                              |  | 17H459                                                                              |  | -                                                                                   |  |
| -                                                                                 |  | 2012212 + 25A676                                                                  |  | 2012215 + 25A491                                                                   |  | 17H455                                                                              |  | 17H461                                                                              |  | 17Y231                                                                              |  |
| 0.027"                                                                            |  | 0.037"                                                                            |  | 0.035"                                                                             |  | 0.043"                                                                              |  | 0.047"                                                                              |  | 0.047"                                                                              |  |
| -                                                                                 |  | 0.029"                                                                            |  | 0.025"                                                                             |  | 0.029"                                                                              |  | 0.033"                                                                              |  | 0.033"                                                                              |  |
| 2.8 (0.75)                                                                        |  | 4.9 (1.3)                                                                         |  | 4.7 (1.25)                                                                         |  | 6.0 (1.6)                                                                           |  | 8.14 (2.15)                                                                         |  | 8.14 (2.15)                                                                         |  |
| 227 (3300)                                                                        |  | 227 (3300)                                                                        |  | 227 (3300)                                                                         |  | 227 (3300)                                                                          |  | 227 (3300)                                                                          |  | 227 (3300)                                                                          |  |
| 160                                                                               |  | 160                                                                               |  | 160                                                                                |  | 160                                                                                 |  | 200                                                                                 |  | 200                                                                                 |  |
| 75 (165)                                                                          |  | 121 (268)                                                                         |  | 106 (235)                                                                          |  | 113 (250)                                                                           |  | 139 (306)                                                                           |  | 173 (381)                                                                           |  |
|                                                                                   |  |                                                                                   |  |                                                                                    |  |                                                                                     |  |                                                                                     |  |                                                                                     |  |
|                                                                                   |  |                                                                                   |  | ■                                                                                  |  |                                                                                     |  | ■                                                                                   |  | ■                                                                                   |  |
| Mechanical                                                                        |  | Hydraulic                                                                         |  | Mechanical                                                                         |  | Mechanical                                                                          |  | Hydraulic                                                                           |  | Hydraulic                                                                           |  |
|                                                                                   |  | ■                                                                                 |  | ■                                                                                  |  | ■                                                                                   |  | ■                                                                                   |  | ■                                                                                   |  |
|                                                                                   |  | ■                                                                                 |  | ■                                                                                  |  | ■                                                                                   |  | ■                                                                                   |  | ■                                                                                   |  |
| ■                                                                                 |  | ■                                                                                 |  | ■                                                                                  |  | ■                                                                                   |  | ■                                                                                   |  | ■                                                                                   |  |
|                                                                                   |  | Manual                                                                            |  | Manual                                                                             |  | Manual                                                                              |  | Manual                                                                              |  | Manual                                                                              |  |
|                                                                                   |  | ■                                                                                 |  | ■                                                                                  |  | ■                                                                                   |  | ■                                                                                   |  | ■                                                                                   |  |
|                                                                                   |  | ■                                                                                 |  |                                                                                    |  | ■                                                                                   |  | ■                                                                                   |  | ■                                                                                   |  |
|                                                                                   |  | Optional                                                                          |  | Optional                                                                           |  | Optional                                                                            |  | Optional                                                                            |  | Optional                                                                            |  |
|                                                                                   |  |                                                                                   |  |                                                                                    |  |                                                                                     |  |                                                                                     |  |                                                                                     |  |
| LL5317 + LL5319                                                                   |  | LL5319 + LL5421                                                                   |  | LL5319 + LL5421                                                                    |  | LL5319 + LL5421                                                                     |  |                                                                                     |  |                                                                                     |  |
| RAC V (243161)                                                                    |  |                                                                                   |  |                                                                                    |  | RAC V (243161)                                                                      |  |                                                                                     |  |                                                                                     |  |
| Flex Plus™ (248157)                                                               |  |                                                                                   |  |                                                                                    |  | Flex Plus™ (248157)                                                                 |  |                                                                                     |  |                                                                                     |  |
| Blue Max™ II<br>1/4" x 15 m (249080)                                              |  | Blue Max™ II<br>3/8" x 6.7 m (124884)                                             |  | Blue Max™ II<br>3/8" x 15 m (245225)                                               |  | Blue Max™ II<br>3/8" x 15 m (245225)                                                |  | Blue Max™ II<br>3/8" x 6.7 m (124884)                                               |  | Blue Max™ II<br>3/8" x 3.6 m (191239)                                               |  |
| 60 (243984)                                                                       |  | 50 (24V455)                                                                       |  |                                                                                    |  |                                                                                     |  | 50 (24V455)                                                                         |  |                                                                                     |  |
| 3.6 (0.95)                                                                        |  |                                                                                   |  |                                                                                    |  | 3.6 (0.95)                                                                          |  |                                                                                     |  |                                                                                     |  |
| 118ml (238049)                                                                    |  |                                                                                   |  |                                                                                    |  | 118ml (238049)                                                                      |  |                                                                                     |  |                                                                                     |  |
|                                                                                   |  |                                                                                   |  |                                                                                    |  |                                                                                     |  |                                                                                     |  |                                                                                     |  |
| 2012214: € 13.088,00                                                              |  | 2012212: € 18.853,00                                                              |  | 2012215: € 17.446,00                                                               |  | 17H454: € 19.593,00                                                                 |  | 17H459: € 23.651,00                                                                 |  |                                                                                     |  |
|                                                                                   |  | 25A676: € 1.494,00                                                                |  | 25A491: € 1.663,00                                                                 |  | 17H455: € 21.084,00                                                                 |  | 17H461: € 25.137,00                                                                 |  | 17Y231: € 34.057,00                                                                 |  |
| 300720**                                                                          |  | 300720**                                                                          |  | 300720**                                                                           |  | 300720**                                                                            |  | 300720**                                                                            |  | 300720**                                                                            |  |

\* See page 44 for more information on LineDriver

\*\* See the Pavement catalogue for the complete product range



SPECIFICATIONS & PRICING

PAVEMENT & MARKING - 3

|                         | LINEDRIVER™ *                                                                     |                                                                                   |                                                                                     |
|-------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                         | 160                                                                               | HD 200                                                                            | ES                                                                                  |
|                         |  |  |  |
| SPECIFICATIONS          |                                                                                   |                                                                                   |                                                                                     |
| Part Number             | 262004                                                                            | 262005                                                                            | 25U671                                                                              |
| Motor Engine - cc (hp)  | 160 cm³                                                                           | 200 cm³                                                                           | 3x 24 V, 50 Ah Lithium                                                              |
| Fuel Capacity - L (gal) | 3.6 (0.95)                                                                        | 3.6 (0.95)                                                                        | -                                                                                   |
| Weight kg - (lb)        | 120 (266)                                                                         | 125 (277)                                                                         | 174 (384)                                                                           |
| PRICING                 |                                                                                   |                                                                                   |                                                                                     |
|                         | 262004: € 14.826,00                                                               | 262005: € 15.740,00                                                               | 25U671: € 30.718,00                                                                 |
| BROCHURE                | 300720**                                                                          | 300720**                                                                          | 300720**                                                                            |

\* All LineDriver units can be used on the LineLazer, ThermoLazer and the HP GrindLazer

\*\* See the Pavement catalogue for the complete product range





SPECIFICATIONS & PRICING

SURFACE PREPARATION

GRINDLAZER™

STANDARD DC87 G

STANDARD DC89 G



| SPÉCIFICATIONS                          |                                                                                   |                                                                                   |
|-----------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Part Number (Unit only)*                | 25M842                                                                            | 25M843                                                                            |
| Part Number (Unit only) with DCS*       | -                                                                                 | -                                                                                 |
| Cutter Type                             | Drum                                                                              | Drum                                                                              |
| Max. Working Width                      | 20 cm (8")                                                                        | 20 cm (8")                                                                        |
| Cutter Drum Diameter                    | 12.5 cm (5")                                                                      | 12.5 cm (5")                                                                      |
| Engine/Motor - cm³ (HP)                 | Honda 200 (6.5)                                                                   | Honda 270 (9)                                                                     |
| Engine Start                            | Pull Start                                                                        | Pull Start                                                                        |
| Tach/Hour Meter                         |  |  |
| Max. Cut Rate (Walk) - m²/hr (sq ft/hr) | 30 m²/hr (300 sq ft/hr)                                                           | 40 m²/hr (400 sq ft/hr)                                                           |
| Max. Cut Rate (LineDriver/Skid loader)  | -                                                                                 | -                                                                                 |
| Weight - kg (lbs)                       | 57 (125)                                                                          | 68 (150)                                                                          |
| CARACTÉRISTIQUES                        |                                                                                   |                                                                                   |
| Vacuum Port                             |  |  |
| Air Filter                              | Cyclone™                                                                          | Cyclone™                                                                          |
| Water Connection                        | Optional                                                                          | Optional                                                                          |
| LineDriver Compatible                   | No                                                                                | No                                                                                |
| PRIX                                    |                                                                                   |                                                                                   |
|                                         | 25M842: € 3.980,00                                                                | 25M843: € 4.788,00                                                                |
| BROCHURE                                | 344384**                                                                          | 344384**                                                                          |

\* All units are delivered bare so review the GrindLazer catalogue for more details on the supported drums.

\*\* See the GrindLazer catalogue for the complete product range.

| GRINDLAZER™                                                                         |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PRO DC1013 G                                                                        | PRO RC813 G                                                                         | HP DC89 G                                                                           | HP DC1013 G                                                                         |
|  |  |  |  |
| 25M846                                                                              | 25M847                                                                              | 25M992                                                                              | 25M993                                                                              |
| -                                                                                   | 25N669                                                                              |                                                                                     | 25N658                                                                              |
| Drum                                                                                | Rotary                                                                              | Drum                                                                                | Drum                                                                                |
| 25 cm (10")                                                                         | 20 cm (8")                                                                          | 20 cm (8")                                                                          | 25 cm (10")                                                                         |
| 17.5 cm (7")                                                                        | -                                                                                   | 17.5 cm (7")                                                                        | 17.5 cm (7")                                                                        |
| Honda 390 (13)                                                                      | Honda 390 Vertical (13)                                                             | Honda 270 (9)                                                                       | Honda 390 (13)                                                                      |
| Pull Start                                                                          | Electric Start                                                                      | ProStart                                                                            | ProStart (25M993)<br>Electric Start (25N658)                                        |
|  |  |  |  |
| 65 m²/hr (700 sq ft/hr)                                                             | 75 m²/hr (800 sq ft/hr)                                                             | 55 m²/hr (600 sq ft/hr)                                                             | 75 m²/hr (800 sq ft/hr)                                                             |
| -                                                                                   | -                                                                                   | 120 m²/hr (1300 sq ft/hr)                                                           | 160 m²/hr (1700 sq ft/hr)                                                           |
| 114 (250)                                                                           | 204 (450) (25M847)<br>216 (475) (25N669)                                            | 136 (300)                                                                           | 141 (310) (25M993)<br>161 (355) (25N658)                                            |
|                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|  |  |  |  |
| Cyclone™                                                                            | Standard                                                                            | Cyclone™                                                                            | Cyclone™                                                                            |
| Optional                                                                            | No                                                                                  | Optional                                                                            | Optional                                                                            |
| No                                                                                  | No                                                                                  | Optional LineDriver                                                                 | Optional LineDriver                                                                 |
|                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 25M846: € 8.936,00                                                                  | 25M847: € 12.868,00<br>25N669: € 15.162,00                                          | 25M992: € 10.238,00                                                                 | 25M993: € 12.931,00<br>25N658: € 15.524,00                                          |
| 344384**                                                                            | 344384**                                                                            | 344384**                                                                            | 344384**                                                                            |



# ACCESSORIES

## SPECIFICATIONS

|                                         |           |
|-----------------------------------------|-----------|
| Small Job Accessories .....             | 54 - 57   |
| Fine Finish Accessories .....           | 58 - 61   |
| Airless Accessories .....               | 62 - 87   |
| Texture Accessories .....               | 88 - 95   |
| Heavy Duty Accessories .....            | 96 - 97   |
| Professional Cleaning Accessories ..... | 98 - 99   |
| General Parts .....                     | 100 - 101 |

# PRICE LIST EURO



Exclusive Flexliner™ Technology allows quick start-up, spray and cleanup of your Ultra Airless Handheld™, gives you the ability to spray in any direction - even upside down - while delivering unmatched portability.

## SMALL JOBS - 1

### ULTRA AIRLESS HANDHELD

|                                                                                     | PART NUMBER | DESCRIPTION                                                 | EURO |       |
|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------|------|-------|
|    | 17P550      | KIT CUP COMPLETE - 1L (32 OZ) STANDARD, ULTRA HANDHELD      | €    | 30,00 |
|                                                                                     | 17P551      | KIT CUP COMPLETE - 1L (32 OZ) SOLVENT, ULTRAMAX HANDHELD    | €    | 30,00 |
|                                                                                     | 17P552      | KIT CUP COMPLETE - 1.25L (42 OZ) STANDARD, ULTRA HANDHELD   | €    | 42,00 |
|                                                                                     | 17P553      | KIT CUP COMPLETE - 1.25L (42 OZ) SOLVENT, ULTRAMAX HANDHELD | €    | 42,00 |
|   | 17A226      | LINER 1L (32 OZ) (X3)                                       | €    | 9,70  |
|                                                                                     | 17P212      | LINER 1L (32 OZ) (X25)                                      | €    | 59,00 |
|                                                                                     | 17F005      | LINER 1.25L (42 OZ) (X3)                                    | €    | 12,00 |
|                                                                                     | 17P549      | LINER 1.25L (42 OZ) (X25)                                   | €    | 68,00 |
|  | 17N392      | CUP, 1L (32 OZ)                                             | €    | 18,00 |
|                                                                                     | 17D850      | CUP, 1.25L (42 OZ)                                          | €    | 20,00 |
|                                                                                     | 17N515      | LID ASSEMBLY - STANDARD, ULTRA HANDHELD                     | €    | 12,00 |
|                                                                                     | 17N517      | LID ASSEMBLY - SOLVENT, ULTRAMAX HANDHELD                   | €    | 14,00 |
|  | 17M879      | LID PLUG, ULTRA HANDHELD                                    | €    | 14,00 |
|                                                                                     | 17P554      | FILTER - 60 MESH (X3)                                       | €    | 20,00 |
|  | 17P555      | FILTER - 100 MESH (X3)                                      | €    | 20,00 |
|                                                                                     | 17P501      | TIP SEAT/GASKET - STANDARD, ULTRA HANDHELD (X5)             | €    | 48,00 |
|                                                                                     | 17P502      | TIP SEAT/GASKET - SOLVENT, ULTRAMAX HANDHELD (X5)           | €    | 48,00 |
|                                                                                     | 18F449      | STORAGE BAG                                                 | €    | 14,00 |
|  | 253574      | PUMP ARMOR 1L (32 OZ)                                       | €    | 41,00 |
|                                                                                     | 246215      | RAC X GUARD 7/8" - ULTRA HANDHELD - WATER-BASED             | €    | 64,00 |
|                                                                                     | 17P573      | RAC X GUARD 1" - ULTRAMAX HANDHELD - SOLVENT RESISTANT      | €    | 64,00 |

# SMALL JOBS ACCESSORIES

|                                                                                     | PART NUMBER | DESCRIPTION                                              | EURO |        |
|-------------------------------------------------------------------------------------|-------------|----------------------------------------------------------|------|--------|
|  | 287019      | 25 CM TIP EXTENSION WITH RAC X GUARD (FOR ULTRA HH ONLY) | €    | 102,00 |
|                                                                                     | 287020      | 40 CM TIP EXTENSION WITH RAC X GUARD (FOR ULTRA HH ONLY) | €    | 118,00 |
|  | 16H256      | GROUNDING CABLE                                          | €    | 57,00  |
|                                                                                     | 17P712      | VACUVALVE CAP (X3)                                       | €    | 6,10   |
|                                                                                     | 18B057      | FLEXLINER QUICKFILL FUNNEL AND STRAINER                  | €    | 30,00  |
|                                                                                     | 25T467      | SEAL LUBE STICK FOR AIR-TIGHT SEAL OF YOUR SPRAY CUP     | €    | 2,90   |
|  | 17P185      | TRIAx PUMP ULTRA HANDHELD AC                             | €    | 265,00 |
|                                                                                     | 17P186      | TRIAx PUMP ULTRA HANDHELD DC                             | €    | 265,00 |
|                                                                                     | 17P187      | TRIAx PUMP ULTRAMAX HANDHELD DC                          | €    | 265,00 |



# PRICE LIST EURO



Enjoy the ultimate hands-free portability with the belt & holster delivered with your QuickShot™

## SMALL JOBS - 2

### ULTRA QUICKSHOT

|  | PART NUMBER | DESCRIPTION                              |   |        |
|--|-------------|------------------------------------------|---|--------|
|  | 18H073      | FILTER - 20 MESH (X3)                    | € | 22,00  |
|  | 18H074      | FILTER - 60 MESH (X3)                    | € | 22,00  |
|  | 18F891      | QUICKSHOT BELT                           | € | 26,00  |
|  | 18F977      | QUICKSHOT HOLSTER                        | € | 48,00  |
|  | 18F449      | STORAGE CASE                             | € | 14,00  |
|  | 18H080      | LID STORAGE PLUG (3-PACK)                | € | 13,00  |
|  | 18H079      | CUP & LID ASSEMBLY                       | € | 82,00  |
|  | 246215      | TIP GUARD                                | € | 64,00  |
|  | 18H072      | QUICKSHOT PISTON PUMP REPLACEMENT SYSTEM | € | 298,00 |
|  | 18H059      | QUICKSHOT REPLACEMENT SPRAY GUN          | € | 379,00 |
|  | 2000354     | QUICKSHOT REPLACEMENT HOSE               | € | 151,00 |



PRICE LIST EURO



Quick Needle Exchange  
Change needles from the front of the gun with just a click  
Easy to change, easy to clean with no tools needed

HVLP GUNS & ACCESSORIES

HVLP EDGE II GUNS & ACCESSORIES

|  | PART NUMBER | DESCRIPTION                                                                                                                  | EURO |        |
|--|-------------|------------------------------------------------------------------------------------------------------------------------------|------|--------|
|  | 17P481      | HVLP EDGE II GUN, 1L (32 OZ) FLEXLINER CUP, #3 FLUID SET (17P486), TRIGGER STOP                                              | €    | 728,00 |
|  | 17P653      | HVLP EDGE II GUN, SIPHON CUP, #3 FLUID SET (17P486), TRIGGER STOP                                                            | €    | 664,00 |
|  | 17P483      | HVLP EDGE II PLUS GUN, 1L (32 OZ) FLEXLINER CUP, #3 FLUID SET (17P486), TRIGGER STOP, ARTISAN AIR CONTROL, FAN WIDTH CONTROL | €    | 812,00 |
|  | 17P484      | HVLP EDGE II PLUS GUN, SIPHON CUP, #3 FLUID SET (17P486), TRIGGER STOP, ARTISAN AIR CONTROL, FAN WIDTH CONTROL               | €    | 698,00 |
|  | 17P654      | HVLP EDGE II PLUS PROCOMP GUN, NO CUP, #3 FLUID SET (17P486), TRIGGER STOP, ARTISAN AIR CONTROL, FAN WIDTH CONTROL           | €    | 646,00 |
|  | 17P485      | HVLP EDGE II QUICK RELEASE FLUID SET #2 (0.8 MM)                                                                             | €    | 92,00  |
|  | 17P486      | HVLP EDGE II QUICK RELEASE FLUID SET #3 (1.3 MM)                                                                             | €    | 92,00  |
|  | 17P487      | HVLP EDGE II QUICK RELEASE FLUID SET #4 (1.8 MM)                                                                             | €    | 92,00  |
|  | 17P488      | HVLP EDGE II QUICK RELEASE FLUID SET #5 (2.2 MM)                                                                             | €    | 92,00  |
|  | 17P489      | HVLP EDGE II QUICK RELEASE FLUID SET #6 (2.5 MM)                                                                             | €    | 92,00  |
|  | 17P490      | HVLP EDGE II QUICK RELEASE FLUID SET #7 (2.8 MM)                                                                             | €    | 92,00  |
|  | 17P709      | HVLP EDGE II GUN AIR CAP                                                                                                     | €    | 83,00  |
|  | 17P492      | HVLP EDGE II GUN RETAINING RING                                                                                              | €    | 40,00  |
|  | 17P493      | HVLP EDGE II PLUS GUN RETAINING RING                                                                                         | €    | 40,00  |
|  | 17P718      | HVLP EDGE II TRIGGER STOP KIT                                                                                                | €    | 114,00 |
|  | 256927      | ARTISAN AIR CONTROL KIT                                                                                                      | €    | 191,00 |
|  | 17P491      | HVLP EDGE II GUN EXTENSION, 30CM                                                                                             | €    | 401,00 |

FINE FINISH ACCESSORIES

HVLP EDGE GUN ACCESSORIES

|  | PART NUMBER | DESCRIPTION                                   | EURO |        |
|--|-------------|-----------------------------------------------|------|--------|
|  | 256946      | HVLP EDGE QUICK RELEASE FLUID SET #2 (0.8 MM) | €    | 131,00 |
|  | 256947      | HVLP EDGE QUICK RELEASE FLUID SET #3 (1.3 MM) | €    | 131,00 |
|  | 256948      | HVLP EDGE QUICK RELEASE FLUID SET #4 (1.8 MM) | €    | 131,00 |
|  | 256949      | HVLP EDGE QUICK RELEASE FLUID SET #5 (2.2 MM) | €    | 131,00 |
|  | 256950      | HVLP EDGE QUICK RELEASE FLUID SET #6 (2.5 MM) | €    | 131,00 |
|  | 256951      | HVLP EDGE GUN AIR CAP                         | €    | 137,00 |
|  | 256861      | HVLP EDGE GUN RETAINING RING                  | €    | 59,00  |
|  | 257086      | HVLP EDGE TRIGGER STOP KIT                    | €    | 124,00 |
|  | 256952      | HVLP EDGE GUN EXTENSION, 25CM                 | €    | 632,00 |

|                         | EDGE I |          | EDGE II |          | EDGE II PLUS |          |
|-------------------------|--------|----------|---------|----------|--------------|----------|
| TRIGGER STOP            | 257086 | € 124,00 | 17P718  | € 114,00 | -            | -        |
| ARTISAN AIR CONTROL KIT | 256927 | € 191,00 | 256927  | € 191,00 | 256927       | € 191,00 |
| AIR CAP                 | 256951 | € 137,00 | 17P709  | € 83,00  | 17P709       | € 83,00  |
| RETAINING RING          | 256861 | € 59,00  | 17P492  | € 39,00  | 17P493       | € 40,00  |
| GUN EXTENSION           | 256952 | € 632,00 | 17P491  | € 401,00 | 17P491       | € 401,00 |

# PRICE LIST EURO



Superflex Air Hose - 15% lighter weight than other leading brands for more control at the gun.  
No tools hose connection.

## HVLP CUPS, GASKETS, LINERS & HOSES

### HVLP CUPS, GASKETS & LINERS

|                                                                                     | PART NUMBER | DESCRIPTION                                  | EURO |        |
|-------------------------------------------------------------------------------------|-------------|----------------------------------------------|------|--------|
|    | 17R462      | HVLP EDGE II CUP, UNDER ASSEMBLY, 1L         | €    | 155,00 |
|                                                                                     | 244132      | HVLP EDGE CUP, (CUP ONLY), 1L, HVLP          | €    | 95,00  |
|                                                                                     | 244130      | HVLP EDGE CUP, UNDER ASSEMBLY, 1L HVLP       | €    | 184,00 |
|    | 257091      | REMOTE CUP (CUP ONLY) 1L                     | €    | 90,00  |
|                                                                                     | 257098      | REMOTE CUP 1L W/LID,1.5M MATERIAL AIR        | €    | 515,00 |
|                                                                                     | 287819      | REMOTE CUP 2L W/LID,1.5M MATERIAL AIR        | €    | 660,00 |
|   | 120126      | CUP, (CUP ONLY), 2L, HVLP                    | €    | 153,00 |
|                                                                                     | 17S115      | CUP OVER KIT, EDGE II, 0.5 L                 | €    | 162,00 |
|                                                                                     | 17S116      | CUP OVER KIT, EDGE II PLUS, 0.5 L            | €    | 162,00 |
|  | 240265      | GASKET, 1L CUP (X5)                          | €    | 50,00  |
|                                                                                     | 244953      | GASKET, 9.5L POLYETHYLENE, (X3) PRESSURE CUP | €    | 105,00 |

# FINE FINISH ACCESSORIES

|                                                                                     | PART NUMBER | DESCRIPTION                              | EURO |        |
|-------------------------------------------------------------------------------------|-------------|------------------------------------------|------|--------|
|  | 17A226      | LINER 1L (32 OZ) (X3)                    | €    | 9,70   |
|                                                                                     | 17P212      | LINER 1L (32 OZ) (X25)                   | €    | 59,00  |
|                                                                                     | 240266      | LINER KIT, 1L (X40) HVLP                 | €    | 91,00  |
|  | 112077      | LINER KIT, 9.5 L (X5) HVLP PRESSURE CUP  | €    | 147,00 |
|                                                                                     | 112078      | LINER KIT, 9.5 L (X25) HVLP PRESSURE CUP | €    | 402,00 |

### HVLP HOSES

|                                                                                       | PART NUMBER | DESCRIPTION                                         | EURO |        |
|---------------------------------------------------------------------------------------|-------------|-----------------------------------------------------|------|--------|
|   | 240475      | MATERIAL HOSE, PRESSURE FEED, 3/8", 6M              | €    | 183,00 |
|                                                                                       | 240476      | MATERIAL HOSE, PRESSURE FEED, 3/8", 9M              | €    | 258,00 |
|                                                                                       | 240478      | MATERIAL HOSE, PRESSURE FEED, 3/8", 15M             | €    | 505,00 |
|  | 17R300      | EDGE II SUPER-FLEX AIR HOSE, 3/4" INSIDE, 6M        | €    | 131,00 |
|                                                                                       | 257159      | SUPER-FLEX AIR HOSE, 3/4" INSIDE, 9M                | €    | 226,00 |
|                                                                                       | 241414      | SUPER-FLEX AIR HOSE, 3/4" INSIDE, 12M               | €    | 260,00 |
|  | 241423      | SUPER-FLEX HOSE, AIR & MATERIAL, 9M                 | €    | 625,00 |
|                                                                                       | 17R299      | EDGE II SUPER-FLEX WHIP AIR HOSE, 3/4" INSIDE, 1.2M | €    | 83,00  |



# PRICE LIST EURO



For larger jobs, with fine finish quality, the 1-liter cup might cause fatigue after hours of spraying. ProComp™ can make your work a lot lighter and more comfortable as this extra external compressor makes it possible to separate the material from the gun. The powerful compressor attaches to any HVLP TurboForce™ sprayer: it takes only a few seconds without any tools. No controls (kits available for manual settings)

## HVLP ACCESSORIES VARIOUS

|                                                                                     | PART NUMBER | DESCRIPTION                              | EURO |        |
|-------------------------------------------------------------------------------------|-------------|------------------------------------------|------|--------|
|    | 240069      | Y-CONNECTOR, 2 HOSES                     | €    | 120,00 |
|    | 240282      | QUICK DISCONNECT KIT, TURBINE AIR        | €    | 95,00  |
|    | 244133      | TUBE, AIR PRESS, S GUN (X5)              | €    | 46,00  |
|    | 244135      | CUP CHECK VALVE KIT (X5)                 | €    | 71,00  |
|  | 256953      | CLEANING BRUSH KIT                       | €    | 69,00  |
|  | 256954      | DELUXE CLEANING KIT                      | €    | 180,00 |
|  | 256957      | QUICKCLEAN CHECK VALVE ASSEMBLY          | €    | 79,00  |
|  | 256956      | QUICKCLEAN CHECK VALVE (X3)              | €    | 110,00 |
|  | 256959      | REMOTE CUP SHOULDER STRAP                | €    | 69,00  |
|  | M70702      | VISCOSITY CUP, FORD 4                    | €    | 162,00 |
|  | 193218      | CONE MATERIAL STRAINER                   | €    | 15,00  |
|  | 240267      | CONE MATERIAL STRAINER (X3)              | €    | 47,00  |
|  | 240273      | TURBINE PRO-FILTER SET REPLACEMENT PAPER | €    | 151,00 |
|  | 240274      | PRO-FILTER REPLACEMENT KIT (X5)          | €    | 80,00  |
|  | 15W909      | TURBINE FOAM FILTER                      | €    | 15,00  |

# AIRLESS ACCESSORIES



Experience airless like never before with the Contractor PowerShot guns. This electronic powered airless gun virtually eliminates tip spits, while featuring the industry's lightest trigger pull force for comfortable all-day spraying on a single charge.

## CONTRACTOR POWERSHOT

|                                                                                       | PART NUMBER | DESCRIPTION                                                                                                                                                            | EURO |         |
|---------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------|
|    | 18H304      | CONTRACTOR POWERSHOT STANDARD GUN, RAC X, LP517, POWERPAK SYSTEM, 60 MESH GUN FILTER, BELT & HOLSTER, 2 BATTERIES AND 1 CHARGER, CEE                                   | €    | 950,00  |
|    | 18H302      | CONTRACTOR POWERSHOT STANDARD GUN, RAC X, LP517, POWERPAK SYSTEM, 2x WHIP HOSE, 60 MESH GUN FILTER, BELT & HOLSTER, 2 BATTERIES AND 1 CHARGER, UK                      | €    | 950,00  |
|   | 18H305      | CONTRACTOR POWERSHOT XT GUN, RAC X, LP517, POWERPAK SYSTEM, 60 MESH GUN FILTER, BELT & HOLSTER, 2 BATTERIES AND 1 CHARGER, CEE                                         | €    | 1115,00 |
|   | 18H303      | CONTRACTOR POWERSHOT XT GUN, RAC X, LP517, POWERPAK SYSTEM, 2X WHIP HOSE, 60 MESH GUN FILTER, BELT & HOLSTER, 2 BATTERIES AND 1 CHARGER, UK                            | €    | 1115,00 |
|  | 18H314      | CONTRACTOR POWERSHOT XT GUN, RAC X, LP517, POWERPAK SYSTEM, 2X WHIP HOSE, 60 MESH GUN FILTER, BELT & HOLSTER, 2 BATTERIES AND 1 CHARGER, SMARTDISPLAY XT INCLUDED, CEE | €    | 1225,00 |
|  | 18H315      | CONTRACTOR POWERSHOT XT GUN, RAC X, LP517, POWERPAK SYSTEM, 2X WHIP HOSE, 60 MESH GUN FILTER, BELT & HOLSTER, 2 BATTERIES AND 1 CHARGER, SMARTDISPLAY INCLUDED, UK     | €    | 1225,00 |
|  | 2006609     | POWERSHOT MATERIAL SUPPLY WHIP HOSE 1/8" X 45CM                                                                                                                        | €    | 78,00   |
|  | 2006608     | POWERSHOT GUN WHIP HOSE 1/8" X 1.8M                                                                                                                                    | €    | 420,00  |
|  | 2005788     | CONTRACTOR POWERSHOT PROCONNECT REPLACEMENT CARTRIDGE                                                                                                                  | €    | 123,00  |
|  | 20B432      | SMARTDISPLAY XT MODULAR ACCESSORY                                                                                                                                      | €    | 198,00  |
|  | 18F891      | REPLACEMENT BELT                                                                                                                                                       | €    | 26,00   |
|  | 2006715     | POWERSHOT HOLSTER                                                                                                                                                      | €    | 48,00   |
|  | 287019      | 25 CM TIP EXTENSION WITH RAC X GUARD (FOR ULTRA HH ONLY)                                                                                                               | €    | 102,00  |
|  | 287020      | 40 CM TIP EXTENSION WITH RAC X GUARD (FOR ULTRA HH ONLY)                                                                                                               | €    | 118,00  |



When selecting a gun, there are several factors to consider, such as the size of the fluid passage and diffuser, pressure rating, as well as the comfort and feel of the gun.

AIRLESS (AIR-ASSISTED) GUNS

|  | PART NUMBER | DESCRIPTION                                                     | EURO |         |
|--|-------------|-----------------------------------------------------------------|------|---------|
|  | 17Y043      | CONTRACTOR PC GUN, RAC X, LP517                                 | €    | 503,00  |
|  | 19Y350      | CONTRACTOR PC COMPACT GUN, RAC X, LP517                         | €    | 503,00  |
|  | 262932      | G40 GUN, FLAT TIP AAM309 (INCL. FAN REGULATOR)                  | €    | 1416,00 |
|  | 262929      | G40 GUN, RAC TIP FFA210 (NO FAN REGULATOR)                      | €    | 1416,00 |
|  | 17J910      | SG3 GUN, 4F, RAC X, PAA515                                      | €    | 376,00  |
|  | 288438      | FTX-E GUN, 4F, RAC X, PAA517                                    | €    | 396,00  |
|  | 288475      | CONTRACTOR GUN, 2F, RAC X, PAA517                               | €    | 442,00  |
|  | 246240      | SILVER GUN, 2F WITH RAC X (LTX517) TIP AND RAC X GUARD, 345 BAR | €    | 611,00  |
|  | 235460      | SILVER GUN, 2F, GUARD, NO TIP                                   | €    | 578,00  |
|  | 235461      | SILVER GUN, 4F, GUARD, NO TIP                                   | €    | 578,00  |
|  | 235462      | SILVER GUN, 2F, FLAT TIP GUARD, NO TIP                          | €    | 578,00  |
|  | 235465      | SILVER GUN, 2F, BARE                                            | €    | 884,00  |
|  | 289605      | HD BLUE PLASTER GUN WITH RAC X GUARD AND 531 TIP                | €    | 748,00  |

|  | PART NUMBER | DESCRIPTION                                                        | EURO |         |
|--|-------------|--------------------------------------------------------------------|------|---------|
|  | 245820      | HD INLINE PLASTER GUN                                              | €    | 1050,00 |
|  | 244364      | CONTRACTOR IN-LINE GUN WITH FILTER, 250 BAR                        | €    | 449,00  |
|  | 246468      | FLEX GUN WITH RAC X 517                                            | €    | 532,00  |
|  | 224472      | MASTIC GUN, 36" (90CM), EXTENSION, 276 BAR                         | €    | 1579,00 |
|  | 248947      | OVERSPRAY CONTROL KIT (LL5321, LL5419, 287030, 243295, AND 246538) | €    | 916,00  |

CONCRETE INJECTION SYSTEMS

|  | PART NUMBER | DESCRIPTION                              | EURO |        |
|--|-------------|------------------------------------------|------|--------|
|  | 17E247      | INJECTION KIT, GAUGE, FLEXIBLE FOR GUN   | €    | 169,00 |
|  | 17E248      | INJECTION KIT, GAUGE, RIGID FOR GUN      | €    | 148,00 |
|  | 17E249      | INJECTION KIT, GAUGE, FLEXIBLE AND VALVE | €    | 293,00 |
|  | 17E250      | INJECTION KIT, GAUGE, RIGID AND VALVE    | €    | 264,00 |
|  | 17E251      | INJECTION KIT, FLEXIBLE FOR GUN          | €    | 108,00 |
|  | 17E252      | INJECTION KIT, RIGID FOR GUN             | €    | 90,00  |
|  | 17E253      | INJECTION KIT, FLEXIBLE AND VALVE        | €    | 269,00 |
|  | 17E254      | INJECTION KIT, RIGID AND VALVE           | €    | 255,00 |
|  |             |                                          |      |        |
|  |             |                                          |      |        |



OPTIMIZE FLOW AND PRESSURE  
When extending your hose length (over 15 m), it is always recommended to increase your hose diameter. Larger ID reduces friction.

AIRLESS (AIR-ASSISTED) HOSES

| PART NUMBER | DESCRIPTION                                                           | EURO |        |
|-------------|-----------------------------------------------------------------------|------|--------|
| 214981      | BLUE MAX II HOSE 3/16" X 4.5M (FBE), 1/4"18NPSM FXF, 227 BAR          | €    | 95,00  |
| 214698      | BLUE MAX II HOSE 3/16" X 7.5M (FBE), 1/4"18NPSM FXF, 227 BAR          | €    | 120,00 |
| 214697      | BLUE MAX II HOSE 3/16" X 15M (FBE), 1/4"18NPSM FXF, 227 BAR           | €    | 179,00 |
| 223756      | BLUE MAX II HOSE 1/4" X 4.5M (FBE), 1/4"18NPSM FXF, 227 BAR           | €    | 95,00  |
| 240793      | BLUE MAX II HOSE 1/4" X 7.5M (FBE), 1/4"18NPSM FXF, 227 BAR           | €    | 128,00 |
| 240794      | BLUE MAX II HOSE 1/4" X 15M (FBE), 1/4"18NPSM FXF, 227 BAR            | €    | 213,00 |
| 241272      | BLUE MAX II HOSE 1/4" X 20M (FBE), 1/4"18NPSM FXF, 227 BAR            | €    | 256,00 |
| 223771      | BLUE MAX II HOSE 1/4" X 30M (FBE), 1/4"18NPSM FXF, 227 BAR            | €    | 353,00 |
| 277250      | BLUE MAX II HOSE 1/4" X 15M (FBE), 1/4"18NPSM FXF, 276 BAR            | €    | 464,00 |
| 278499      | BLUE MAX II HOSE 1/2" X 15M (FBE), 1/2"14NPSM FXF, 227 BAR            | €    | 836,00 |
| 240796      | BLUE MAX II HOSE 3/8" X 7.5M (FBE), 1/4"18NPSM FXF, 227 BAR           | €    | 235,00 |
| 240797      | BLUE MAX II HOSE 3/8" X 15M (FBE), 1/4"18NPSM FXF, 227 BAR            | €    | 375,00 |
| 241275      | BLUE MAX II HOSE 3/8" X 30M (FBE), 1/4"18NPSM FXF, 227 BAR            | €    | 675,00 |
| 277251      | BLUE MAX II HOSE 3/8" X 15M (FBE), 3/8"18NPSM FXF, 276 BAR            | €    | 712,00 |
| 238358      | BLUE MAX II WHIP 3/16" X 0.9M, 1/4"18NPSM MXF, 227 BAR                | €    | 66,00  |
| 238959      | BLUE MAX II WHIP 3/16" X 1.4M, 1/4"18NPSM MXF, 227 BAR                | €    | 78,00  |
| 238359      | BLUE MAX II WHIP 3/16" X 1.8M, 1/4"18NPSM MXF, 227 BAR                | €    | 88,00  |
| 25C827      | BLUE MAXX II WHIP 1/8" X 0.9M, 1/4"18NPSM MXF, 227 BAR                | €    | 64,00  |
| 25C828      | BLUE MAXX II WHIP 1/8" X 1.4M, 1/4"18NPSM MXF, 227 BAR                | €    | 71,00  |
| 277249      | BLUE MAX II WHIP 1/4" X 0.9M, 1/4"(F) X 3/8"(M) 18NPSM, 276 BAR       | €    | 128,00 |
| 241735      | BLUE MAX II WHIP 1/4" X 0.9M, 1/4"(F) X 1/4"(M) 18NPSM, 227 BAR       | €    | 92,00  |
| 277351      | BLUE MAX II WHIP 3/8" X 0.9M, 1/8"(F) 18NPSM X 1/2"(M) 14NPT, 276 BAR | €    | 188,00 |
| 191239      | BLUE MAX II WHIP 3/8" X 3.5M, 3/8" 318NPSM FXF, 227 BAR               | €    | 197,00 |



|  | PART NUMBER | DESCRIPTION                                                                         | EURO |         |
|--|-------------|-------------------------------------------------------------------------------------|------|---------|
|  | 289959      | T-MAX 506/657/6912 WHIP HOSE 3/4" X 3M, CAM M X F, 69 BAR                           | €    | 527,00  |
|  | 26A802      | T-MAX 506/657/6912 WHIP HOSE 3/4" X 10M, CAM M X F, 69 BAR                          | €    | 812,00  |
|  | 289960      | T-MAX 506/657/6912-MATERIAL HOSE 1" X 5M, CAM M X F, 69 BAR                         | €    | 866,00  |
|  | 289961      | T-MAX 506/657/6912-MATERIAL HOSE, 1" X 10M, CAM M X F, 69 BAR                       | €    | 1310,00 |
|  | 17Z187      | T-MAX 506/657/6912-MATERIAL HOSE, 1" X 15M, CAM M X F, 69 BAR                       | €    | 1915,00 |
|  | 17Z188      | T-MAX 506/657/6912-MATERIAL HOSE, 1" X 30M, CAM M X F, 69 BAR                       | €    | 3317,00 |
|  | 18A559      | T-MAX 506/657/6912-MATERIAL HOSE, SOLVENT COMPATIBLE, 3/4" x 30M, CAM M X F, 69 BAR | €    | 2902,00 |
|  | 248557      | T-MAX,AIR HOSE KIT 3/8" X 15M + REGULATOR, 1/4"-18NPTM M X F, 17 BAR                | €    | 291,00  |
|  | 17J420      | TRANSLUCENT HOSE KIT 1" X 7,5M                                                      | €    | 634,00  |
|  | 17J421      | TRANSLUCENT HOSE KIT 1" X 15M                                                       | €    | 765,00  |
|  | 17J454      | TRANSLUCENT HOSE KIT 3/4" X 7,5M                                                    | €    | 503,00  |
|  | 17L000      | HD HOSE KIT 1" X 7,5M                                                               | €    | 765,00  |
|  | 17L003      | HD HOSE KIT 1" X 15M                                                                | €    | 1023,00 |
|  | 17L005      | HD HOSE KIT 1-1/4" X 7,5M                                                           | €    | 1153,00 |
|  | 17L009      | HD HOSE KIT 1-1/4" X 15M                                                            | €    | 1755,00 |
|  | 17L010      | HD WHIP HOSE 1" X 3M                                                                | €    | 536,00  |
|  | 287314      | ROTOFLEX PUMP HOSE KIT                                                              | €    | 189,00  |
|  | 256976      | STRAPPED HOSE, 7.5M AIR + FLUID, FP290                                              | €    | 421,00  |
|  | 257520      | STRAPPED HOSE EXTENSION, 7.5M FP290                                                 | €    | 421,00  |
|  | 24U578      | SUPER-FLEX FLUID AND AIR HOSE SET 7.5M, INCLUDING 2M WHIP HOSE                      | €    | 432,00  |
|  | 24U579      | SUPER-FLEX FLUID AND AIR HOSE SET 15M, INCLUDING 2M WHIP HOSE                       | €    | 645,00  |
|  | 278750      | SUPER-FLEX WHIP HOSE, 1/8" X 2M                                                     | €    | 97,00   |
|  | 17N982      | SUPER-FLEX WHIP HOSE, 1/2" X 4.5M (APX)                                             | €    | 326,00  |
|  | 24U576      | FLEX WRAP HOSE PROTECTOR 7,5M                                                       | €    | 87,00   |
|  | 24U577      | FLEX WRAP HOSE PROTECTOR 15M                                                        | €    | 154,00  |
|  | 17N984      | X-FLO HOSE 5/8" X 15M (APX)                                                         | €    | 1305,00 |



PRICE LIST EURO



OPTIMIZE EFFICIENCY  
Whether you simply need to replace your worn-out spray kits, or whether you want one spray line for solvent-based material and another for waterborne: complete Gun/Tip/Hose Kits exist for each of the gun types

AIRLESS (AIR-ASSISTED) GUN, TIP & HOSE KITS

|  | PART NUMBER | DESCRIPTION                                                                                                    | EURO |         |
|--|-------------|----------------------------------------------------------------------------------------------------------------|------|---------|
|  | 17Y051      | CONTRACTOR PC GUN, RAC X, LP517, 1/4"X15M + WHIP 3/16" X 1.5M                                                  | €    | 624,00  |
|  | 17Y220      | CONTRACTOR PC GUN,RAC X, FFLP210 + FFLP312, 3/16" X 7.5M, 25CM EXTENSION + 2 X 100 MESH FILTERS + SOLVENT KIT) | €    | 624,00  |
|  | 19Y445      | CONTRACTOR PC COMPACT GUN, RAC X, LP517, WHIP 1/8" X 1.4M                                                      | €    | 546,00  |
|  | 19Y489      | CONTRACTOR PC COMPACT GUN, RAC X, LP517, 1/4" X 15M + WHIP 1/8"X 1.4M                                          | €    | 617,00  |
|  | 24V155      | G40 GUN, TIP, 2M WHIP, SUPERFLEX FLUID AND AIR HOSE KIT 7.5M (DELIVERED WITH 262932 + 24U578)                  | €    | 1582,00 |
|  | 24V156      | G40 GUN, TIP, 2M WHIP, SUPERFLEX FLUID AND AIR HOSE KIT 15M (DELIVERED WITH 262929 + 24U579)                   | €    | 1612,00 |
|  | 288499      | FTX-E GUN, 4F, RAC V (517,60M), 1/4"X15M + WHIP 3/16"X 0.9M                                                    | €    | 596,00  |
|  | 289611      | HD BLUE PLASTER GUN, RAC X (427,531), 3/8"X 15M + WHIP 1/4" X 0.9M                                             | €    | 1143,00 |

AIRLESS ACCESSORIES



AIRLESS GUARDS

|  | PART NUMBER | DESCRIPTION                                 | EURO |        |
|--|-------------|---------------------------------------------|------|--------|
|  | 246215      | GUARD RAC X 7/8" THREAD - 250BAR            | €    | 64,00  |
|  | 246437      | GUARD RAC X 11/16" THREAD 250 BAR           | €    | 64,00  |
|  | 246770      | GUARD RAC X M18 X 1.5 THREAD - 250BAR       | €    | 103,00 |
|  | 243161      | GUARD RAC V, 7/8" THREAD - 250 BAR          | €    | 88,00  |
|  | 243263      | GUARD RAC V, 11/16" THREAD - 250 BAR        | €    | 88,00  |
|  | 220247      | GUARD FF FLAT TIP, 7/8" THREAD - 250 BAR    | €    | 88,00  |
|  | 220249      | GUARD FF FLAT TIP, 11/16" THREAD - 250 BAR  | €    | 103,00 |
|  | 220251      | GUARD FLAT TIP, 7/8" THREAD - 350 BAR       | €    | 64,00  |
|  | 220255      | GUARD FLAT TIP, 11/16" THREAD - 350 BAR     | €    | 64,00  |
|  | 224454      | TIP FILTER, 60 MESH (5X)                    | €    | 133,00 |
|  | 238564      | TIP FILTER, 60 MESH (25X)                   | €    | 413,00 |
|  | 224453      | TIP FILTER, 100 MESH (5X)                   | €    | 138,00 |
|  | 238562      | TIP FILTER, 100 MESH (25X)                  | €    | 413,00 |
|  | 220254      | KIT (60 MESH + 100 MESH + GUARD)            | €    | 125,00 |
|  | 127465      | INLINE AIRFILTER, DISPOSIBLE                | €    | 17,00  |
|  | 24U981      | INLINE AIRFILTER, DISPOSIBLE (5X)           | €    | 70,00  |
|  | 24U982      | INLINE AIRFILTER, DISPOSIBLE (25X)          | €    | 313,00 |
|  | 246215      | RAC X GUARD 7/8" - STANDARD, ULTRA HANDHELD | €    | 64,00  |
|  | 17P573      | RAC X GUARD 1" - SOLVENT, ULTRAMAX HANDHELD | €    | 64,00  |

# PRICE LIST EURO



EXTEND YOUR REACH  
A full range of accessories has been developed to highly increase the comfort, the speed and the productivity that you need to paint hard-to-reach areas.

## AIRLESS POLE GUNS, CLEANSHOT & TIP EXTENSIONS

|  | PART NUMBER | DESCRIPTION                                                       | EURO |         |
|--|-------------|-------------------------------------------------------------------|------|---------|
|  | 287019      | 25 CM TIP EXTENSION WITH RAC X GUARD                              | €    | 102,00  |
|  | 287020      | 40 CM TIP EXTENSION WITH RAC X GUARD                              | €    | 118,00  |
|  | 287021      | 50 CM TIP EXTENSION WITH RAC X GUARD                              | €    | 132,00  |
|  | 287022      | 75 CM TIP EXTENSION WITH RAC X GUARD                              | €    | 147,00  |
|  | 232121      | FIXED EXTENSION, HD, 25 CM                                        | €    | 151,00  |
|  | 232122      | FIXED EXTENSION, HD, 50 CM                                        | €    | 198,00  |
|  | 232123      | FIXED EXTENSION, HD, 100 CM                                       | €    | 226,00  |
|  | 232124      | FIXED EXTENSION, HD, 150 CM                                       | €    | 272,00  |
|  | 232125      | FIXED EXTENSION, HD, 200 CM                                       | €    | 305,00  |
|  | 287026      | CLEANSHOT POLE GUN, 90 CM W/RAC X (517)                           | €    | 887,00  |
|  | 287027      | CLEANSHOT POLE GUN, 180 CM W/RAC X (517)                          | €    | 1037,00 |
|  | 244163      | CLEANSHOT EXTENSION, 90 CM                                        | €    | 226,00  |
|  | 244164      | CLEANSHOT EXTENSION, 180 CM                                       | €    | 351,00  |
|  | 287030      | CLEANSHOT SHUT-OFF VALVE, RAC X (517) (SWIVELS)                   | €    | 295,00  |
|  | 248947      | OVERSPRAY CONTROL KIT<br>(LL5321, LL5419, 287030, 243295, 246538) | €    | 916,00  |

# AIRLESS ACCESSORIES



Use RAC™ X seat and gasket only with RAC™ X switch tips and guards.  
Choose the orange gasket for solvent materials.

## AIRLESS GASKETS & TIP SEAT KITS

|  | PART NUMBER | DESCRIPTION                                       | EURO |       |
|--|-------------|---------------------------------------------------|------|-------|
|  | 15A978      | RAC X GASKET (BLACK)                              | €    | 9,10  |
|  | 15E557      | RAC X GASKET, SOLVENT (ORANGE)                    | €    | 23,00 |
|  | 115524      | RAC V GASKET (BLACK)                              | €    | 14,00 |
|  | 108962      | RAC IV GASKET (BLACK)                             | €    | 6,30  |
|  | 222155      | RAC IV GASKET (BLACK, X20)                        | €    | 61,00 |
|  | 111025      | RAC IV GASKET, SOLVENT (YELLOW)                   | €    | 4,80  |
|  | 224082      | RAC IV GASKET, SOLVENT (YELLOW, X20)              | €    | 42,00 |
|  | 15A981      | RAC X SEAT                                        | €    | 9,10  |
|  | 195558      | RAC V SEAT                                        | €    | 9,10  |
|  | 181603      | RAC IV SEAT                                       | €    | 15,00 |
|  | 246453      | RAC X SEAT + GASKET (BLACK, X5)                   | €    | 48,00 |
|  | 248936      | RAC X SEAT + GASKET, SOLVENT (ORANGE, X5)         | €    | 48,00 |
|  | 243281      | RAC V SEAT + GASKET (BLACK, X5)                   | €    | 48,00 |
|  | 221176      | RAC IV SEAT + GASKET (BLACK, X5)                  | €    | 89,00 |
|  | 17P501      | TIP SEAT/GASKET - STANDARD, ULTRA HANDHELD (X5)   | €    | 48,00 |
|  | 17P502      | TIP SEAT/GASKET - SOLVENT, ULTRAMAX HANDHELD (X5) | €    | 48,00 |



Graco's JetRoller™ is the perfect solution for contractors looking for a flexible lightweight tool designed to dramatically speed up their paint roller projects. It combines the efficiency of airless spraying with the benefits of a rolled finish in a design that virtually eliminates over spray.

JETROLLER

| PART NUMBER | DESCRIPTION                                                                                 | EURO |         |
|-------------|---------------------------------------------------------------------------------------------|------|---------|
| 24V490      | JETROLLER W/ 0.5M EXTENSION & INLINE GUN,18CM FRAME, CLEANSHOT, RAC X GUARD & 515 TIP       | €    | 888,00  |
| 24V491      | JETROLLER EURO, 0.5M EXTENSION, INLINE GUN, 25CM FRAME, CLEANSHOT, RAC X GUARD & 721 TIP    | €    | 888,00  |
| 24W128      | JETROLLER EURO, 0.5M EXTENSION, INLINE GUN, 45CM FRAME, CLEANSHOT, RAC X GUARD & WR1223 TIP | €    | 1336,00 |
| 24V492      | JETROLLER W/ 0.5M EXTENSION, 18CM FRAME, CLEANSHOT, RAC X GUARD & 515 TIP                   | €    | 709,00  |
| 24V493      | JETROLLER W/ 0.5M EXTENSION, 25CM FRAME, CLEANSHOT, RAC X GUARD & 721                       | €    | 709,00  |
| 24V829      | FRAME JETROLLER, 9"                                                                         | €    | 171,00  |
| 24V830      | FRAME JETROLLER, 18CM                                                                       | €    | 171,00  |
| 24V831      | FRAME JETROLLER, 25CM                                                                       | €    | 171,00  |
| 24V832      | EXTENSION JETROLLER FRAME                                                                   | €    | 128,00  |



# PRICE LIST EURO



On smaller jobs, if conditions such as wind prevent spraying and when an airless finish quality is not required, rolling paint is the alternative.

## AIRLESS ROLLERS

### AIRLESS ROLLERS & ROLLER COVERS

|  | PART NUMBER | DESCRIPTION                                                                     | EURO |         |
|--|-------------|---------------------------------------------------------------------------------|------|---------|
|  | 244279      | FIXED INTERIOR ROLLER 50CM, EVENFLOW HEAD 23CM, COVER 12MM                      | €    | 456,00  |
|  | 244281      | TELESCOPIC INTERIOR ROLLER 45-90 CM, EVENFLOW HEAD 23CM, COVER 12MM             | €    | 974,00  |
|  | 245397      | FIXED INTERIOR ROLLER 50CM, EVENFLOW HEAD 23CM, COVER 12MM, INLINE GUN          | €    | 1033,00 |
|  | 6880095     | EXTERIOR ROLLER KIT 30CM, GEOSPERSE 23CM, COVER 14MM, INLINE GUN                | €    | 1548,00 |
|  | 6880096     | EXTERIOR ROLLER KIT 45CM, GEOSPERSE 23CM, COVER 14MM, INLINE GUN                | €    | 1350,00 |
|  | 6880097     | EXTERIOR ROLLER KIT 90CM, GEOSPERSE 23CM, COVER 14MM, INLINE GUN                | €    | 1441,00 |
|  | 098085      | TELESCOPIC EXTERIOR ROLLER KIT 45-90CM, GEOSPERSE 23CM, COVER 20MM, INLINE GUN  | €    | 1531,00 |
|  | 098084      | TELESCOPIC EXTERIOR ROLLER KIT 90-180CM, GEOSPERSE 23CM, COVER 20MM, INLINE GUN | €    | 1608,00 |
|  | 107589      | INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSE 23CM, COVER 10MM, SYNTHETIC           | €    | 44,00   |
|  | 107590      | INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSE 23CM, COVER 12MM, SYNTHETIC           | €    | 44,00   |
|  | 107591      | INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSE 23CM, COVER 19MM, SYNTHETIC           | €    | 44,00   |
|  | 186944      | INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSE 30CM, COVER 12MM, SYNTHETIC           | €    | 63,00   |
|  | 186945      | INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSE 30CM, COVER 19MM, SYNTHETIC           | €    | 64,00   |
|  | 098205      | EXTERIOR ROLLER COVER, EVENFLOW+GEOSPERSE 23CM, COVER 14MM, REINFORCED          | €    | 108,00  |
|  | 098206      | EXTERIOR ROLLER COVER, EVENFLOW+GEOSPERSE 23CM, COVER 20MM, REINFORCED          | €    | 108,00  |

# AIRLESS ACCESSORIES

### AIRLESS ROLLER HEADS & EXTENSIONS

|  | PART NUMBER | DESCRIPTION                                                    | EURO |        |
|--|-------------|----------------------------------------------------------------|------|--------|
|  | 244271      | EVENFLOW ROLLER HEAD (23CM), COVER 12MM, FOR FIXED HD POLES    | €    | 255,00 |
|  | 244623      | EVENFLOW ROLLER HEAD (23CM), COVER 12MM, FOR TELESCOPING POLES | €    | 264,00 |
|  | 240005      | GEOSPERSE ROLLER HEAD (23CM) NO COVER FIXED                    | €    | 322,00 |
|  | 218935      | GEOSPERSE ROLLER HEAD (23CM) NO COVER TELESCOPIC               | €    | 255,00 |
|  | 224268      | GEOSPERSE ROLLER HEAD (30CM) NO COVER TELESCOPIC               | €    | 345,00 |
|  | 218775      | TELESCOPIC ROLLER EXTENSION (45-90 CM) W.244825                | €    | 610,00 |
|  | 218776      | TELESCOPIC ROLLER EXTENSION (90-180 CM) W.244825               | €    | 718,00 |
|  | 218777      | TELESCOPIC ROLLER EXTENSION (180-360 CM) W.244825              | €    | 957,00 |
|  |             |                                                                |      |        |

### AIRLESS ROLLER ADAPTERS

|  | PART NUMBER | DESCRIPTION                                         | EURO |        |
|--|-------------|-----------------------------------------------------|------|--------|
|  | 244825      | ADAPTER 1/4"TO 7/8" FOR TELESCOPIC ROLLER EXTENSION | €    | 42,00  |
|  | 224399      | ADAPTER 45DEG SWIVEL 7/8" (F X M)                   | €    | 103,00 |
|  | 224398      | ADAPTER 1/8" TO 7/8" FOR HD EXTENSIONS              | €    | 155,00 |

# PRICE LIST EURO



OPTIMIZE FINISH QUALITY  
In a standard airless system, the paint passes through 3 filters before atomisation:  
inlet screen, pump filter and the gun filter.  
The first filter is the biggest, the last one, the smallest.

## AIRLESS INLET STRAINERS, GUN & PUMP FILTERS

### AIRLESS INLET STRAINERS

|  | PART NUMBER | DESCRIPTION                                                | EURO |        |
|--|-------------|------------------------------------------------------------|------|--------|
|  | 106114      | INLET STRAINER 60 MESH GH ROOF RIGS                        | €    | 100,00 |
|  | 167759      | INLET STRAINER, EH 433                                     | €    | 43,00  |
|  | 181072      | INLET STRAINER,1" 8 MESH, ULTRA(+), MAX / EM500            | €    | 38,00  |
|  | 181073      | INLET STRAINER,1/2",ULTRA(+), MAX/EM5000/GMAX              | €    | 39,00  |
|  | 183770      | INLET STRAINER 3/4" 8 MESH, 190ES, ST PRO 395/495          | €    | 37,00  |
|  | 187119      | INLET STRAINER 1 1/2" GM 1030                              | €    | 167,00 |
|  | 189920      | INLET STRAINER 1" 8 MESH, MARK V.HD,GMAX 5900HD, GMAX 7900 | €    | 53,00  |
|  | 235004      | INLET STRAINER 3/4-16UNF, 390ST/490ST/395ST/ 495ST         | €    | 37,00  |
|  | 237820      | INLET STRAINER 5/8", 290 EASY                              | €    | 38,00  |
|  | 237840      | INLET STRAINER 1 1/4", GM GMAX 10000, HYDRAMAX             | €    | 95,00  |
|  | 246385      | INLET STRAINER 7/8", ST MAX 395/495                        | €    | 37,00  |
|  | 288472      | INLET STRAINER 10 MESH, GH, CRUSH-PROOF                    | €    | 103,00 |
|  | 288481      | INLET STRAINER 10 MESH W/NUT                               | €    | 167,00 |
|  | 288480      | NUT INLET STRAINER 10 MESH                                 | €    | 154,00 |
|  | 289131      | INLET STRAINER 16 MESH, GH, CRUSH-PROOF                    | €    | 95,00  |
|  | 289132      | INLET STRAINER 16 MESH W/NUT                               | €    | 188,00 |
|  | 15V573      | INLET STRAINER DUTYMAX CRUSH PROOF                         | €    | 105,00 |

# AIRLESS ACCESSORIES

### AIRLESS PUMP FILTERS

|  | PART NUMBER | DESCRIPTION                             | EURO |       |
|--|-------------|-----------------------------------------|------|-------|
|  | 246425      | FILTER, 30 MESH, GREY                   | €    | 32,00 |
|  | 246384      | FILTER, 60 MESH, BLACK                  | €    | 32,00 |
|  | 246382      | FILTER, 100 MESH, BLUE                  | €    | 32,00 |
|  | 246383      | FILTER, 200 MESH, RED                   | €    | 32,00 |
|  | 243080      | FILTER, EASY OUT, 60 MESH, SHORT, BLACK | €    | 30,00 |
|  | 243081      | FILTER, EASY OUT, 100 MESH, SHORT, BLUE | €    | 30,00 |
|  | 243226      | FILTER, EASY OUT, 200 MESH, SHORT, RED  | €    | 30,00 |
|  | 244071      | FILTER, EASY OUT, 30 MESH, LONG, GREY   | €    | 38,00 |
|  | 244067      | FILTER, EASY OUT, 60 MESH, LONG, BLACK  | €    | 38,00 |
|  | 244068      | FILTER, EASY OUT, 100 MESH, LONG, BLUE  | €    | 38,00 |
|  | 244069      | FILTER, EASY OUT, 200 MESH, LONG, RED   | €    | 38,00 |
|  | 257094      | FILTER, 40 MESH, FINISHPRO 290          | €    | 13,00 |

### AIRLESS GUN FILTERS

|  | PART NUMBER | DESCRIPTION                                    | EURO |        |
|--|-------------|------------------------------------------------|------|--------|
|  | 218131      | GUN FILTER, 50 MESH CONTR. + FTX-E (BLUE)      | €    | 15,00  |
|  | 218133      | GUN FILTER,100 MESH CONTR. + FTX-E (ORANGE)    | €    | 15,00  |
|  | 256975      | GUN FILTER,150 MESH CONTR.+ FTX-E + AA30 (RED) | €    | 18,00  |
|  | 24X383      | GUN FILTER,50 MESH BULK (X25)                  | €    | 380,00 |
|  | 24X695      | GUN FILTER,100 MESH BULK (X25)                 | €    | 380,00 |
|  | 257129      | EASY-OUT GUN FILTER, 30 MESH (GREY)            | €    | 13,00  |
|  | 287032      | EASY-OUT GUN FILTER, 60 MESH (BLACK)           | €    | 12,00  |
|  | 19Y355      | EASY-OUT COMPACT GUN FILTER, 60 MESH (BLACK)   | €    | 12,00  |
|  | 287033      | EASY-OUT GUN FILTER 100 MESH (BLUE)            | €    | 12,00  |
|  | 19Y356      | EASY-OUT COMPACT GUN FILTER 100 MESH (BLUE)    | €    | 12,00  |
|  | 257130      | EASY-OUT GUN FILTER 200 MESH (RED)             | €    | 13,00  |
|  | 19F826      | EASY-OUT COMPACT GUN FILTER, 200 MESH (RED)    | €    | 12,00  |
|  | 287034      | EASY-OUT GUN FILTER 60 MESH + 100 MESH         | €    | 19,00  |
|  | 19Y358      | EASY-OUT COMPACT GUN FILTER 60 MESH + 100 MESH | €    | 19,00  |
|  | 24X696      | EASY-OUT GUN FILTER 60 MESH BULK (BLACK, X25)  | €    | 281,00 |
|  | 24X697      | EASY-OUT GUN FILTER 100 MESH BULK (BLUE, X25)  | €    | 281,00 |
|  | 224455      | CONTRACTOR GUN FILTER 50 MESH, FTX-E (X2)      | €    | 18,00  |
|  | 224456      | CONTRACTOR GUN FILTER 100 MESH, FTX-E (X2)     | €    | 18,00  |
|  | 289922      | LANCE FILTER 18 MESH (X2), WITH SCRAPER        | €    | 109,00 |
|  | 289923      | LANCE FILTER 30 MESH (X2), WITH SCRAPER        | €    | 109,00 |

# PRICE LIST EURO



Pump Armor® Dual purpose:  
1. Undiluted for long term storage: lubricant and anti-freeze in one  
2. Dilluted in water (20%) for more efficient daily cleaning

## AIRLESS LIQUIDS

|  | PART NUMBER | DESCRIPTION                                                    | EURO |         |
|--|-------------|----------------------------------------------------------------|------|---------|
|  | 238049      | TSL, 118 ML                                                    | €    | 14,00   |
|  | 206994      | TSL, 250 ML                                                    | €    | 27,00   |
|  | 206995      | TSL, 1 L                                                       | €    | 107,00  |
|  | 206997      | TSL, 1L (X12)                                                  | €    | 1074,00 |
|  | 206996      | TSL, 3.8 L                                                     | €    | 294,00  |
|  | 206998      | TSL, 3.8 L (X4)                                                | €    | 1070,00 |
|  | 253574      | PUMP ARMOR LIQUID, 1 L                                         | €    | 41,00   |
|  | 245133      | PUMP ARMOR LIQUID, 3.8 L                                       | €    | 130,00  |
|  | 207428      | HYDRAULIC FLUID, 3.8 L                                         | €    | 91,00   |
|  | 117784      | PUMP OIL, 0.133 LITER, FOR RADIAL AXIAL - PUMPS ONLY (G-FORCE) | €    | 46,00   |
|  | 246377      | PUMP OIL, 1 LITER, FOR TRIPLEX PLUNGER - PUMPS ONLY (G-FORCE)  | €    | 49,00   |

# AIRLESS ACCESSORIES



## AIRLESS ACCESSORIES VARIOUS

|  | PART NUMBER | DESCRIPTION                                                                                                            | EURO |        |
|--|-------------|------------------------------------------------------------------------------------------------------------------------|------|--------|
|  | 24Y472      | BLISTER PACK - PROXCHANGE GX PUMP                                                                                      | €    | 163,00 |
|  | 17C487      | BLISTER PACK - PROCONNECT PUMP LOWER (CLASSIC, STMAX, FP)                                                              | €    | 512,00 |
|  | 19D873      | BLISTER PACK - PROCONNECT PUMP LOWER (ULTRA 390/395/450/470/490XT/495XT)                                               | €    | 544,00 |
|  | 17J444      | GX CARRYING STRAP                                                                                                      | €    | 14,00  |
|  | 24B250      | HOPPER, 5.7 L, FP290                                                                                                   | €    | 340,00 |
|  | 17H171      | HOPPER, 5.7L, (GXFF, CLASSIC, STMAX, FP)                                                                               | €    | 255,00 |
|  | 19B968      | AIRLESS FINISHING KIT - 5.7L HOPPER, FFLP210 TIP, 3/16" X 7.5M HOSE + 1/8" X 0.9M WHIP, 100 MESH MANIFOLD + GUN FILTER | €    | 439,00 |
|  | 20B529      | HOPPER, 5.7L, (ULTRA & ULTRA XT)                                                                                       | €    | 331,00 |
|  | 287253      | TOOLBOX ULTRAMAX II, MARK MAX, ULTRA, ULTRA XT, MARK XT                                                                | €    | 113,00 |
|  | 240296      | HOSE STRAP (X4)                                                                                                        | €    | 43,00  |
|  | 15F446      | GUN TOOL                                                                                                               | €    | 30,00  |
|  | 70783001001 | THICKNESS GAUGE, 25 - 2000                                                                                             | €    | 17,00  |
|  | 224457      | SWIVEL 1/4" (204940 IN BLISTER)                                                                                        | €    | 103,00 |
|  | 24W090      | PROGUARD 230V, CEE 7/7, SHUKO                                                                                          | €    | 151,00 |
|  | 24W755      | PROGUARD 230V, IEC320, MULTI-CORD                                                                                      | €    | 149,00 |
|  | 25V145      | MODULAR QUICKREEL KIT (ULTRA 695/795/1095 XT & MARK V XT)                                                              | €    | 882,00 |
|  | 25V146      | MODULAR QUICKREEL KIT (MARK VII XT)                                                                                    | €    | 882,00 |
|  | 289535      | MOISTURE SEPERATOR KIT                                                                                                 | €    | 191,00 |
|  | 119799      | CLEANING BRUSH                                                                                                         | €    | 9,10   |
|  | 17Y297      | CONTRACTOR PC PROCONNECT REPLACEMENT CARTRIDGE                                                                         | €    | 105,00 |
|  | 2005788     | CONTRACTOR POWERSHOT PROCONNECT REPLACEMENT CARTRIDGE                                                                  | €    | 123,00 |



# PRICE LIST EURO



Use the container suction set, pumping directly from a 500 or 1000 liter container delivered by your material supplier: extremely effective, especially if all built into a van or trailer.

## AIRLESS SUCTION KITS

|  | PART NUMBER | DESCRIPTION                                                                                              | EURO |         |
|--|-------------|----------------------------------------------------------------------------------------------------------|------|---------|
|  | 246386      | 30L SUCTION TUBE KIT, 3/4" HOSE, PUMP 1 1/4" , STRAINER (STMAX)                                          | €    | 370,00  |
|  | 248216      | 30L SUCTION TUBE KIT, 1" HOSE, PUMP 1 5/16" (UMII, GMAX)                                                 | €    | 642,00  |
|  | 248390      | 20-200L SUCTION TUBE KIT, 1"X1M HOSE, PUMP 1 5/16" (UMII, GMAX)                                          | €    | 905,00  |
|  | 287541      | 200L SUCTION TUBE KIT, 1"X1.5M HOSE, PUMP 1 5/16" , PRIME HOSE (UMII, GMAX)                              | €    | 1055,00 |
|  | 289669      | 200L SUCTION TUBE KIT, 1"X1.5M HOSE, PUMP 1" NEW VALVE, PRIME HOSE (MARK VII/X, GMAX II 7900HD, DUTYMAX) | €    | 1024,00 |
|  | 098265      | CONTAINER SUCTION KIT, 3/4"X1.8M HOSE, PUMP 3/4" , DIN C-CLAMP (UM)                                      | €    | 905,00  |
|  | 24M445      | CONTAINER SUCTION KIT, 2"X0,6M HOSE, PUMP 1" , DIN C-CLAMP (UMII, MARK, GMAX, DUTYMAX)                   | €    | 999,00  |
|  | 25D091      | CONTAINER SUCTION KIT, 2"X0,6M HOSE, CAM (GH1017/2570/5040, DUTYMAX675)                                  | €    | 320,00  |
|  | 17Y659      | CONTAINER SUCTION KIT, SOLVENT, 2"X0,6M HOSE, CAM (GH1017/2570/5040, DUTYMAX675)                         | €    | 457,00  |
|  | 287936      | 200L SUCTION TUBE KIT, NON-SOLVENT, 2"X2M HOSE, STRAINER, PUMP CAM+1 1/2" (GH1017/2570/5040/833)         | €    | 1804,00 |
|  | 245468      | 200L SUCTION TUBE KIT, 1 1/4"X2M HOSE, PUMP 1 1/4" (GH733)                                               | €    | 1024,00 |
|  | 16V063      | 200L SUCTION TUBE KIT, 1"X1,8M HOSE, PUMP DIXON VALVE (GH933)                                            | €    | 928,00  |
|  | 287916      | 200L SUCTION TUBE KIT, NON-SOLVENT, 1 1/2"X2M HOSE, STRAINER, PUMP 1 1/2" (GH833)                        | €    | 1155,00 |
|  | 287915      | 200L SUCTION TUBE KIT, SOLVENT, 1 1/2"X2M HOSE, STRAINER, PUMP 1 1/2" (GH833)                            | €    | 1631,00 |

# AIRLESS ACCESSORIES



Simple conversion switching a gas or electric motor kit is quickly done by one person on a job site – no tools required.

## AIRLESS MOTOR KITS

|  | PART NUMBER | DESCRIPTION                         | EURO |         |
|--|-------------|-------------------------------------|------|---------|
|  | 248943      | HONDA GX160 - 160CC                 | €    | 1529,00 |
|  | 248944      | HONDA GX200 - 200CC                 | €    | 1637,00 |
|  | 248945      | HONDA GX270 - 270CC                 | €    | 2312,00 |
|  | 24M669      | DUTYMAX KIT, ELECTRIC MOTOR, 7.3 HP | €    | 3597,00 |



Endurance™ Vortex MaxLife and MaxLife Extreme™:  
the longest lasting pumps ever built.

AIRLESS PROCONNECT XT PUMP  
LOWERS (VORTEX / MAXFLO 2)

|  | PART NUMBER | DESCRIPTION                                                                  | EURO |         |
|--|-------------|------------------------------------------------------------------------------|------|---------|
|  | 2001548     | ULTRA 695 XT STANDARD - VORTEX PUMP LOWER - MAXFLO 2                         | €    | 906,00  |
|  | 2001549     | ULTRA 695 XT PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE          | €    | 1644,00 |
|  | 2001573     | ULTRA 795 XT STANDARD - VORTEX PUMP LOWER - MAXFLO 2                         | €    | 906,00  |
|  | 2001574     | ULTRA 795 XT PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE          | €    | 1644,00 |
|  | 2001550     | ULTRA 1095 XT STANDARD - VORTEX PUMP LOWER - MAXFLO 2                        | €    | 1158,00 |
|  | 2001551     | ULTRA 1095 XT PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME | €    | 2426,00 |
|  | 2001554     | MARK V XT STANDARD - VORTEX PUMP LOWER - MAXFLO 2                            | €    | 1537,00 |
|  | 2001555     | MARK V XT PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME     | €    | 2856,00 |
|  | 2001556     | MARK VII XT STANDARD - VORTEX PUMP LOWER - MAXFLO 2                          | €    | 1838,00 |
|  | 2001557     | MARK VII XT PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME   | €    | 2938,00 |

AIRLESS VORTEX XT PUMP RODS

|  | PART NUMBER | DESCRIPTION                                                | EURO |         |
|--|-------------|------------------------------------------------------------|------|---------|
|  | 2001537     | ULTRA XT 695/795 STANDARD - VORTEX ROD                     | €    | 323,00  |
|  | 2001538     | ULTRA XT 695/795 PROCONTRACTOR - VORTEX ROD - MAXLIFE      | €    | 754,00  |
|  | 2001539     | ULTRA XT 1095 STANDARD - VORTEX ROD                        | €    | 457,00  |
|  | 2001540     | ULTRA XT 1095 PROCONTRACTOR - VORTEX ROD - MAXLIFE EXTREME | €    | 998,00  |
|  | 2001544     | MARK V XT STANDARD - VORTEX ROD                            | €    | 653,00  |
|  | 2001545     | MARK V XT PROCONTRACTOR - VORTEX ROD - MAXLIFE EXTREME     | €    | 1139,00 |
|  | 2001546     | MARK VII XT STANDARD - VORTEX ROD                          | €    | 653,00  |
|  | 2001547     | MARK VII XT PROCONTRACTOR - VORTEX ROD - MAXLIFE EXTREME   | €    | 1139,00 |

PRICE LIST EURO



Endurance™ Vortex MaxLife and MaxLife Extreme™:  
the longest lasting pumps ever built.

AIRLESS PROCONNECT PUMP LOWERS  
(VORTEX / MAXFLO 2) & MAXLIFE RODS

AIRLESS PROCONNECT PUMP LOWERS (VORTEX / MAXFLO 2)

| PART NUMBER | DESCRIPTION                                                                                   | EURO |         |
|-------------|-----------------------------------------------------------------------------------------------|------|---------|
| 17H823      | ULTRA MAX II 695/795 PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE | €    | 1644,00 |
| 17H824      | ULTRA MAX II 1095 PROCONTRACTOR & GMAX II 5900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE    | €    | 2057,00 |
| 17H826      | ULTRA MAX II 1095 IRONMAN & GMAX II 5900 IRONMAN - VORTEX PUMP LOWER - MAXLIFE EXTREME        | €    | 2426,00 |
| 17H832      | MARK IV PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE                                | €    | 2205,00 |
| 17H833      | MARK V PROCONTRACTOR & GMAX II 5900 HD PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE | €    | 2585,00 |
| 17H834      | MARK VII PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE                               | €    | 2898,00 |
| 17H835      | MARK X PROCONTRACTOR & GMAX II 7900 HD PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE | €    | 3138,00 |
| 17H825      | GMAX II 7900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE                                      | €    | 2447,00 |
| 17H836      | MARK V IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME                               | €    | 2856,00 |
| 17H892      | MARK VII IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME                             | €    | 2938,00 |
| 17H837      | MARK X IRONMAN & GMAX II 7900 HD IRON MAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME    | €    | 3480,00 |
| 17H827      | GMAX II 7900 IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME                         | €    | 3071,00 |
| 17H828      | MARK IV STANDARD - PUMP LOWER - MAXFLO 2                                                      | €    | 1327,00 |
| 17H829      | MARK V STANDARD & GMAX II 5900 HD STANDARD - PUMP LOWER - MAXFLO 2                            | €    | 1537,00 |
| 17H830      | MARK VII STANDARD - PUMP LOWER - MAXFLO 2                                                     | €    | 1838,00 |
| 17H831      | MARK X STANDARD - PUMP LOWER - MAXFLO 2                                                       | €    | 2015,00 |
| 25E689      | GMAX II 7900 HD STANDARD - PUMP LOWER - MAXLIFE - MAXFLO 2                                    | €    | 2237,00 |

AIRLESS ACCESSORIES

AIRLESS MAXLIFE VORTEX RODS

| PART NUMBER | DESCRIPTION                                                                                        | EURO |         |
|-------------|----------------------------------------------------------------------------------------------------|------|---------|
| 17H876      | MAXLIFE VORTEX ROD, ULTRA MAX II 695/795 PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR                | €    | 754,00  |
| 17H877      | MAXLIFE VORTEX ROD, ULTRA MAX II 1095 PROCONTRACTOR & GMAX II 5900 PROCONTRACTOR                   | €    | 951,00  |
| 17H879      | MAXLIFE EXTREME VORTEX ROD, ULTRA MAX II 1095 IRONMAN & GMAX II 5900 IRONMAN                       | €    | 1178,00 |
| 17H880      | MAXLIFE EXTREME VORTEX ROD, GMAX II 7900 IRONMAN                                                   | €    | 1320,00 |
| 17H881      | MAXLIFE VORTEX ROD, MARK IV PROCONTRACTOR                                                          | €    | 970,00  |
| 17H882      | MAXLIFE VORTEX ROD, MARK V PROCONTRACTOR & MARK VII PROCONTRACTOR & G-MAX II 5900 HD PROCONTRACTOR | €    | 1000,00 |
| 17H883      | MAXLIFE VORTEX ROD, MARK X PROCONTRACTOR & G-MAX II 7900 HD PROCONTRACTOR                          | €    | 1064,00 |
| 17H878      | MAXLIFE VORTEX ROD, GMAX II 7900 PROCONTRACTOR                                                     | €    | 963,00  |
| 17H884      | MAXLIFE EXTREME VORTEX ROD, MARK V IRONMAN & MARK VII IRONMAN                                      | €    | 1139,00 |
| 17H885      | MAXLIFE EXTREME VORTEX ROD, MARK X IRONMAN & GMAX II 7900 HD IRON MAN                              | €    | 1390,00 |

QUIKPAKS

| PART NUMBER | DESCRIPTION                                                                                                                                                                                  |   |        |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|--------|
| 17H838      | ULTRA MAX II 695/795 STANDARD/PREMIUM, ULTRA MAX II 695 STANDARD, ULTRA MAX 795, GMAX II 3900 STANDARD, GMAX II 3900 PROCONTRACTOR, GMAX II 3900 STANDARD/PREMIUM, GMAX 3900, LINELAZER 3900 | € | 175,00 |
| 17H841      | ULTRA MAX II 695/795 PROCONTRACTOR                                                                                                                                                           | € | 175,00 |
| 17H839      | ULTRA MAX II 1095 STANDARD/PREMIUM, GMAX II 5900 STANDARD, GMAX II 5900 HD PREMIUM, GMAX 5900, LINELAZER 5900                                                                                | € | 207,00 |
| 17H842      | ULTRA MAX II 1095 PROCONTRACTOR SERIES, GMAX II 5900 PROCONTRACTOR                                                                                                                           | € | 207,00 |
| 17H843      | ULTRA MAX II 1095 IRONMAN, GMAX II 5900 IRONMAN                                                                                                                                              | € | 359,00 |
| 17H845      | MARK IV STANDARD                                                                                                                                                                             | € | 290,00 |
| 17H849      | MARK IV PROCONTRACTOR                                                                                                                                                                        | € | 334,00 |
| 17H846      | MARK V STANDARD, GMAX 5900 HD STANDARD                                                                                                                                                       | € | 313,00 |
| 17H850      | MARK V PROCONTRACTOR/IRONMAN, GMAX II 5900 HD PROCONTRACTOR/IRONMAN                                                                                                                          | € | 359,00 |
| 17H847      | MARK VII STANDARD                                                                                                                                                                            | € | 316,00 |
| 17H851      | MARK VII PROCONTRACTOR/IRONMAN                                                                                                                                                               | € | 345,00 |
| 17H848      | MARK X STANDARD                                                                                                                                                                              | € | 374,00 |
| 17H852      | MARK X PROCONTRACTOR/IRONMAN, GMAX II 7900 HD STANDARD/PROCONTRACTOR/IRONMAN                                                                                                                 | € | 403,00 |
| 17H840      | GMAX II 7900 STANDARD, GMAX II 7900 PROCONTRACTOR                                                                                                                                            | € | 334,00 |
| 17H844      | GMAX II 7900 IRONMAN                                                                                                                                                                         | € | 457,00 |



PRICE LIST EURO



PROCONNECT  
No tools pump removal. No tools pump installation. No tools rod adjustment  
=> On the job!  
=> In seconds!

AIRLESS PROCONNECT PUMP LOWERS,  
MAXLIFE SLEEVES & RODS, PUMP FILTERS

AIRLESS PROCONNECT PUMP LOWERS

|  | PART NUMBER | DESCRIPTION                                                                                        | EURO |         |
|--|-------------|----------------------------------------------------------------------------------------------------|------|---------|
|  | 248204      | ULTRA MAX II 695/795 STANDARD - PUMP LOWER                                                         | €    | 1061,00 |
|  | 248205      | ULTRA MAX II 1095 STANDARD - PUMP LOWER                                                            | €    | 1433,00 |
|  | 16X414      | ULTRA MAX II 695/795 & GMAX II 3900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2                      | €    | 957,00  |
|  | 16X419      | ULTRA MAX II 1095 & GMAX II 5900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2                         | €    | 1316,00 |
|  | 16X420      | ULTRA MAX II 1095 & GMAX II 5900 IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE                     | €    | 2076,00 |
|  | 16X428      | MARK IV STANDARD - PUMP LOWER                                                                      | €    | 1293,00 |
|  | 16X429      | MARK V STANDARD & GMAX II 5900 HD STANDARD - PUMP LOWER                                            | €    | 1704,00 |
|  | 16Y601      | MARK VII STANDARD - PUMP LOWER                                                                     | €    | 1878,00 |
|  | 16X425      | MARK X STANDARD & GMAX II 7900 HD STANDARD - PUMP LOWER - MAXLIFE                                  | €    | 2441,00 |
|  | 16X418      | MARK IV PROCONTRACTOR - PUMP LOWER - PROCONNECT 2                                                  | €    | 1515,00 |
|  | 16X421      | MARK V & GMAX II 5900 HD PROCONTRACTOR - PUMP LOWER - PROCONNECT 2                                 | €    | 1698,00 |
|  | 16Y602      | MARK VII PROCONTRACTOR - PUMP LOWER - PROCONNECT 2                                                 | €    | 1983,00 |
|  | 16X427      | MARK X PROCONTRACTOR & GMAX II 7900 HD PROCONTRACTOR/IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE | €    | 2485,00 |
|  | 16Y599      | MARK V IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE                                               | €    | 2063,00 |
|  | 16Y598      | GMAX II 3900 STANDARD - PUMP LOWER                                                                 | €    | 906,00  |
|  | 16Y706      | GMAX II 5900 STANDARD - PUMP LOWER                                                                 | €    | 1158,00 |
|  | 16X423      | GMAX II 7900 STANDARD - PUMP LOWER - MAXLIFE                                                       | €    | 2334,00 |

AIRLESS ACCESSORIES

|  | PART NUMBER | DESCRIPTION                                | EURO |          |
|--|-------------|--------------------------------------------|------|----------|
|  | 17R044      | APX 6200 PUMP LOWER, CHROME                | €    | 1771,00  |
|  | 17R042      | APX 8200 PUMP LOWER, CHROME                | €    | 1884,00  |
|  | 24W999      | DUTYMAX - PUMP LOWER, STANDARD SERIES      | €    | 2206,00  |
|  | 24X001      | DUTYMAX - PUMP LOWER, PROCONTRACTOR SERIES | €    | 2718,00  |
|  | 16U755      | GH 933 - PUMP LOWER                        | €    | 4610,00  |
|  | 16U751      | GH 1017 - PUMP LOWER                       | €    | 11229,00 |
|  | 16U752      | GH 2570 - PUMP LOWER                       | €    | 8768,00  |
|  | 16U754      | GH 5040 - PUMP LOWER                       | €    | 4762,00  |
|  |             |                                            |      |          |
|  |             |                                            |      |          |

AIRLESS MAXLIFE SLEEVES & RODS

|  | PART NUMBER | DESCRIPTION                                                                                                                    | EURO |         |
|--|-------------|--------------------------------------------------------------------------------------------------------------------------------|------|---------|
|  | 17H864      | MAXLIFE SLEEVE, ULTRA MAX II 695/795 PROCONTRACTOR & MARK IV PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR                        | €    | 534,00  |
|  | 257031      | MAXLIFE SLEEVE, ULTRA MAX II 1095 PROCONTRACTOR/IRONMAN, MARK V/VII PROCONTRACTOR/IRONMAN & GMAX II 5900 PROCONTRACTOR/IRONMAN | €    | 550,00  |
|  | 249121      | MAXLIFE SLEEVE, MARK X STANDARD/PROCONTRACTOR/IRONMAN, GMAX 7900 (HD) STANDARD/PROCONTRACTOR/IRONMAN                           | €    | 657,00  |
|  | 287817      | MAXLIFE SLEEVE (GH230/300)                                                                                                     | €    | 823,00  |
|  | 249119      | MAXLIFE ROD EH/GH200                                                                                                           | €    | 631,00  |
|  | 287816      | MAXLIFE ROD GH 230/300                                                                                                         | €    | 987,00  |
|  | 287832      | MAXLIFE ROD GH833                                                                                                              | €    | 1394,00 |
|  | 288469      | MAXLIFE ROD (GH200)                                                                                                            | €    | 727,00  |
|  | 288470      | MAXLIFE ROD (GH230/300)                                                                                                        | €    | 733,00  |
|  |             |                                                                                                                                |      |         |



TEXTURE APPLICATORS & GUNS

|  | PART NUMBER | DESCRIPTION                                                       | EURO |         |
|--|-------------|-------------------------------------------------------------------|------|---------|
|  | 289605      | HD BLUE PLASTER GUN WITH RAC X GUARD AND 531 TIP                  | €    | 748,00  |
|  | 245820      | HD INLINE PLASTER GUN                                             | €    | 1050,00 |
|  | 245924      | HOPPER GUN COMPLETE (5.5 L CAPACITY)                              | €    | 314,00  |
|  | 24S155      | RTX GUN NON BLEEDER                                               | €    | 1009,00 |
|  | 256383      | LANCE T-MAX 506/657                                               | €    | 1331,00 |
|  | 17Z054      | T-MAX LANCE 1" CAM (M), RAC X                                     | €    | 1220,00 |
|  | 17Z128      | FREE FLO INLINE GUN 1" CAM (M), ROUND NOZZLES AND FINE FINISH KIT | €    | 1508,00 |
|  | 17Y910      | STX GUN 1" CAM (M)*                                               | €    | 2664,00 |
|  | 24B944      | POLE APPLICATOR 1" CAM (M), 1M, NO BALL VALVE (24C414)            | €    | 1523,00 |
|  | 17Y907      | INLINE GUN 1" CAM (M)                                             | €    | 1048,00 |
|  | 24C414      | BALL VALVE SHUTOFF 1" CAM MXF (17Z128, 24B944, 24B945)            | €    | 667,00  |
|  | 244052      | ACCESSORY KIT, AIR ATOMIZER WITH HOSE                             | €    | 1088,00 |
|  | 244223      | ACCESSORY KIT, AIR ATOMIZER WITHOUT HOSE                          | €    | 846,00  |
|  | 289611      | HD BLUE PLASTER GUN, RAC X (427,531), 3/8"X15M + WHIP 1/4"X0.9M   | €    | 1143,00 |
|  | 18H255      | KIT, ACCESSORY, AIR ATOMIZER WITH WIDETEX™                        | €    | 941,00  |
|  | 289585      | KIT, HOSE 1/2, TEXTURE                                            | €    | 2748,00 |
|  | 24S135      | RTX5500 AIR SPRAY TRIGGER GUN                                     | €    | 1083,00 |
|  |             |                                                                   |      |         |
|  |             |                                                                   |      |         |
|  |             |                                                                   |      |         |



Always adapt the nozzle to the material.

TEXTURE AIR NOZZLES

|  | PART NUMBER | DESCRIPTION                                                 | EURO |        |
|--|-------------|-------------------------------------------------------------|------|--------|
|  | 234153      | TEXSPRAY AIR NOZZLES KIT (WHITE 6MM/GRAY 8 MM, BLACK 12 MM) | €    | 70,00  |
|  | 234538      | TEXSPRAY NOZZLE-FINE-BEIGE                                  | €    | 48,00  |
|  | 234277      | TEXSPRAY NOZZLE-SMALL-WHITE                                 | €    | 48,00  |
|  | 234278      | TEXSPRAY NOZZLE-MEDIUM-GRAY                                 | €    | 48,00  |
|  | 234279      | TEXSPRAY NOZZLE-LARGE-BLACK                                 | €    | 48,00  |
|  | 15C883      | 3MM RTX & GTX ROUND AIR NOZZLE                              | €    | 101,00 |
|  | 15C884      | 4MM RTX & GTX ROUND AIR NOZZLE                              | €    | 101,00 |
|  | 15C885      | 6MM RTX & GTX ROUND AIR NOZZLE                              | €    | 101,00 |
|  | 15C886      | 8MM RTX & GTX ROUND AIR NOZZLE                              | €    | 101,00 |
|  | 15C887      | 10MM RTX & GTX ROUND AIR NOZZLE                             | €    | 101,00 |
|  | 15C888      | 12MM RTX & GTX ROUND AIR NOZZLE                             | €    | 101,00 |
|  | 248888      | 3MM TMX ROUND AIR NOZZLE                                    | €    | 101,00 |
|  | 248524      | 4MM TMX ROUND AIR NOZZLE                                    | €    | 101,00 |
|  | 248525      | 6MM TMX ROUND AIR NOZZLE                                    | €    | 101,00 |
|  | 248526      | 8MM TMX ROUND AIR NOZZLE                                    | €    | 101,00 |
|  | 248527      | 10MM TMX ROUND AIR NOZZLE                                   | €    | 101,00 |
|  | 24S142      | WIDETEX KIT                                                 | €    | 110,00 |
|  | 24S143      | WIDETEX KIT, HARDENED                                       | €    | 352,00 |
|  | 287227      | FINE FINISH KIT + FF DISKS                                  | €    | 154,00 |
|  | 18A649      | NOZZLES GLUE KIT, 6+12 MM                                   | €    | 316,00 |
|  | 18A652      | NOZZLE GLUE, 6MM                                            | €    | 159,00 |
|  | 18A653      | NOZZLE GLUE, 12MM                                           | €    | 159,00 |
|  | 17Z635      | WIDETEX FF KIT, HARDENED (STX)                              | €    | 259,00 |
|  | 18A155      | WIDETEX FF KIT, HARDENED (LANCE, FREEFLO)                   | €    | 259,00 |
|  |             |                                                             |      |        |



OPTIMIZE PRODUCTIVITY – feeds the pump using gravity.  
Benefits when using thick materials such as plasters and fillers.  
Large capacity enables working for longer periods of time before refilling.

TEXTURE ACCESSORIES

|                                                                                     | PART NUMBER | DESCRIPTION                                                     | EURO |         |
|-------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------|------|---------|
|    | 287987      | SERVICE HOPPER FOR PAINT AND PLASTER                            | €    | 1110,00 |
|                                                                                     | 17P196      | VIBRA FLO SERVICE HOPPER FOR PAINT AND PLASTER, 230V EU         | €    | 1960,00 |
|                                                                                     | 17P002      | VIBRA FLO SERVICE HOPPER FOR PAINT AND PLASTER, 230V IT, DK, CH | €    | 1920,00 |
|    | 289587      | BAG ROLLER SYSTEM (SERVICE HOPPER 287987, 17P196, 17P002)       | €    | 963,00  |
|                                                                                     | 289823      | BAG ROLLER SYSTEM (T-MAX 506/657 - YEAR -2019)                  | €    | 1219,00 |
|                                                                                     | 17Z539      | BAG ROLLER SYSTEM (T-MAX 506/657/6912 - YEAR 2019+)             | €    | 1220,00 |
|  | 17R172      | APX BAG ROLLER SYSTEM (APX)                                     | €    | 1631,00 |
|                                                                                     | 17Z186      | APX BAG ROLLER SYSTEM (T-MAX 506/657/6912 - YEAR 2019+)         | €    | 1673,00 |
|                                                                                     | 17R174      | APX BAG ROLLER SYSTEM (SERVICE HOPPER 287987, 17P196, 17P002)   | €    | 1960,00 |
|  | 289922      | LANCE FILTER 18 MESH (X2), WITH SCRAPER                         | €    | 109,00  |
|                                                                                     | 289923      | LANCE FILTER 30 MESH (X2), WITH SCRAPER                         | €    | 109,00  |
|                                                                                     | 277789      | LANCE FILTER SCRAPER                                            | €    | 14,00   |
|   | 15U047      | STRAINER, HOPPER                                                | €    | 68,00   |
|                                                                                     | 121543      | SCRAPER TEXTURE                                                 | €    | 27,00   |
|                                                                                     | 248515      | CLEANING SPONGE BALLS 1" (X5)                                   | €    | 101,00  |
|   | 287314      | ROTOFLEX PUMP HOSE KIT                                          | €    | 189,00  |
|                                                                                     | 287328      | EXTERNAL COMPRESSOR CONNECTION KIT                              | €    | 1148,00 |
|                                                                                     | 17R720      | X-FLO HOSE REEL (APX)                                           | €    | 817,00  |

|                                                                                       | PART NUMBER | DESCRIPTION                                    | EURO |         |
|---------------------------------------------------------------------------------------|-------------|------------------------------------------------|------|---------|
|    | 25D491      | FASTFINISH COMPRESSOR, 230V EU, IT, DK, CH, UK | €    | 1559,00 |
|                                                                                       | 25D497      | G-TEX GRAVITY-FED GUN                          | €    | 278,00  |
|                                                                                       | 25D496      | FASTFINISH PRESSURE-BOOSTED GUN                | €    | 342,00  |
|    | 26A563      | AIR HOSE 3/8" X 15M                            | €    | 74,00   |
|                                                                                       | 17Z185      | AIR ASSISTED NOZZLES AND HOSE KIT FOR LANCE    | €    | 747,00  |
|                                                                                       | 17Z144      | SIGNAL CABLE + AIR HOSE, 13M                   | €    | 977,00  |
|    | 17Z148      | SIGNAL CABLE + AIR HOSE, 18M                   | €    | 1070,00 |
|                                                                                       | 17Z151      | SIGNAL CABLE + AIR HOSE, 33M                   | €    | 1451,00 |
|                                                                                       | 17Z303      | AIR HOSE 3/8" X 13M                            | €    | 230,00  |
|  | 17Z304      | AIR HOSE 3/8" X 18M                            | €    | 302,00  |
|                                                                                       | 17Z305      | AIR HOSE 3/8" X 33M                            | €    | 460,00  |
|                                                                                       | 17Z157      | REMOTE SWITCH, 18M                             | €    | 454,00  |
|  | 18A682      | REMOTE SWITCH, 0.25M                           | €    | 326,00  |
|                                                                                       | 17Z158      | REMOTE SWITCH, 33M                             | €    | 675,00  |
|                                                                                       | 15Y525      | SIGNAL CABLE EXTENSION, 15M                    | €    | 379,00  |
|  | 17Y905      | PRIME VALVE KIT, 1" CAM                        | €    | 762,00  |
|                                                                                       | 17Z414      | VIBRA-FLO (T-MAX)                              | €    | 1451,00 |





Discover the industry's first cordless, battery-powered loading pump. It is designed to fill all manual, automatic taping and finishing tools easily. Get the most out of your equipment with below accessories.

POWERFILL

| PART NUMBER | DESCRIPTION                                                                                                | EURO |        |
|-------------|------------------------------------------------------------------------------------------------------------|------|--------|
| 18D159      | 35 CM HI-RISE FILL TUBE COMPLETE KIT (PRO OUTLET AND BOX FILLER INCLUDED)                                  | €    | 286,00 |
| 18D160      | 58 CM HI-RISE FILL TUBE COMPLETE KIT (PRO OUTLET AND BOX FILLER INCLUDED)                                  | €    | 323,00 |
| 18D164      | 35 CM HI-RISE FILL TUBE AND BOX FILLER KIT (NO PRO OUTLET INCLUDED)                                        | €    | 215,00 |
| 18D165      | 58 CM HI-RISE FILL TUBE AND BOX FILLER KIT (NO PRO OUTLET INCLUDED)                                        | €    | 252,00 |
| 18D161      | TAPER GOOSENECK FILL TUBE COMPLETE KIT (19L, PRO OUTLET INCLUDED)                                          | €    | 339,00 |
| 18D162      | XL TAPER GOOSENECK FILL TUBE COMPLETE KIT (115L, PRO OUTLET INCLUDED, PRO XL VERSION ONLY)                 | €    | 366,00 |
| 18D086      | TAPER GOOSENECK FILL TUBE ONLY KIT (19L, NO PRO OUTLET INCLUDED)                                           | €    | 265,00 |
| 18D103      | XL TAPER GOOSENECK FILL TUBE ONLY KIT (115L, NO PRO OUTLET INCLUDED, PRO XL VERSION ONLY)                  | €    | 295,00 |
| 18D168      | STANDARD HORIZONTAL OUTLET WITH BOX FILLER                                                                 | €    | 130,00 |
| 18D169      | BOX FILLER KIT                                                                                             | €    | 64,00  |
| 18D163      | PRO OUTLET ELBOW KIT (REQUIRED TO MOUNT HI-RISE TUBE AND GOOSENECK)                                        | €    | 80,00  |
| 18D166      | XL PUMP CONVERSION KIT (XL ADJUSTABLE FOOT, XL PUMP CYLINDER BODY AND PUMP ROD WITH UPPER PISTON INCLUDED) | €    | 589,00 |
| 18D167      | CLEANING HOSE FLUSH KIT (OUTLET FITTING, HOSE, 2 CLEANING BALLS INCLUDED)                                  | €    | 193,00 |
| 248515      | SPONGE BALL CLEAN OUT KIT (QTY. 5, 30 MM)                                                                  | €    | 101,00 |
| 18D170      | INLET FILTER KIT, 10 MESH                                                                                  | €    | 21,00  |



PRICE LIST EURO

TEXTURE ACCESSORIES



The new T-Max modular system allows you to choose your own pump, hopper and accessories. Or you select a predefined configuration from Graco (see page 20/21 for more details)


TEXTURE T-MAX MODULES

|                                                                                     | PART NUMBER | DESCRIPTION                             | EURO |         |
|-------------------------------------------------------------------------------------|-------------|-----------------------------------------|------|---------|
|    | 17Z169      | T-MAX 506 PUMP MODULE, 230V EU          | €    | 5807,00 |
|                                                                                     | 17Z291      | T-MAX 506 PUMP MODULE, 230V IT, DK, CH  | €    | 5807,00 |
|                                                                                     | 17Z170      | T-MAX 506 PUMP MODULE, 110V UK          | €    | 5807,00 |
|  | 17Z171      | T-MAX 657 PUMP MODULE, 230V EU          | €    | 6532,00 |
|                                                                                     | 17Z292      | T-MAX 657 PUMP MODULE, 230V IT, DK, CH  | €    | 6532,00 |
|                                                                                     | 17Z172      | T-MAX 657 PUMP MODULE, 110V UK          | €    | 6532,00 |
|  | 17Z173      | T-MAX 6912 PUMP MODULE, 230V EU         | €    | 8450,00 |
|                                                                                     | 17Z293      | T-MAX 6912 PUMP MODULE, 230V IT, DK, CH | €    | 8450,00 |
|                                                                                     | 17Z174      | T-MAX 6912 PUMP MODULE, 110V UK         | €    | 8450,00 |
|  | 17Z182      | T-MAX HOPPER MODULE (4 BAGS)            | €    | 2062,00 |
|  | 17Z183      | T-MAX HOPPER MODULE (6 BAGS)            | €    | 2285,00 |



Introducing Graco's complete line of professional smoothing blades. Designed for drywall and plaster finishing, these blades deliver a fast and smooth finish with minimal waste or sanding. Experience the most comfortable way to finish for yourself.

TEXTURE SMOOTHING BLADES

|                                                                                       | PART NUMBER | DESCRIPTION                                                                                                                   | EURO |        |
|---------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------------------------------------------|------|--------|
|    | 18C676      | DRYWALL KIT (DK 42) SET W/ CARRY CASE, SMOOTHING BLADE 25CM, 35CM, 45CM, 60CM, JOINT KNIFE 10CM, 15CM, EXTENSION HANDLE 100CM | €    | 351,00 |
|                                                                                       | 18C677      | SMOOTHING KIT (SK 60) SET W/ CARRY CASE, SMOOTHING BLADE 25CM, 35CM, 45CM, 60CM, 80CM, 100 CM, EXTENSION HANDLE 200CM         | €    | 520,00 |
|    | 18C680      | JOINT KNIFE - K10, 10CM (4")                                                                                                  | €    | 20,00  |
|    | 18C681      | JOINT KNIFE - K15+, 15CM (6")                                                                                                 | €    | 34,00  |
|  | 18C682      | SMOOTHING BLADE - B15, 15CM (6")                                                                                              | €    | 34,00  |
|  | 18C683      | SMOOTHING BLADE - B25, 25CM (10")                                                                                             | €    | 47,00  |
|  | 18C684      | SMOOTHING BLADE - B35, 35CM (14")                                                                                             | €    | 61,00  |
|  | 18C685      | SMOOTHING BLADE - B45, 45CM (18")                                                                                             | €    | 68,00  |
|  | 18C686      | SMOOTHING BLADE - B60, 60CM (24")                                                                                             | €    | 93,00  |
|  | 18C687      | SMOOTHING BLADE - B80, 80CM (32")                                                                                             | €    | 129,00 |
|  | 18C688      | SMOOTHING BLADE - B100, 100CM (40")                                                                                           | €    | 162,00 |
|  | 18C678      | EXTENSION - E100, 50-100CM (20-40")                                                                                           | €    | 82,00  |
|                                                                                       | 18C679      | EXTENSION - E200, 100-200CM (40-80")                                                                                          | €    | 108,00 |



# PRICE LIST EURO



# HEAVY DUTY ACCESSORIES



Increase your jobsite efficiency in the heavy duty market with our selected heavy duty accessories where higher pressures, longer hose lengths and increased productivity help you to stand out!

## HEAVY DUTY ACCESSORIES

|                                                                                       | PART NUMBER | DESCRIPTION                                                                                                     | EURO |          |
|---------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------|------|----------|
|    | 25D229      | 500 BAR ROOFING JETROLLER, 1M EXTENSION & XHF GUN 3/8", ADJUSTABLE 22,5-45CM FRAME, XHD GUARD & XHD935+939      | €    | 2322,00  |
|                                                                                       | 25D227      | XTR7 HF GUN, XHD (429,527,531), 1/2"X15M + WHIP HOSE 3/8"X3M - 500 BAR                                          | €    | 2321,00  |
|                                                                                       | 25D228      | XTR7 HF GUN, 0,5M EXTENSION, XHD (429,527,531), 1/2"X15M (3X) + WHIP HOSE 3/8"X3M - 500 BAR                     | €    | 5835,00  |
|                                                                                       | 16U757      | HD BLUE PLASTER GUN, 0,75M EXTENSION, RAC X (519,531), 1/2"X15M (5X) + WHIP HOSE 3/8"X3M - 276 BAR              | €    | 5603,00  |
|  | 16U759      | FLEX PLUS GUN, 0,5M EXTENSION, XHD (517,531), 1/2"X15M (5X) + WHIP HOSE 3/8"X3M + WHIP HOSE 1/4"X0,9M - 276 BAR | €    | 7681,00  |
|                                                                                       | 16V015      | XTR7 GUN, XHD (519), 3/8"X15M + WHIP HOSE 1/4"X1,8M - 500 BAR                                                   | €    | 1603,00  |
|                                                                                       | 16U761      | XTR7 GUN, EXTENSION 0,5M, XHD (519,531), 3/4"X15M (4X) + 1/2"X15M + WHIP HOSE 3/8"X3M - 500 BAR                 | €    | 28004,00 |
|                                                                                       | 17B825      | XHF GUN, EXTENSION 0,5M, XHD (429,531), 3/4"X15M (4X) + 1/2"X15M + WHIP HOSE 3/8"X3M - 500 BAR                  | €    | 28004,00 |
|  | 25D078      | SERVICE HOPPER, 2" CAM LOCK, 2"X0,5M SUCTION HOSE (DUTYMAX 675, GH933/733/1017/2570/5040)                       | €    | 1523,00  |
|                                                                                       | 16U505      | STAINLESS STEEL HOPPER KIT (GH733,933,5040)                                                                     | €    | 2637,00  |
|                                                                                       | 17U148      | HD EXTENSION 1M, 500 BAR                                                                                        | €    | 529,00   |
|                                                                                       | 25D091      | SUCTION HOSE CAM LOCK, WATERBORN                                                                                | €    | 320,00   |
|                                                                                       | 17Y659      | SUCTION HOSE CAM LOCK, SOLVENT                                                                                  | €    | 457,00   |



# PRICE LIST EURO

The needs of your job, translated into Graco's G-Force II pressure washers. From occasional up to frequent and long lasting jobs, our Direct Driven and Belt Driven pressure washers provide it all.



## CLEANING


### G-FORCE II

| PART NUMBER | DESCRIPTION                                   | EURO |         |
|-------------|-----------------------------------------------|------|---------|
| 244785      | G-FORCE GUN ONLY (345 BAR)                    | €    | 100,00  |
| 244779      | G-FORCE GUN 50 CM (345 BAR)                   | €    | 159,00  |
| 244784      | G-FORCE GUN 91 CM (345 BAR)                   | €    | 193,00  |
| 16X668      | G-FORCE EXTENSION 180 CM (275 BAR)            | €    | 51,00   |
| 116564      | G-FORCE TELE-EXTENSION 180 – 550 CM (275 BAR) | €    | 349,00  |
| 16X669      | G-FORCE TELE-EXTENSION 180 – 730 CM (275 BAR) | €    | 487,00  |
| 16X670      | G-FORCE BELT FOR TELE-EXTENSIONS              | €    | 62,00   |
| 16X665      | HOSE REEL KIT, 30 M CAPACITY (240 BAR)        | €    | 1115,00 |
| 16X664      | HOSE REEL KIT, 30 M CAPACITY (345 BAR)        | €    | 663,00  |
| 127534      | HOSE 3/8" X 15 M THREAD (240 BAR)             | €    | 213,00  |
| 244783      | HOSE 3/8" X 15 M QUICK DISCONNECT (290 BAR)   | €    | 310,00  |
| 16X667      | HOSE 3/8" X 30 M QUICK DISCONNECT (275 BAR)   | €    | 442,00  |
| 16X666      | HORIZONTAL SURFACE CLEANER, 45 CM (275 BAR)   | €    | 1150,00 |
| 16X680      | GUTTER CLEANING ATTACHMENT (345 BAR)          | €    | 54,00   |
| 16X679      | BALL VALVE WATER SHUTOFF (275 BAR)            | €    | 123,00  |
| 801009      | COUPLER FOR WAND EXTENSIONS, 1/4"             | €    | 39,00   |
| 801568      | QD COUPLER 3/8" (M) X 3/8" NPT(F) STEM        | €    | 46,00   |
| 801569      | QD COUPLER 3/8" (F) X 3/8" NPT(F) COUPLER     | €    | 46,00   |
| 16X682      | G-FORCE PARTS BOX (345 BAR)                   | €    | 459,00  |
| 287643      | GARDENA® WATER CONNECTION ADAPTER (BRASS)     | €    | 48,00   |



# PROFESSIONAL CLEANING ACCESSORIES





Poles, guns and heads are modules that can be assembled to fit specific needs using the right swivels and adapters.

SWIVELS, ADAPTERS AND NIPPLES

|               | PART NUMBER | DESCRIPTION                                                                       | EURO |        |
|---------------|-------------|-----------------------------------------------------------------------------------|------|--------|
| GUN SWIVELS   |             | M X F STRAIGHT SWIVEL UNION<br>THREAD, MAX. W. PRESS.-BAR, SEALMAT-L,SWIVEL MAT-L |      |        |
|               | 244515      | 1/4" NPT(M )X 1/4" NPSM(F), 210, LEATHER, CS                                      | €    | 134,00 |
|               | 223341      | 1/4" NPT (M) X 1/4" NPSM(F), 250, PTFE, CS                                        | €    | 154,00 |
|               | 239663      | 1/4" NPT(M) X 1/4" NPSM(F), 250, LEATHER, CS                                      | €    | 103,00 |
|               | 207947      | 1/2" NPT(M) X 1/2" NPT(F), 410, CS ZINC PLATED                                    | €    | 237,00 |
| SWIVEL UNIONS |             | M X F STRAIGHT SWIVEL UNION<br>THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L       |      |        |
|               | 156823      | 1/4" NPT(M) X 1/4" NPT(F), 690, CS                                                | €    | 23,00  |
|               | 157705      | 1/4"NPT (M) X 3/8" NPSM(F), 515, CS                                               | €    | 39,00  |
|               | 190451      | 1/2" NPT(M) X 1/2" NPSM(F), 206, CS                                               | €    | 19,00  |
|               |             | F X F STRAIGHT SWIVEL UNION<br>THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L       |      |        |
|               | 159153      | 1/4" NPT(F) X 3/8" NPT(F), 515, CS                                                | €    | 42,00  |
|               | 156173      | 3/8" NPSM(F) X 3/8" NPT(F), 510, CS                                               | €    | 42,00  |
|               | 161077      | 1/2"NPT(F) X 3/8" NPSM(F), 240, CS                                                | €    | 29,00  |
|               | 155865      | 1/2" NPSM(F) X 1/2" NPT(F), 500, CS                                               | €    | 68,00  |
| HEX NIPPLE    |             | M X M STRAIGHT NIPPIE<br>THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L             |      |        |
|               | 162453      | 1/4" NPSM x 1/4" NPT NPSM, 515, CS                                                | €    | 11,00  |
|               | 156971      | 1/4" NPT x 1/4" NPT, 515, CS                                                      | €    | 9,80   |
|               | 156849      | 3/8" NPT x 3/8" NPT, 500, CS                                                      | €    | 3,90   |
|               | 196178      | 3/8" NPSM x 3/8" NPT, 350, CS WITH E-NICKEL                                       | €    | 15,00  |
|               | 157350      | 3/8" NPT x 1/4" NPT, 413, CS                                                      | €    | 17,00  |
|               | 158491      | 1/2" NPT X 1/2" NPT, 510, CS                                                      | €    | 15,00  |

|                         | PART NUMBER | DESCRIPTION                                                         | EURO |        |
|-------------------------|-------------|---------------------------------------------------------------------|------|--------|
| REDUCING NIPPLES: M X M |             | THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L                        |      |        |
|                         | 191872      | 1/8" NPT x 1/4" NPSM, 345, CS                                       | €    | 15,00  |
|                         | 165274      | 1/4" NPT x 11/16"-27 UNS, 345, CS                                   | €    | 17,00  |
|                         | 164856      | 3/8" NPT x 1/4" NPT, 550, SS                                        | €    | 42,00  |
|                         | 164672      | 3/8" NPT x 1/4" NPSM, 413, CS                                       | €    | 23,00  |
|                         | 196177      | 3/8" NPT x 1/4" NPSM, 415, CS WITH E-NICKEL                         | €    | 15,00  |
|                         | 161800      | 3/4" NPT x 3/8" NPSM, 275, CS                                       | €    | 95,00  |
|                         | 196142      | 3/4" NPT x 1/2" NPT, 345, CS                                        | €    | 41,00  |
|                         | 158979      | 1/2" NPT x 3/8" NPT , 375, CS                                       | €    | 64,00  |
|                         | 159239      | 1/2" NPT X 3/8" NPT, 510, CS                                        | €    | 15,00  |
| ADAPTERS: M X F         |             | THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L                        |      |        |
|                         | 244825      | 1/4" NPT, 7/8"-14 UNP, 230, CS                                      | €    | 42,00  |
|                         | 104969      | 1/2" NPT, 3/4" NPT, 275, CS                                         | €    | 68,00  |
|                         | 181085      | 7/8"-14 UNF, 11/16"- 16 UNEF, 345, CS, METRIC GUN TO GRACO GUARD    | €    | 40,00  |
|                         | 164120      | 11/16"- 16 UNEF, 7/8"-14 UNF-2B, 345, CS: GRACO GUN TO METRIC GUARD | €    | 53,00  |
|                         | 159841      | ADAPTER, 1/4 NPT(F) X 3/8 NPT(M)                                    | €    | 37,00  |
| PIPE TEES: F X F X M    |             | THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L                        |      |        |
|                         | 106228      | 2 X 1/4" NPT(F) X 1/4" NPT(M), 210, BRASS                           | €    | 42,00  |
|                         | 108673      | 2 X3/8" NPT(F) X 3/8" NPT(M), 275, SS                               | €    | 322,00 |
|                         | 111337      | 2 X 3/4" NPT(F) X 3/4" NPT(M), 275, CS                              | €    | 154,00 |
| BALL VALVES             |             | THREAD, MAX . W. PRESS .-BAR , PACKING MAT -L                       |      |        |
|                         | 239280      | 1/4" NPT (MBE), 350, FLUOROELASTOMER                                | €    | 515,00 |
|                         | 238694      | 3/8" NPT (MBE), 350, PTFE/SS                                        | €    | 642,00 |
|                         | 223522      | 1/4" NPT(M) X DRILLED PLUG, 350, FLUOROELASTOMER                    | €    | 615,00 |
|                         | 224441      | 3/8" NPT(M) X DRILLED PLUG, 350, FLUOROELASTOMER                    | €    | 313,00 |
|                         | 238967      | 3/8"M NPT (MBE), 350, PTFE WITH PEEK SEAT                           | €    | #N/A   |

# TIPS




Sorted per type of tip,  
including all available sizes



1. WHAT DOES A TIP TELL YOU? CRACKING THE CODE

The **colour** tells you which **application** you can use the tip for

-  For fine finish applications with thin material at the **lowest pressure**
-  For every interior and exterior paint job at the **lowest pressure**
-  For wall painting and spraying in general
-  For thin plastering and less fluid materials
-  For protective coatings – up to 500 bar
-  For marking and striping applications



**5** The **first number** indicates the **fan width** of the tip

The first digit of the code, when multiplied by 5, tells you the fan width of the tip in cm when sprayed at a distance of 30 cm from the surface.


$5 \times 5 = 25 \text{ cm}$

**17** The **last two numbers** indicate the **material output** of the tip

The last two digits show the size of the spray orifice, indicated in one thousands of an inch. The higher the number, the greater the flow with which you can spray.


17' matches an orifice of 0.017 inch

2. THE HIGHER THE FIRST NUMBER, THE LARGER THE FAN WIDTH



SMALLER FAN WIDTH -----> LARGER FAN WIDTH

3. THE HIGHER THE LAST TWO NUMBERS, THE HIGHER THE MATERIAL OUTPUT




LESS MATERIAL OUTPUT -----> MORE MATERIAL OUTPUT



graco.com/tip

4. INCREASING PRODUCTIVITY WITH TIPS



5. A TIP ON TIPS

WHAT IS TIP WEAR?

1

FAN WIDTH DECREASES  
= more passes necessary  
= more labour

+

2

ORIFICE SIZE INCREASES  
= more paint comes out  
= more material cost

=

TWICE THE LABOUR!  
+ 30% More paint for the same surface!


WHAT HAPPENS WHEN A TIP GETS WORN OUT?

Piston work pressure and abrasive material are the two main causes of worn-out tips.

The fan width decreases:  
> More spray movements are necessary  
= more work

Greater tip orifice:  
> More paint comes out of the piston  
= more costs for materials

twice as much work  
+ 30% more paint for the same surface

NEWWORN-OUT

TIP WEAR CHART:

NEW

1st digit x 5  
= fan width\*

5 cm

10 cm

15 cm

20 cm

25 cm

30 cm

35 cm

40 cm

60 cm

WORN

Time to change!

3 cm

7 cm

10 cm

15 cm

20 cm

25 cm

30 cm

35 cm

55 cm

\*at 30 cm spraying distance

SPRAY TIP SELECTION GUIDE

| VISCOSITY        | MATERIAL EXAMPLES   | SUGGESTED<br>TIPS SIZES |         | AIRLESS TIPS CHART                            |                                                                                                                                                                                                                                                             | GUARDS          |                                                                                       |
|------------------|---------------------|-------------------------|---------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|
| FINE             |                     |                         |         |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
| 20-30% solids    | Dyes                | 007-009                 | 008-010 | 163xxx (silver)                               |                                                                                                                                                                          | 220251          |    |
|                  | Stains              | 009-011                 | 008-012 | 163xxx (black)                                |                                                                                                                                                                          |                 |                                                                                       |
|                  | Lacquers            | 011-013                 | 012-014 | LTXxxx<br>RAC® X (blue)                       |                                                                                                                                                                          | RAC® X - 246215 |    |
|                  | Oils                | 011-013                 | 012-014 |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
|                  | Enamels             | 011-015                 | 012-014 | FFLPxxx<br>RAC® X (green)                     |                                                                                                                                                                          |                 |                                                                                       |
|                  | Urethanes           | 013-015                 | 012-014 |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
| MEDIUM           |                     |                         |         |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
| 30-50% solids    | Latex               | 015-019                 | 014-020 | 269xxx<br>Contractor™ Flat                    |                                                                                                                                                                          | RAC® X - 246215 |    |
|                  | Acrylics            | 015-019                 | 014-020 | 163xxx (silver)                               |                                                                                                                                                                          |                 |                                                                                       |
|                  | Multi-colours       | 024-031                 |         | FFLPxxx / LPxxx /<br>WRLPxxx<br>RAC® X (neon) |    |                 |                                                                                       |
|                  | Emulsions           | 017-021                 | 018-020 |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
|                  |                     |                         |         | PAAxxx<br>RAC® X (blue)                       |                                                                                                                                                                         |                 |                                                                                       |
| HEAVY            |                     |                         |         |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
| 50% + solids     | Block fillers       | 023-031                 |         | 163xxx (silver)                               |                                                                                                                                                                        | 220251          |  |
|                  | Elastomerics        | 025-033                 |         |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
|                  | Intumescent         | 029-035                 |         | LPxxx / WRLPxxx<br>RAC® X (neon)              |                                                                                   | RAC® X - 246215 |  |
|                  | Spachtel            | 029-065                 |         |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
|                  | Mastics             | 041-047                 |         |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
|                  | Epoxies             | 031-043                 |         | HDAxxx<br>RAC® X (brown)                      |                                                                                                                                                                        |                 |                                                                                       |
|                  | Fibered             | 047-053                 |         |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
|                  | Asphalt             | 031-067                 |         | WAxxx<br>RAC® X (blue)                        |                                                                                                                                                                        |                 |                                                                                       |
| SPECIALTY        |                     |                         |         |                                               |                                                                                                                                                                                                                                                             |                 |                                                                                       |
| Airless Striping | Road striping paint | 031-039                 |         | LL5xxx<br>RAC® V (yellow)<br>or 163xxx        |                                                                                                                                                                        | RAC® V - 243161 |  |

# PRICE LIST EURO

BREAKTHROUGH LOW PRESSURE SMARTTIP™ TECHNOLOGY, ENGINEERED TO DELIVER THE INDUSTRY’S BEST FINISH!

Featuring the patented Graco RAC® X Tip with **SMARTTIP™ TECHNOLOGY** and exclusive internal tip geometry which delivers the industry's best finish at the lowest airless spray pressure!

BREAKTHROUGH **ATOMIZATION**

- Ability to spray at low pressures without tails
- Better finish at all pressures – works well with hard to atomize Low VOC materials

BREAKTHROUGH **RELIABILITY**

- Longer tip life when used at low pressure
- Less stress and strain on the sprayer

BREAKTHROUGH **VERSATILITY**

- Longer hose lengths
- Smaller diameter hose

**SMARTTIP™ TECHNOLOGY** is designed to work with Graco's exclusive **SMARTCONTROL™ PRESSURE MANAGEMENT SYSTEM** to deliver a superior spray fan without pressure fluctuations – at all spraying pressures!



**LOW PRESSURE TECHNOLOGY EXTENDED TO LARGER TIP SIZES!**

# LOW PRESSURE TIPS

**FINE FINISH LOW PRESSURE TIPS**



| FFLPXXX |          | RAC® X - GREEN |       |       |       |       |       | 103,00 € |
|---------|----------|----------------|-------|-------|-------|-------|-------|----------|
|         |          | FAN WIDTH      |       |       |       |       |       |          |
| Orifice | Flow Lpm | 5 cm           | 10 cm | 15 cm | 20 cm | 25 cm | 30 cm |          |
| .006    | .15      | 106            | 206   |       |       |       |       |          |
| .008    | .26      | 108            | 208   | 308   | 408   |       |       |          |
| .010    | .41      | 110            | 210   | 310   | 410   | 510   |       |          |
| .012    | .59      | 112            | 212   | 312   | 412   | 512   |       |          |
| .014    | .80      |                | 214   | 314   | 414   | 514   |       |          |
| .016    | 1.04     |                |       |       |       | 516   | 616   |          |



- 21A106** Control Spray Starter Kit- 200 mesh gun filters, 200 mesh pump filter, FFLP106 tip
- 21A206** Control Spray Starter Kit- 200 mesh gun filters, 200 mesh pump filter, FFLP206 tip

**LOW PRESSURE TIPS**



| LPXXX   |          | RAC® X - NEON |       |       |       |       |       | 103,00 € |
|---------|----------|---------------|-------|-------|-------|-------|-------|----------|
|         |          | FAN WIDTH     |       |       |       |       |       |          |
| Orifice | Flow Lpm | 10 cm         | 15 cm | 20 cm | 25 cm | 30 cm | 35 cm |          |
| .013    | .69      |               | 313   |       |       |       |       |          |
| .015    | .91      |               | 315   | 415   | 515   |       |       |          |
| .017    | 1.17     | 217           | 317   | 417   | 517   | 617   |       |          |
| .019    | 1.47     |               | 319   | 419   | 519   | 619   |       |          |
| .021    | 1.79     |               |       | 421   | 521   | 621   |       |          |
| .023    | 2.15     |               |       | 423   | 523   | 623   | 723   |          |
| .025    | 2.54     |               |       | 425   | 525   | 625   | 725   |          |
| .027    | 2.96     |               |       |       | 527   | 627   |       |          |
| .029    | 3.42     |               |       |       |       | 629   | 729   |          |
| .031    | 3.90     |               |       |       |       | 631   | 731   |          |

**WIDE RAC LOW PRESSURE TIPS**



| WRLPXXX |          | RAC® X - NEON |       |       |       |       |       | 112,00 € |
|---------|----------|---------------|-------|-------|-------|-------|-------|----------|
|         |          | FAN WIDTH     |       |       |       |       |       |          |
| Orifice | Flow Lpm | 10 cm         | 20 cm | 30 cm | 40 cm | 50 cm | 60 cm |          |
| .021    | 1.8      |               |       |       |       |       | 1221  |          |
| .023    | 2.15     |               |       |       |       |       | 1223  |          |
| .025    | 2.5      |               |       |       |       |       | 1225  |          |
| .027    | 3.0      |               |       |       |       |       | 1227  |          |
| .029    | 3.4      |               |       |       |       |       | 1229  |          |
| .031    | 3.9      |               |       |       |       |       | 1231  |          |
| .033    | 4.4      |               |       |       |       |       | 1233  |          |





PROFESSIONAL AIRLESS TIPS



| PAAXXX  |          | RAC® X - BLUE |       |       |       |       |       |       |       | 90,00 € |
|---------|----------|---------------|-------|-------|-------|-------|-------|-------|-------|---------|
|         |          | FAN WIDTH     |       |       |       |       |       |       |       |         |
| Orifice | Flow Lpm | 5 cm          | 10 cm | 15 cm | 20 cm | 25 cm | 30 cm | 35 cm | 40 cm |         |
| .015    | .90      | 115           | 215   | 315   | 415   | 515   | 615   |       |       |         |
| .017    | 1.15     |               | 217   | 317   | 417   | 517   | 617   |       | 817   |         |
| .019    | 1.5      |               | 219   | 319   | 419   | 519   | 619   |       | 819   |         |
| .021    | 1.8      |               | 221   | 321   | 421   | 521   | 621   | 721   | 821   |         |
| .023    | 2.15     |               |       | 323   | 423   | 523   | 623   | 723   |       |         |
| .025    | 2.5      |               | 225   | 325   | 425   | 525   | 625   |       |       |         |



| LTXXXX  |          | RAC® X - BLUE |       |       |       |       |       |  | 90,00 € |
|---------|----------|---------------|-------|-------|-------|-------|-------|--|---------|
|         |          | FAN WIDTH     |       |       |       |       |       |  |         |
| Orifice | Flow Lpm | 10 cm         | 15 cm | 20 cm | 25 cm | 30 cm | 35 cm |  |         |
| .007    | .20      |               | 207   |       |       |       |       |  |         |
| .009    | .33      | 109           | 209   | 309   | 409   | 509   |       |  |         |
| .011    | .49      | 111           | 211   | 311   | 411   | 511   | 611   |  |         |
| .013    | .69      |               | 213   | 313   | 413   | 513   | 613   |  |         |



HEAVY DUTY TIPS



| HDAXXX  |          | RAC® X - BROWN |       |       |       |       |       |       |  | 90,00 € |
|---------|----------|----------------|-------|-------|-------|-------|-------|-------|--|---------|
|         |          | FAN WIDTH      |       |       |       |       |       |       |  |         |
| Orifice | Flow Lpm | 10 cm          | 15 cm | 20 cm | 25 cm | 30 cm | 35 cm | 45 cm |  |         |
| .027    | 2.96     | 227            | 327   | 427   | 527   | 627   |       | 827   |  |         |
| .029    | 3.42     |                | 329   | 429   | 529   | 629   | 729   |       |  |         |
| .031    | 3.90     | 231            | 331   | 431   | 531   | 631   |       | 831   |  |         |
| .033    | 4.42     |                |       | 433   | 533   | 633   |       | 833   |  |         |
| .035    | 4.98     | 235            | 335   | 435   | 535   | 635   | 735   | 835   |  |         |
| .037    | 5.56     |                |       |       | 537   | 637   |       |       |  |         |
| .039    | 6.18     |                |       | 439   | 539   | 639   |       |       |  |         |
| .041    | 6.83     |                |       | 441   | 541   | 641   |       |       |  |         |
| .043    | 7.51     |                |       | 443   | 543   | 643   |       |       |  |         |
| .045    | 8.23     |                |       | 445   | 545   | 645   |       |       |  |         |
| .047    | 8.98     |                |       |       | 547   | 647   |       |       |  |         |
| .051    | 10.67    |                |       | 451   | 551   | 651   |       |       |  |         |
| .055    | 12.29    |                |       | 455   | 555   | 655   |       |       |  |         |
| .061    | 15.12    |                |       |       | 561   | 661   |       |       |  |         |
| .065    | 17.17    |                |       |       |       | 665   |       |       |  |         |
| .071    | 20.48    |                |       |       |       | 671   |       |       |  |         |

WIDE RAC TIPS



| WRXXXX  |          | RAC® X - BLUE |       |       |       |       |       | 101,00 € |
|---------|----------|---------------|-------|-------|-------|-------|-------|----------|
|         |          | FAN WIDTH     |       |       |       |       |       |          |
| Orifice | Flow Lpm | 10 cm         | 20 cm | 30 cm | 40 cm | 50 cm | 60 cm |          |
| .021    | 1.8      |               |       |       |       |       |       | 1221     |
| .023    | 2.15     |               |       |       |       |       |       | 1223     |
| .025    | 2.5      |               |       |       |       |       |       | 1225     |
| .027    | 3.0      |               |       |       |       |       |       | 1227     |
| .029    | 3.4      |               |       |       |       |       |       | 1229     |
| .031    | 3.9      |               |       |       |       |       |       | 1231     |
| .033    | 4.4      |               |       |       |       |       |       | 1233     |
| .035    | 5.0      |               |       |       |       |       |       | 1235     |
| .037    | 5.55     |               |       |       |       |       |       | 1237     |
| .039    | 6.2      |               |       |       |       |       |       | 1239     |

PRICE LIST EURO

FINE FINISH TIPS



| 163XXX  |          | FLAT TIP RANGE, ODD |       |       |       |       |       |       |       |       | 84,00 € |
|---------|----------|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
|         |          | FAN WIDTH           |       |       |       |       |       |       |       |       |         |
| Orifice | Flow Lpm | 5 cm                | 10 cm | 15 cm | 20 cm | 25 cm | 30 cm | 35 cm | 40 cm | 45 cm |         |
| .007    | .20      | 107                 | 207   | 307   |       |       |       |       |       |       |         |
| .009    | .33      | 109                 | 209   | 309   | 409   | 509   | 609   |       |       |       |         |
| .011    | .49      | 111                 | 211   | 311   | 411   | 511   | 611   | 711   |       |       |         |
| .013    | .69      | 113                 | 213   | 313   | 413   | 513   | 613   | 713   | 813   |       |         |
| .015    | .91      | 115                 | 215   | 315   | 415   | 515   | 615   | 715   | 815   | 915   |         |
| .017    | 1.17     | 117                 | 217   | 317   | 417   | 517   | 617   | 717   | 817   | 917   |         |
| .019    | 1.47     | 119                 | 219   | 319   | 419   | 519   | 619   | 719   | 819   | 919   |         |
| .021    | 1.79     | 121                 | 221   | 321   | 421   | 521   | 621   | 721   | 821   | 921   |         |
| .023    | 2.15     |                     | 223   | 323   | 423   | 523   | 623   | 723   | 823   | 923   |         |
| .025    | 2.54     |                     | 225   | 325   | 425   | 525   | 625   | 725   | 825   | 925   |         |
| .027    | 2.96     |                     | 227   | 327   | 427   | 527   | 627   | 727   | 827   | 927   |         |
| .029    | 3.42     |                     | 229   | 329   | 429   | 529   | 627   | 729   | 829   | 929   |         |
| .031    | 3.90     |                     | 231   | 331   | 431   | 531   | 631   | 731   | 831   | 931   |         |



| 163XXX  |          | FLAT TIP RANGE, EVEN |       |       |       |       |       |       |       |       | 123,00 € |
|---------|----------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
|         |          | FAN WIDTH            |       |       |       |       |       |       |       |       |          |
| Orifice | Flow Lpm | 5 cm                 | 10 cm | 15 cm | 20 cm | 25 cm | 30 cm | 35 cm | 40 cm | 45 cm |          |
| .008    | .26      | 108                  | 208   |       | 408   |       |       |       |       |       |          |
| .010    | .41      |                      | 210   | 310   | 410   | 510   | 610   |       |       |       |          |
| .012    | .59      |                      | 212   | 312   | 412   | 512   | 612   | 712   |       | 912   |          |
| .014    | .79      |                      | 214   | 314   | 414   | 514   | 614   | 714   | 814   |       |          |
| .016    | 1.04     |                      | 216   | 316   | 416   | 516   | 616   | 716   | 816   |       |          |
| .018    | 1.32     |                      |       | 318   | 418   | 518   | 618   | 718   | 818   | 918   |          |
| .020    | 1.63     |                      |       |       | 420   | 520   | 620   |       | 820   |       |          |
| .022    | 1.97     |                      |       |       |       | 522   | 622   |       | 822   | 922   |          |
| .024    | 2.34     |                      |       |       | 424   |       | 624   |       | 824   | 924   |          |
| .026    | 2.75     |                      |       |       |       |       | 626   |       | 826   |       |          |
| .032    | 4.16     |                      |       |       | 432   |       |       |       | 832   |       |          |



| 269XXX  |          | FLAT TIP CONTRACTOR |       |       |       |       |       |       |       |  | 48,00 € |
|---------|----------|---------------------|-------|-------|-------|-------|-------|-------|-------|--|---------|
|         |          | FAN WIDTH           |       |       |       |       |       |       |       |  |         |
| Orifice | Flow Lpm | 10 cm               | 15 cm | 20 cm | 25 cm | 30 cm | 35 cm | 40 cm | 45 cm |  |         |
| .011    | .50      | 211                 | 311   | 411   | 511   |       |       |       |       |  |         |
| .013    | .70      | 213                 | 313   | 413   | 513   | 613   |       |       |       |  |         |
| .015    | .90      | 215                 | 315   | 415   | 515   | 615   | 715   | 815   |       |  |         |
| .017    | 1.15     | 217                 | 317   | 417   | 517   | 617   | 717   |       |       |  |         |
| .019    | 1.5      | 219                 | 319   | 419   | 519   | 619   | 719   | 819   |       |  |         |
| .021    | 1.8      |                     | 321   | 421   | 521   | 621   | 721   | 821   |       |  |         |
| .023    | 2.15     |                     | 323   | 423   | 523   | 623   |       |       |       |  |         |
| .025    | 2.5      | 225                 | 325   | 425   | 525   | 625   | 725   |       | 925   |  |         |
| .027    | 3.0      | 227                 | 327   | 427   | 527   | 627   |       | 827   |       |  |         |
| .029    | 3.4      |                     |       |       |       |       |       | 829   |       |  |         |
| .031    | 3.9      |                     |       |       | 531   | 631   |       | 831   |       |  |         |
| .035    | 5.0      |                     |       | 435   |       | 635   |       |       |       |  |         |

FLAT TIPS

HEAVY DUTY TIPS



| 163XXX  |          | FLAT TIP HEAVY DUTY RANGE |       |       |       |       |       |       |       |       | 84,00 € |
|---------|----------|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
|         |          | FAN WIDTH                 |       |       |       |       |       |       |       |       |         |
| Orifice | Flow Lpm | 5 cm                      | 10 cm | 15 cm | 20 cm | 25 cm | 30 cm | 35 cm | 40 cm | 45 cm |         |
| .033    | 4.42     |                           |       |       | 433   |       | 633   | 733   | 833   | 933   |         |
| .035    | 4.98     |                           | 235   | 335   | 435   | 535   | 635   | 735   | 835   | 935   |         |
| .037    | 5.56     |                           |       |       |       |       | 637   | 737   |       |       |         |
| .039    | 6.18     | 139                       | 239   | 339   | 439   | 539   | 639   |       | 839   | 939   |         |
| .041    | 6.83     |                           |       | 341   | 441   | 541   | 641   |       | 841   |       |         |
| .043    | 7.51     |                           |       |       | 443   | 543   | 643   | 743   | 843   | 943   |         |
| .045    | 8.23     |                           |       | 345   | 445   | 545   | 645   |       | 845   |       |         |
| .047    | 8.98     |                           |       | 347   |       | 547   | 647   |       | 847   |       |         |
| .049    | 9.76     |                           |       |       | 449   |       | 649   | 749   | 849   |       |         |
| .051    | 10.67    |                           |       | 351   | 451   | 551   | 651   | 751   |       |       |         |
| .053    | 11.41    |                           |       |       |       |       |       | 753   |       |       |         |
| .055    | 12.29    |                           |       |       | 455   | 555   | 655   | 755   | 855   |       |         |
| .057    | 13.20    |                           |       | 357   | 457   | 557   | 657   | 757   |       |       |         |
| .059    | 14.14    |                           |       |       | 459   |       |       |       |       |       |         |
| .061    | 15.12    |                           |       |       | 461   | 561   | 661   | 761   | 861   |       |         |
| .063    | 16.13    |                           |       |       | 463   | 563   | 663   | 763   |       |       |         |
| .065    | 17.17    |                           |       |       | 465   | 565   | 665   |       | 865   |       |         |
| .067    | 18.24    |                           |       |       | 467   | 567   | 667   | 767   | 867   |       |         |
| .069    | 19.34    |                           |       |       |       |       | 669   |       |       |       |         |
| .071    | 20.48    |                           |       |       | 471   | 571   | 671   | 771   | 871   |       |         |
| .077    | 24.00    |                           |       |       | 477   |       |       |       |       |       |         |
| .081    | 26.66    |                           |       |       | 481   |       |       |       |       |       |         |



PRICE LIST EURO

AIRLESS STRIPING TIPS



| LL5XXX     |          | RAC® V - YELLOW |       |       |       | 145,00 € |
|------------|----------|-----------------|-------|-------|-------|----------|
|            |          | FAN WIDTH       |       |       |       |          |
| Line Width | Flow Lpm | 5 cm            | 10 cm | 15 cm | 30 cm |          |
| .013       | .69      | 213             |       |       |       |          |
| .015       | .91      | 215             | 315   |       |       |          |
| .017       | 1.17     | 217             | 317   | 417   |       |          |
| .019       | 1.47     | 219             | 319   | 419   |       |          |
| .021       | 1.79     |                 | 321   | 421   | 621   |          |
| .023       | 2.15     |                 | 323   | 423   | 623   |          |
| .025       | 2.54     |                 | 325   | 425   | 625   |          |
| .027       | 2.96     |                 | 327   | 427   | 627   |          |
| .029       | 3.42     |                 | 329   | 429   | 629   |          |
| .031       | 3.90     |                 | 331   | 431   | 631   |          |
| .033       | 4.42     |                 | 333   |       |       |          |
| .035       | 4.98     |                 | 335   | 435   | 635   |          |
| .039       | 6.18     |                 | 339   | 439   | 639   |          |
| .043       | 7.51     |                 | 343   | 443   | 643   |          |
| .055       | 12.29    |                 | 355   |       |       |          |



CLEANING TIPS



| 805XXX       |  | QD WASHER TIPS |        |        |        | 27,00 €                             |
|--------------|--|----------------|--------|--------|--------|-------------------------------------|
|              |  | FAN ANGLE      |        |        |        |                                     |
| Orifice      |  | 0°             | 15°    | 25°    | 40°    | SET OF 4 TIPS<br>(0°-15°- 25°- 40°) |
| 2.7          |  | 805591         | 805592 | 805593 | 805594 | -                                   |
| 3.0          |  | 805535         | 805536 | 805537 | 805538 | 244768                              |
| 3.5          |  | 805539         | 805540 | 805541 | 805542 | 244769                              |
| 3.7          |  | 805595         | 805596 | 805597 | 805598 | -                                   |
| 4.0          |  | 805543         | 805544 | 805545 | 805546 | 800708                              |
| 4.5          |  | 805547         | 805548 | 805549 | 805550 | 800709                              |
| 5.0          |  | 805551         | 805552 | 805553 | 805554 | 800710                              |
| 5.5          |  | 805555         | 805556 | 805557 | 805558 | -                                   |
| Chemical Tip |  |                |        |        |        | 805634                              |



| 805XXX  |  | SAND WASHER TIPS |        |        |        | 34,00 € |
|---------|--|------------------|--------|--------|--------|---------|
|         |  | FAN ANGLE        |        |        |        |         |
| Orifice |  | 0°               | 15°    | 25°    | 40°    |         |
| 3.0     |  | -                | 805305 | -      | -      |         |
| 4.0     |  | 805312           | 805313 | -      | 805315 |         |
| 4.5     |  | 805316           | 805317 | 805318 | 805319 |         |
| 5.0     |  | 805320           | 805321 | -      | -      |         |
| 5.5     |  | 805324           | 805325 | -      | -      |         |
| 5.8     |  | 805328           | 805329 | 805330 | 805331 |         |



|        |                                        |          |
|--------|----------------------------------------|----------|
|        |                                        | 201,00 € |
| 198012 | ROTATING PRESSURE WASHER TIP - 275 BAR |          |
|        |                                        | 394,00 € |
| 198014 | ROTATING PRESSURE WASHER TIP - 360 BAR |          |



|        |                                           |          |
|--------|-------------------------------------------|----------|
|        |                                           | 343,00 € |
| 198013 | OSCILLATING PRESSURE WASHER TIP - 345 BAR |          |
|        |                                           | 406,00 € |
| 244766 | SANDBLASTING KIT - 380 BAR                |          |





# WARRANTY

| 5 YEARS          |                                                                 | 2 YEARS                    |  | 1 YEAR                                                                                                                                                                                                                                                                                                                                                       |
|------------------|-----------------------------------------------------------------|----------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UNITS            | ■ CART                                                          | ■ CONTROL BOX & COMPONENTS |  | ■ ULTRA AIRLESS HANDHELD & ULTRAMAX AIRLESS HANDHELD                                                                                                                                                                                                                                                                                                         |
|                  | ■ DRIVE SYSTEM                                                  | ■ ELECTRIC COMPONENTS      |  | ■ ULTRA QUICKSHOT                                                                                                                                                                                                                                                                                                                                            |
|                  | ■ ELECTRIC MOTORS (EXCLUDING HANDHELDS, ULTRA QUICKSHOT AND GX) | ■ TURBINES                 |  | ■ FLUID SECTION                                                                                                                                                                                                                                                                                                                                              |
|                  | ■ HYDRAULIC MOTOR HARD PARTS                                    | ■ CLUTCH                   |  | ■ HONDA GC ENGINE                                                                                                                                                                                                                                                                                                                                            |
|                  | ■ BELT DRIVEN WATER PUMP                                        | ■ PUMP LOWER HARD PARTS    |  | ■ HYDRAULIC UNITS                                                                                                                                                                                                                                                                                                                                            |
|                  | ■ DIRECT DRIVE WATER PUMP*                                      | ■ THERMAL RELIEF VALVE     |  | ■ GAS UNITS                                                                                                                                                                                                                                                                                                                                                  |
|                  |                                                                 | ■ UNLOADER VALVE           |  | ■ POWERFILL                                                                                                                                                                                                                                                                                                                                                  |
|                  |                                                                 | ■ GX                       |  |                                                                                                                                                                                                                                                                                                                                                              |
| ACCESSORIES      |                                                                 |                            |  | ■ GUN BODIES & ATTACHMENTS                                                                                                                                                                                                                                                                                                                                   |
| WEAR ITEMS       |                                                                 |                            |  | Graco does not cover wear items: tips, filters, sleeves, rods, packings, repair kits, seats, balls, brushes, dies,...                                                                                                                                                                                                                                        |
| OTHER WARRANTIES |                                                                 |                            |  | Components not manufactured by Graco are covered by their own warranties: gasoline engines, hoses, water pumps and batteries. All Graco products are covered by a one year warranty period against manufacturing defects. Consult our “Blue Book” (Form No. B0170) for complete detailed information on Graco’s policies (warranty, freight, returns, etc.). |

\* For units sold as of 2019.

**SALES BOOK**  
**Graco's selling tool!**  
**ANYWHERE, ANYTIME, OFFLINE**

**SUPPORT MATERIAL**



-  **IMAGES & VIDEOS**
-  **PRESENTATIONS**
-  **COMMERCIAL & TECHNICAL LITERATURE**

Tailor made support tools at your disposal to present, use and communicate on Graco's products.



## WHAT IS THE GRACO PARTNER PORTAL?

The Partner Portal is a global tool that allows you to conduct business with Graco seamlessly. It provides secure online access to product information like current pricing, and availability, order placement, shipping status, and much more.

### Features & Benefits

- > Place orders
- > View list price, net price, product availability, and order status
- > Manage your account balance
- > View, modify or submit warranty claims
- > Provide additional users access to your Graco account
- > Search for literature and instruction manuals
- > Compare products
- > Connect with Graco anytime, using your mobile device or computer

### What's changed from CIS?

- > Mobile Friendly: seamless user experience on mobile devices.
- > User Management: granular user permissions allow more users access to the site.
- > Graco bot: 24/7 support through the chat option
- > Order products: order directly from product pages via the cart
- > Orders & Warranty: quick order import process and improved warranty process, allowing attachments to be uploaded directly into the claim
- > Search: enhanced search and access to manuals and brochures.
- > Shop & Compare: browsable product catalog and product comparison tool.
- > Visual Design: branded to match graco.com



# COMPANY OVERVIEW

## THE GRACO STORY

Two brothers, a garage and the tenacious pursuit for an exceptional solution. That's where the Graco story began. For nearly 100 years and counting, our innovation-led strategy has been the driving force behind moving the materials that matter. Every product we've developed and expertly engineered has been done in a way to move, measure, control and dispense fluid and powder materials in the most efficient way possible.

Efficiency is just the beginning. With our customers, distribution partners and end users relying on the performance of our products, everything we put out into the world is manufactured to guarantee safety and contribute to an outcome that exceeds a job well done.

## MOVING MATERIALS THAT MATTER™

Moving the materials that matter is vital work. A feat that can only be done right with a dedicated partner and products that keep their promises to the customers who use them.

**They will perform.**


**They will last.**

**They will set you ahead of the rest.**

For nearly 100 years, Graco has expertly engineered products that deliver legendary performance and unsurpassed quality – all while keeping the safety of these movers at the forefront of our minds.

And with people around the world relying on the output of our products, it's not enough to just get the job done. Everything we do must reach far beyond expectations and exceed exceptional.

**EXCEED EXCEPTIONAL.**



**NOTES**







# MOVING MATERIALS THAT MATTER™



**For more information visit [graco.com/contractor](http://graco.com/contractor)**

**Graco is ISO 9001 certified.**

©2012 Graco Distribution BV 314253ENEU-W 12/25. Printed in Europe.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see [www.graco.com/patent](http://www.graco.com/patent) or [www.graco.com/trademarks](http://www.graco.com/trademarks).